



Wave Contact Center Administrator Guide

Vertical Communications, Inc. reserves the right to revise this publication and to make changes in content without notice.

© 2016 by Vertical Communications, Inc. All rights reserved.

This publication contains proprietary and confidential information of Vertical Communications, Inc. The contents of this document may not be disclosed, copied or translated by third parties, in any form, or by any means known, or not now known or conceived, without prior explicit written permission from Vertical Communications, Inc.

LIMIT OF LIABILITY/DISCLAIMER OF WARRANTY

Vertical Communications, Inc. makes no representation or warranties with respect to the accuracy or completeness of the content of this publication and specifically disclaims any implied warranty of merchantability or fitness for any particular purpose, and shall not be liable for any loss of profit or any other commercial damage, including but not limited to, special, incidental, or consequential.

TRADEMARKS

Vertical Communications and the Vertical Communications logo and combinations thereof and Wave Global Administrator, Wave ViewPoint, Wave IP2500, Wave Fax Manager, Wave Service Response, Wave Voice Server are trademarks of Vertical Communications, Inc. All other brand and product names are used for identification only and are the property of their respective holders.

What's new in this version

This version of the *Wave Contact Center Administrator Guide* has been updated for Wave 5.0:

- Contact center queue callback lets you offer a caller on hold the option to enter a phone number and receive a callback when an agent is available, rather than stay connected listening to hold prompts. See “Contact center queue callback” on page 5-16.
- In the Call Log table (see page A-3), the column heading “HoldTime” has been renamed “WaitTime” to better reflect that it displays the number of seconds the caller waited before being connected with an agent.

Contents

What's new in this version

Contents

Chapter 1

About Wave Contact Centers

How a Wave Contact Center queue works	1-2
Wave Contact Center queue features	1-3
Agents, call forwarding and routing lists	1-6
Viewing queue configuration and setup	1-6
Using the Call Classifier with Wave Contact Centers	1-7
Basic Contact Center queue terminology	1-7
Using the audio controls	1-8
Importing audio files	1-9

Chapter 2

Creating a Contact Center Queue

Queue requirements	2-1
Queue creation and customization tasks	2-2
The Queues view	2-3
Entering general information about a queue	2-6
Managing a queue's prompts and audio recordings	2-7
Choosing the language for a queue's phone prompts	2-8
Recording a voice title for a queue	2-9
Creating a Welcome prompt for a queue	2-10
Creating voicemail greetings for a queue	2-11
Enabling callers to leave a callback phone number via voicemail	2-13
Directing calls to a queue	2-13
Setting up a menu choice for a queue	2-14
Including a queue in the dial-by-name directory	2-16

Redirecting calls	2-17
Redirecting calls when the queue is too busy	2-17
Redirecting calls after maximum wait time expires	2-20
Redirecting calls when the queue is closed	2-21
Redirecting calls when there are no matching agent skills	2-22
Defining call logging for a queue	2-24
Setting external Caller ID for outbound queue calls	2-25
Managing a queue's password security	2-27

Chapter 3 Adding Agents to a Queue

Setting default wrap-up time and permissions for agents	3-2
Adding primary agents to a queue	3-4
Changing the order of agents	3-12
Using remote agents	3-13
Using roaming agents, or hot-desking	3-13
Setting up overflow agents	3-14
Assigning an overflow tier to agents	3-15
Setting up the overflow wait time and options	3-16

Chapter 4 Distributing Calls to Agents in a Queue

Queue call distribution methods	4-1
Using Last Agent Routing	4-4
Placing agents on break if they do not answer calls	4-6
Using call scores to distribute calls to agents	4-7
Defining how calls are scored	4-7
Choosing by how much to increase a call's score	4-7
Basing a call's score on time in queue or time in system	4-8
Giving some calls higher priority	4-9
Increasing a call's score for skill matches	4-12

Chapter 5 Customizing the Caller Experience

Setting up caller data entry	5-2
Validating caller data entry	5-5

Customizing the caller hold experience	5-7
Setting up hold music	5-7
Configuring hold and park ringback	5-9
Offering options while a caller is waiting on a queue	5-10
Creating Hold prompts	5-11
Contact center queue callback	5-16
How queue callbacks work	5-16
Adding the callback prompt to the Hold menu	5-17
Callback statistics	5-17
Setting up contact center queue callback	5-18
Setting up a queue's voice mailbox	5-21
Setting up voicemail notifications	5-23

Chapter 6 Managing a Queue

Using and improving expected wait time for callers	6-1
About the expected wait time estimate	6-2
Expected wait time and overflow tier levels	6-3
Improving the expected wait time estimate	6-3
Correcting expected wait time inaccuracies	6-5
Announcing expected wait time in minutes and seconds	6-5
Automatically recording queue calls	6-6
Collecting queue statistics	6-9
Defining the statistics period	6-9
Defining shifts for statistics display	6-10
Creating and using custom data variables	6-12
Creating a custom data variable	6-13
Closing a queue	6-15
Queue status when closed	6-15
Deleting a queue	6-16

Chapter 7 Using Skills-Based and Custom Routing

Do I need to use skills-based or custom routing?	7-2
How skills-based routing works	7-2
Setting up skills-based routing	7-3
Tools to prepare for and analyze skills-based routing	7-3

Defining skills	7-4
Assigning skills and attributes to users	7-5
The skill value scale	7-5
Assigning skills to a user	7-5
Assigning attributes to users	7-6
Adding skill requirements to calls	7-6
Selecting and weighting relevant skills for a queue	7-8
Setting up skills-based routing for a queue	7-9
Configuring skills-based routing for a queue	7-10
Defining how skills are used in routing calls to queues	7-12
Redirecting calls when no agents have matching skills	7-15
Viewing an agent's skills within a queue	7-16
Reducing wait time for calls with skill requirement matches	7-17
Using custom agent scoring	7-18
Configuring custom agent scoring	7-20
The agent scoring formula	7-21
Viewing agent and call scoring decisions	7-22

Chapter 8 Using Contacts and Call Rules with a Queue

About using contacts and call rules with a queue	8-1
Benefits of using contacts with a queue	8-2
Benefits of applying call rules to queue calls	8-2
Setting up a utility user for a queue	8-3
Creating the utility user	8-3
Creating the utility user's routing list	8-7
Creating queue contacts	8-9
Setting up call rules for a queue	8-9

Chapter 9 Supervising a Contact Center Queue

About supervising queues	9-1
Exempting supervisors from receiving queue calls	9-2
Viewing current queue calls	9-2
Monitoring queue statistics	9-2
Viewing queue statistics in the Queue Monitor folder	9-3

When statistics are reset - - - - -	9-12
When statistics are refreshed - - - - -	9-13
About agents' personal status and state - - - - -	9-14
Monitoring the position of agents in the queue - - - - -	9-14
Monitoring queue statistics using the phone - - - - -	9-17
Supervising other agents' calls - - - - -	9-18
Viewing when agents are being monitored - - - - -	9-20
Managing agents' status - - - - -	9-21
Signing agents in or out of a queue - - - - -	9-21
Changing an agent's personal status - - - - -	9-24
Managing a queue's voice mailbox - - - - -	9-25
Managing queue voice messages on the phone - - - - -	9-25

Chapter 10 Working as an Agent in a Contact Center Queue

Starting and ending your shift, and taking breaks - - - - -	10-1
Starting your shift - - - - -	10-2
Ending your shift - - - - -	10-2
Taking a break - - - - -	10-3
What Contact Center agents need to know - - - - -	10-3
Agents, call forwarding and routing lists - - - - -	10-3
Working at different phones - - - - -	10-4
Signing in and out of a queue - - - - -	10-5
Receiving and handling queue calls - - - - -	10-6
Viewing your position in the queue - - - - -	10-6
Being monitored or coached by a supervisor - - - - -	10-7
Using the Call Monitor tabs - - - - -	10-8
Wrap-up time - - - - -	10-9
Viewing queue activity - - - - -	10-9
Placing calls from a queue vs. calling as user - - - - -	10-10
Determining who you are calling as - - - - -	10-11
Popping up caller information - - - - -	10-11
Working remotely - - - - -	10-12

Chapter 11 Running Contact Center Reports

About the Contact Center Reporter - - - - -	11-1
---	------

Contact Center Reporter requirements	11-2
Running a report	11-3
About report templates	11-3
Backups of original reports	11-3
Using the Contact Center Reporter toolbar in Excel	11-4
Viewing report results	11-6
Using Excel tabs to view report results	11-6
Viewing report headers and footers	11-7
Setting Reporter options	11-8
Setting general Reporter options	11-8
Setting individual report options	11-10
Customizing Contact Center Reporter	11-11
Making a report Shared or Local	11-11
Reporting on outbound Contact Center calls	11-12
Printing and scheduling reports with the Report Runner -	11-13
Running the Report Runner without a command line statement ---	11-15
Available reports overview	11-16
Activity History by Agent report	11-20
Activity History by Queue report	11-22
Agent by Queue and Skill Configuration report	11-24
Agent Call Trends report	11-25
Agent Performance Trends by Queue report	11-27
Agent Performance by Skill report	11-28
Agent State Summary report	11-29
Agent State Summary by Queue report	11-31
Average Wait Time and Call Volume by Time of Day report ----	11-32
Call Distribution by Skill and Agent report	11-33
Call Distribution by Skill and Queue report	11-35
Call Log report	11-36
Call Result by Skill report	11-38
Call Summary report	11-39

Call Transfer report	11-41
Call Trends report	11-43
Call Volume by Account Code report	11-45
Call Volume by Identified Caller report	11-46
Contact Center Queue Information report	11-47
Cumulative Calls and Average Talk Time by Agent report	11-48
Custom Data report	11-50
Grouped Service Level report	11-52
Inbound Call Outcome Trends report	11-54
Inbound Call Volume Trends report	11-56
Outbound Call Comparison report	11-57
Outbound Calls by Phone Number report	11-59
Outbound Long Distance Summary report	11-61
Queue Call History Detail report	11-64
Queue Comparison report	11-64
Queue Performance Summary by Agent report	11-67
Service Level report	11-68
Service Level by Skill report	11-70
Skill Assignment by Agent report	11-71
Unanswered Calls During Business Hours report	11-72
User Activity report	11-74
User Call Trends report	11-75
Wait by Outcome report	11-77

Appendix A Creating Custom Reports

About custom reports	A-1
Connecting to the Wave database	A-1
Wave database schema	A-2
The CallLog table	A-3
The PartyLog table	A-5
The QueueEncounter table	A-8

The AgentStateChange table	A-9
The UserStateChange table	A-10
The PhoneBookEntry table	A-10
The ExtensionSettings table	A-11
Agent table	A-11
QueueSkillDefinitions table	A-12
PBEQueueSkills table	A-12
PBEQueueAttributes table	A-12
PersonalStatus table	A-13
Queue table	A-13
QueueSkills table	A-14
SkillReqLog table	A-14
UserPSChange table	A-14

Appendix B Troubleshooting Contact Center Queues

Troubleshooting queue behavior using queue logs	B-1
Enabling queue logging	B-1
About queue log files	B-2
Viewing queue logs	B-2
Troubleshooting agent issues	B-3

Index

About Wave Contact Centers

CHAPTER CONTENTS

How a Wave Contact Center queue works	1-2
Wave Contact Center queue features	1-3
Using the Call Classifier with Wave Contact Centers.	1-7
Basic Contact Center queue terminology	1-7
Using the audio controls.	1-8

Wave Contact Centers provide a full-featured system for automatically distributing incoming calls to a group of agents. Examples of Contact Centers include a sales workgroup, a customer support department, or any department in which multiple agents answer calls to a single number.

A Contact Center queue automatically answers calls, puts them in a queue, and then distributes them to ready agents. With Contact Center queues you can customize the caller's waiting experience, play single or repeating prompts, prompt callers to enter data, configure call priority, grant specialized supervisor permissions such as the ability to monitor calls, and use the Wave Contact Center Reporter to run a variety of reports on Contact Center activity.

Once your queue is up and running

- If you are supervising an active queue, see Chapter 9.
- If you are working as an agent in a queue, see Chapter 10.

How a Wave Contact Center queue works

How and when does an agent receive a queue call?

For an agent to receive calls from a queue, the following four conditions must be true:

- **The agent is defined as a member of the queue.** A Wave user who is not a member of a queue can see no part of that queue in ViewPoint, and never receives calls from that queue. The queue administrator adds and deletes agents as members of a queue.
- **The agent is signed in to the queue.** This setting determines whether the agent receives calls from this particular queue. Agents must be signed in to the queue to receive calls from it. An agent who is signed out does not receive calls from that queue, but can still see and monitor the queue in ViewPoint—a useful state for supervisors. An agent might be signed into some queues and signed out of others at any given time. The queue administrator determines which agents are signed in or out of each queue. You can also give individual agents permission to sign themselves in and out.
- **The agent is in an available personal status.** To receive queue calls, an agent must be in the personal status Available, Available (Queue Only), or any personal status with the **Queue calls** field set to Yes. Agents in any personal status with **Queue calls** set to No—for example, Available (Non Queue) or Do Not Disturb—do not receive calls from any queue. Agents can change their own personal status if they have permission to do so, and it can also be changed by others if they have permission to do so.
- **The agent is ready.** This agent state, viewable in the Queue Monitor (see “The Agents pane” on page 9-4), determines whether the agent is currently eligible to receive queue calls. Agents are ready when they are signed into at least one queue, are in an available personal status, and are not currently in a call or the wrap-up period following a call.

What do agents experience?

Agents can work in a queue using the phone alone or in conjunction with Wave ViewPoint. Agents can change their personal status to begin their shifts, take breaks, and end their shifts. After finishing each call, agents have a wrap-up time to complete paperwork before they receive the next call.

By default agents have permission to change their own personal status, enabling them to control their own workflow. You can revoke this permission for individual agents, so that a supervisor must change their personal status for them. See “Preventing agents from changing their personal status” on page 3-11.

What do callers experience?

Callers reach the queue either by dialing its extension directly or choosing it from your company's auto attendant (for example, "for Technical Support, press 2"). They hear an initial message, called a Welcome prompt, that introduces them to the queue. You can also have the queue prompt them to enter data at this point, such as a customer number, that can optionally modify their waiting experience. If no agents are ready, the callers are then placed on the queue to wait.

While waiting, callers hear hold music. Occasionally they hear other messages called Hold prompts. These are messages that you record to assure callers that their calls will be answered, to play them an advertisement, and so on. You can define Hold prompts that play only once, play on a repeating basis, or change based on how close the call is to being answered. Instead of waiting, callers can choose to leave a voice message or transfer out of the queue to an extension you define, such as an Operator or your auto attendant.

When an agent becomes ready, the caller is transferred to that agent.

Wave Contact Center queue features

Administration
Single-point interface to create and manage queues
Take a queue off-line and send its calls to voicemail
Automatically take a queue off-line when all agents are unavailable
Choice of language for system prompts
E-mail and pager notification of new voicemail
Voice titles for Contact Center extensions
Overflow groups of agents for times when primary agents are busy
Overflow agents with individual overflow levels
Overflow agents only called after all agents are busy for a time you configure

Agents automatically placed on break if they let queue calls ring unanswered
Callers redirected if the queue is too busy, callers are waiting too long, there are not enough agents, or there are no agents with matching skills
Individual permissions for whether an agent can use personal status to make himself or herself unavailable
View Contact Center and personal Call Log in the same ViewPoint application
Queue logs for troubleshooting
Separate licensing required per agent
Caller Experience
Contact Center automatically answers incoming calls
Hold music
Different hold music for each queue
Extension or DID number to dial queues
Contact Center extensions listed in the dial-by-name directory
Greetings to welcome callers
Repeating messages for waiting callers
Conditional messages for waiting callers
Priority for individual callers that reduces wait time
Messages that tell callers their expected wait times
Messages that tell callers how many callers are ahead of them
Caller options to stop waiting and leave voicemail or transfer out of the queue to an extension
Ability to prompt callers to enter data
Agent Experience
Call Monitor tabs for agents
Agents can answer any call using ViewPoint

Agents can work from home or any remote location
Contact Center listed in Extensions folder in ViewPoint
Individually configurable agent wrap-up time
Agents can manually end their wrap-up time early
System-wide wrapup time
Special personal statuses for agents: Available (Queue only), Available (Non-Queue) and On Break
Agents can make themselves ready or unavailable to receive calls using ViewPoint or phone commands
Agents can sign in and out of individual queues using ViewPoint or phone commands
Visual indication of which agent will get the next call
Agents can place calls as the queue, enabling supervision and reporting of outbound calls
Supervision
Changing an agent's personal status
Signing an agent in or out of a queue
Comprehensive Queue Monitor to view real-time queue and agent statistics
Customizable shift periods for comparative statistic display
Critical queue statistics available by phone in audio format
Coaching and monitoring of agents
Viewing agents who are being monitored
Automatically setting absent agents to On Break status
Automatically recording of agent and Contact Center calls on a periodic basis
Call Distribution
Sequentially by agent order

Round robin (each agent in turn)
Simultaneously (ring all agents)
To longest idle agent
To agent with fewest calls
To agent with least talk time
To agent with best matching skills
To agent via custom routing method
Reports
Separate licensing required for reports
User Activity Report for agents includes personal status breakdown and Contact Center details section
All other reports

Agents, call forwarding and routing lists

Queue calls to agents *do not* use the agents' routing lists or call rules, so they cannot try an agent at multiple locations. Queue calls *do* follow the agents' call forwarding / Where I Am settings.

Viewing queue configuration and setup

The Contact Center Queue Information report shows general information about each queue in your system, including a list of agents and their current settings. You can use this report to get a snapshot of a queue's setup.

Using the Call Classifier with Wave Contact Centers

Wave Call Classifier can greatly improve the productivity of Contact Centers by identifying callers, intelligently routing calls, and presenting Contact Center agents with scripts and related caller information before they take the call.

Basic Contact Center queue terminology

To work in a Contact Center queue as an administrator, supervisor, or agent, you should be familiar with the following Contact Center queue terms:

- **Agent.** A Wave user who answers incoming calls to the Contact Center.
- **Queue.** A Contact Center that is set up at a single extension. Callers to that extension who are waiting are said to be “in the queue.”

A Contact Center can have more than one queue. For example, a technical support department can have one queue for Product A and another queue for Product B. Each queue has its own list of agents who answer calls and its own method of distributing calls to agents. A user can be an agent for more than one queue.

- **Supervisor.** An agent who has special permissions. An agent with full supervisory permissions can perform any of the following tasks. (Agents can be configured with varying levels of permission to perform some but not all supervisory tasks.)
 - Monitor, coach, and join other agents’ calls.
 - Perform administrative maintenance on a queue, for example, add and remove agents from a queue, sign agents in or out of a queue, change an agent’s personal status, manage a queue’s voice mailbox, and so forth.
 - View current queue statistics in ViewPoint.

These supervisory functions are described in Chapter 9.






- **Overflow agent.** A user who answers calls to a queue only when all the queue’s regular agents are busy (standby or unavailable).
- **Personal calls.** Any calls directly to an agent’s extension, as opposed to calls the agent receives from a queue.

Using the audio controls

This manual describes how to use various recordings—greetings, prompts, and so forth—to customize the behavior of your Contact Center queues. Wave’s audio controls make it easy to create and modify recordings of all types. The following controls appear in Wave wherever you can create and listen to recordings.



To create and play recordings, use the buttons on the audio controls as shown in the following table and speak into your phone.

	Record	When you are ready to record, pick up your phone, and then click this button. A beep signals that recording has begun.
	Play	Click to listen to the recording.
	Stop	When you are done recording, you can either hang up or click this button.
	Fast Forward	Click to skip ahead while listening to the recording.
	Rewind	Click to skip back while listening to the recording.

To move forward and backward within the recording, drag the slider bar.



Importing audio files

You can import an audio file in WAV format to use for any Wave recording (greetings, voice titles, and so on). Wave can import WAV files with a frequency of 8Khz, 11.025 Khz, 22.05 Khz, or 44.1 Khz., as shown in the following table.



To import an audio file, click the **Import** audio control.

Creating a Contact Center Queue

CHAPTER CONTENTS

Queue requirements	2-1
The Queues view	2-3
Entering general information about a queue	2-6
Managing a queue's prompts and audio recordings	2-7
Directing calls to a queue	2-13
Redirecting calls	2-17
Defining call logging for a queue	2-24
Setting external Caller ID for outbound queue calls	2-25
Managing a queue's password security	2-27

The queue is the backbone of a Contact Center. A queue defines the primary and overflow agents who receive Contact Center calls, the method by which calls are distributed to those agents, what callers experience while they are waiting, and so forth.

Queue requirements

To create a Contact Center queue, you must have the appropriate licenses installed and supervisor permissions set.

- **Agent licenses:** To create a queue, you must first purchase and enter one Contact Center Agent license for each Contact Center agent. Only one license is required for each agent, even if agents are members of multiple queues.
- **Queue folder permission:** To create or edit a queue, you must have the general Wave permission **Access Queues Folder** set to **View and Edit**. You do not need other Administrator permissions, so you can manage queues without being a full Wave system administrator. To set permissions, use the Users view in the User/Group Management applet in the Wave Global Administrator Management Console.

Queue creation and customization tasks

You create a queue via the Queues view using the User/Group Management applet in the Wave Global Administrator Management Console.


- Basic queue creation tasks are covered in this chapter:
 - Entering general information about a queue. See page 2-6.
 - Managing a queue's prompts and audio recordings. See page 2-7.
 - Directing calls to a queue. See page 2-13.
 - Redirecting calls. See page 2-17.
 - Defining call logging for a queue. See page 2-24.
 - Setting external Caller ID for outbound queue calls. See page 2-25.
 - Managing a queue's password security. See page 2-27.
- Adding primary and overflow agents to a queue is described in Chapter 3.
- Different methods of distributing incoming calls to agents is covered in Chapter 4.
- Adding features that can enhance the caller experience, such as hold options and queue callback, is described in Chapter 5.
- Queue management options, such as improving expected wait time for callers, automatically recording queue calls, collecting queue statistics, and using custom data variables is covered in Chapter 6. This chapter also explains how to close and delete a queue.
- Advanced call routing options—skills-based routing and custom routing—are explained in Chapter 7.
- Using Wave contacts and call rules with queues is covered in Chapter 8.
- Contact Center queue reporting options are described in Chapter 11. If you want to create additional custom reports, see Appendix A.

The Queues view

To create or edit a queue

- 1 If necessary, click the Administration tab in the Global Administrator Management Console.
- 2 Click the User/Group Management icon, located in the PBX Administration section.
- 3 Log on to the User/Group Management applet, which opens in a remote access window. Once you log on, open the Queues view by clicking its icon in the view bar.

Click



Each queue that you create appears as a row in the view.

The following table shows the information that is displayed for each queue.

Name	Name of the queue
Extension	Extension dialed to reach the queue from the auto attendant or when transferring a call
DID	Direct Inward Dial—Phone number dialed to reach the queue directly
Distribution	Algorithm used to distribute calls to agents
Status	<p>Whether the queue is currently distributing calls to agents. The possible statuses are:</p> <p>Open. The queue is distributing its calls to ready agents as normal.</p> <p>Closed. The queue is closed. No calls are being distributed to agents.</p> <p>Closed - No agents. All agents in the queue are currently signed out, so the queue is automatically sending its calls directly to voicemail.</p>
Number of Agents	Total number of agents who are members of the queue.
Record Nth Call	If checked, the queue is set to record its calls.
Change Hold Music To	The name of the music-on-hold source being used for the queue's hold music, if any.
Hold Callback	The amount of time that the queue waits before ringing back an agent who leaves a call on hold or parked. "Off" indicates that ringback is not being used.
Priority	If checked, the queue has a priority variable that can be used for assigning some callers a higher priority than others.
Overflow	If checked, the queue is using overflow agents.
Redirect	Separate columns for Too Busy , Maximum Wait , and Queue Closed . If checked, the queue is set to redirect callers when the circumstance occurs.
Mail Usage	Percentage of allocated voicemail space currently used.
Greeting Usage	Percentage of allocated space for greetings currently being used.

Disk Usage	Amount of disk space (in megabytes) used by the queue's audio files, including voicemail and greetings.
Mailbox size	How much space (in minutes) the queue's voice mailbox has.
Greeting size	How much space (in minutes) is allocated to the queue for greetings.
Comments	Any comments about the queue

4 To edit an existing queue, double-click its row in the Queues view. To create a new queue, choose **File > New > Queue**.

5 The Queue dialog opens.

The screenshot shows the 'Untitled - Queue' dialog box. On the left is a 'Category' tree with the following items: Queue, Skills, Agents, Distribution, Redirection, Hold, Voice Mail, Caller Entry, Dial-by-name Directory, Security, Audio, Recording, and Statistics. The 'Queue' tab is selected. The right pane contains the following fields: 'Name' (text box), 'Extension' (text box), 'Password' (text box) and 'Confirmation' (text box), 'DID number' (text box), 'Operator' (dropdown menu showing 'Attendant (x 8)'), and 'Comments' (text area). At the bottom of the right pane are two checkboxes: 'Queue is closed' (unchecked) and 'Trace queue and agent activity to queue logs' (checked). At the bottom right of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.

The tasks that you can perform on the tabs in the Queue dialog are described in the rest of the sections in this chapter.

Entering general information about a queue

To enter general information about a queue

- 1 Click the Queue tab in the Queue dialog.

The screenshot shows the 'Untitled - Queue' dialog box. On the left is a 'Category' list with the following items: Queue, Skills, Agents, Distribution, Redirection, Hold, Voice Mail, Caller Entry, Dial-by-name Directory, Security, Audio, Recording, and Statistics. The 'Queue' item is selected. On the right is the 'Queue' tab with the following fields: 'Name' (text box), 'Extension' (text box), 'Password' (text box), 'Confirmation' (text box), 'DID number' (text box), 'Operator' (dropdown menu showing 'Attendant (x 8)'), and 'Comments' (text area). At the bottom of the dialog are two checkboxes: 'Queue is closed' (unchecked) and 'Trace queue and agent activity to queue logs' (checked). At the bottom right are three buttons: 'OK', 'Cancel', and 'Help'.

- 2 Enter the following information for the queue:

- **Name.** Give the queue a short name that will easily identify it, such as “Sales queue.” When users transfer a call to this queue using ViewPoint, they will select it by name.
- **Extension.** Enter an extension for the queue. Users can then transfer calls to the queue by phone. The extension is generally not used by callers to dial the queue from an auto attendant. Callers should reach the queue either by dialing a Direct Inward Dial number or by making a choice on the auto attendant menu. See “Setting up a menu choice for a queue” on page 2-14.
- **Password.** Give the queue a unique numeric password. You will need to log in with the password if you want to change the queue configuration or check the queue’s voice messages when you are at a remote phone. For example, on a day when your business is closed unexpectedly, you can call, log in, and change the queue’s voicemail greeting so that callers are aware of the situation.
Reenter the password in the **Confirmation** field.

- **DID number.** Optionally, you can give the queue a Direct Inward Dial number from the block of numbers provided by your phone company. Callers can then dial the queue directly, without going through an auto attendant.
To assign multiple DID numbers to a queue, separate each number by a comma. For example, enter 1234,1235,1236.
- **Operator.** Select the extension to which callers will be transferred if they press 0 while they are leaving voicemail for the queue.
- **Comments.** Enter any descriptive information about the queue.
- **Queue is closed.** See “Defining call logging for a queue” on page 2-24.
- **Trace queue and agent activity to queue logs.** Check to create queue logs that record detailed agent and queue activity for troubleshooting purposes.

3 Click **OK** to save the queue.

Managing a queue's prompts and audio recordings

In addition to Hold prompts (see “Creating Hold prompts” on page 5-11), you can configure and record the following audio messages for the queue:


- **Phone prompts.** You can specify the language used for phone prompts played to callers to the queue.

Important: The list of languages that you may select from for telephone prompts is determined by the languages that have been installed on the Wave Server. U.S. English is installed by default. French, German, Spanish, and UK English are available in General HotFix 1005. Note that this HotFix installs system and auto attendant voice prompts, but does not affect the text that appears on a phone's LED display. To obtain General HotFix 1005, contact your Wave provider.
- **Voice title.** A queue can have a voice title the same as a user can. Wave plays the voice title to callers during call transfers and other operations.
- **Welcome prompt.** A Welcome prompt is a message played once to each caller when the caller first reaches the queue.
- **Greetings.** You can record greetings for the queue's voice mailbox.

Choosing the language for a queue's phone prompts

To choose a language for a queue's phone prompts

- 1 Click the Audio tab in the Queue dialog.
- 2 From the **Telephone prompts** drop-down list, choose the language in which the phone prompts play to callers in the queue. The list shows the languages that you have installed with Wave.




- 3 Click **OK** to save the queue.

Recording a voice title for a queue

To record a voice title for a queue

- 1 Click the Audio \ Voice Title tab in the Queue dialog.




- 2 Use the audio controls to record the voice title. The voice title should be a short recording of the queue's name only. See "Using the audio controls" on page 1-8 for instructions.
- 3 Click **OK** to save the queue.

Creating a Welcome prompt for a queue

Callers hear the Welcome prompt once when they reach the queue. It might say, “Thank you for calling Julep technical support. Please hold. The next available agent will be with you shortly.”

To create a Welcome prompt for a queue

- 1 Click the Audio \ Welcome Prompt tab in the Queue dialog.



- 2 Type the text of the prompt or a description of it.
- 3 Record the Welcome prompt using the audio controls. See “Using the audio controls” on page 1-8 for instructions.
- 4 Click **OK** to save the queue.

Using the Welcome prompt to inform callers that their calls may be recorded

Wave provides a professionally-recorded prompt, `MayBeMonitored.wav`, that you can import as a Welcome prompt. It says, "Your call may be monitored or recorded." By default the prompt is in the following location:

```
C:\Program Files\Televantage Server\vfiles\EN00\MayBeMonitored.wav
```


If you decide to use this prompt, you do not need to record a Welcome prompt as described above.

Creating voicemail greetings for a queue


You can create and store as many different voicemail greetings as you want, and you can easily change the active greeting, which is the one played to callers who reach the queue's voicemail. The greetings appear on the Audio \ Greetings tab in the Queue dialog. The active greeting appears in bold.

To create a voicemail greeting for a queue

- 1 Click the Audio \ Greetings tab in the Queue dialog.



- 2 Optionally, enter the **Maximum size of greetings (minutes)** for all voicemail greetings created for the queue.
- 3 Click **Add**. The Greeting dialog opens.



- 4 Enter a **Name** for the greeting.
- 5 Under **Contents**, type the text of the greeting or a description of it.
- 6 Record the greeting using the audio controls. See “Using the audio controls” on page 1-8 for instructions.
- 7 Click **OK** to save the greeting, which now appears in the list on the Audio \ Greetings tab. To make this greeting the active greeting, click **Set Active** on the Audio \ Greetings tab.
- 8 Click **OK** to save the queue.

Enabling callers to leave a callback phone number via voicemail

While leaving voicemail, callers can press **7** and then enter a phone number at which an agent can call them back. If callers use this feature, agents can call them back quickly by selecting the message in any Voice Messages folder and choosing Speed Dial. This method of getting callback numbers is often a better alternative than asking callers to record their own phone numbers on the voice message.

If you want callers to enter a callback phone number, record instructions for how to do so in your voicemail greeting. For example, your greeting might say, “We’re sorry no one was available to take your call. To leave a message and have an agent call you back, press 7.” Callers can press **7** during your greeting, while recording their message, or after recording their message.

Entering a callback number while recording the message ends the message. However, the caller can then add more to the message by pressing **4**.

Note: You can also offer a callback option to customers who are waiting on hold in a queue, rather than stay connected listening to hold prompts. See “Contact center queue callback” on page 5-16.

Directing calls to a queue

Before your queue is ready to be opened for calls, you must create a means by which callers can reach the queue.

- Define a menu choice that transfers callers to the queue from your company’s main auto attendant, for example, “For Sales, press 2.” For instructions, see below.
- Include the queue in your dial-by-name directory.

- Give the queue a full phone number, so that callers can dial it directly. To do so, do either of the following:
 - Give the queue a DID number on the General tab in the Queue dialog (see “Entering general information about a queue” on page 2-6). Note that your phone lines must support DID to use this option.
 - Direct a trunk line to the queue

Setting up a menu choice for a queue

If you have multiple auto attendants, perform the following steps for each auto attendant from which you want to offer callers the choice of transferring to the queue.

To set up a menu choice in an auto attendant for a queue


- 1 In ViewPoint, open the Auto Attendants view and double-click the auto attendant from which you want to offer callers a menu choice for a queue.
- 2 In the Auto Attendant dialog, click the Menu Choices tab.

The screenshot shows the 'Default Auto Attendant - Auto Attendant' dialog box with the 'Menu Choices' tab selected. The dialog has several tabs: General, Menu Choices, Scheduled Actions, Hold, and Advanced. The 'Menu Choices' tab contains a table with the following data:

Key	Description
9	Dial by name
0	Transfer to Operator
#	User login
nothing	Transfer to Operator

Below the table are three buttons: 'Add...', 'Edit...', and 'Delete'. Underneath these buttons is a text field labeled 'Number of seconds before performing 'nothing' menu choice:' with the value '3' entered. There are three checkboxes: 'Process all other digits as user extensions' (checked), 'Prevent type-ahead' (unchecked), and 'Restrict dial-by-name and extension matching to members of:'. The last checkbox is followed by a dropdown menu showing 'Eric group'. At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.

- 3 Click **Add**. The Edit Menu Choice dialog opens.



- 4 Record the prompt that you want callers to hear, for example, “For the Sales department, press 2.” See “Using the audio controls” on page 1-8 for instructions.
- 5 From the **When Caller Presses** drop-down list, select the key that callers press to be transferred to the queue.
- 6 Do one of the following in the **Perform Action** drop-down list:
 - Select **Transfer to Queue** and select the queue to which you want to transfer callers.
 - If you are using a utility user to transfer calls to the queue, select **Transfer to user** and select the utility user.
- 7 Click **OK** in the Edit Menu Choice dialog.
- 8 Click **OK** in the Auto Attendant dialog.


Including a queue in the dial-by-name directory

You can include the queue in the dial-by-name directory so that, for example, a caller could dial SALES to reach your Sales queue.

If you include the queue in the dial-by-name directory, you should record its voice title. See “Recording a voice title for a queue” on page 2-9.

To include a queue in the dial-by-name directory

- 1 Click the Dial-by-name Directory tab in the Queue dialog.



- 2 Select the **List in dial-by-name directory** checkbox.
- 3 To play a user's extension along with the user's name when callers choose the user from the dial-by-name directory, and then select the **Play extension to the caller** checkbox.
- 4 Click **OK** to save the queue.

Redirecting calls

You can define how incoming calls to the queue are handled in the following situations:

- When the queue is too busy
- When a call exceeds the maximum wait time
- When the queue is closed
- When there are no agents with matching skills


Note: You can follow how many calls a queue is redirecting using the Redirection statistic in the Queue Monitor. See “The Queue Statistics pane” on page 9-8.

Redirecting calls when the queue is too busy

You can automatically divert new calls out of the queue when the queue hits a certain level of traffic that you define. For example, if the expected wait time is longer than 30 minutes, you can play a message to callers telling them that the queue is currently too busy to accept new calls, then transfer them to another destination such as voicemail or your auto attendant.

To define redirect options when a queue is too busy

- 1 Click the Redirection \ Queue Too Busy tab in the Queue dialog.
- 2 Select the **Redirect callers if queue is too busy** checkbox.



Note: If this checkbox is not selected, all incoming calls enter the queue regardless of how busy the queue is.

- 3 To define the “too busy” threshold at which the queue begins to redirect new calls, choose any combination of the following options. New calls are redirected if any of the specified thresholds are met.
 - **If the number of waiting callers would exceed __.** Check this option to redirect new calls if they would cause the number of calls in the queue to exceed the number you enter. Calls in the queue include those connected with agents as well as those waiting.
 - **If the expected wait time is more than __ seconds.** Check this option to redirect calls when the expected wait time meets or exceeds the number of seconds you enter. For information on how the expected wait time is calculated and how to improve its accuracy, see “Including a queue in the dial-by-name directory” on page 2-16.


- **If the number of queued callers exceeds __ times the available agents.** Check this option to redirect calls when the number of calls waiting in the queue is greater than the number of available agents by the factor you enter. For example, if you enter 2 then redirection begins when there are twice as many calls waiting in the queue as available agents. Available agents are signed-in agents in the personal status Available or Available (Queue Only).
- 4 To play a message to callers who are about to be redirected, select the **Play this prompt before redirection** checkbox. Use the audio controls to record or import the prompt. See “Using the audio controls” on page 1-8 for instructions.
 - 5 To define how calls are redirected, choose one of the following options under **Perform this action:**
 - **Transfer the call to.** Redirected calls are transferred to the extension you select.
 - **Send to voicemail.** Redirected calls are transferred directly to the voicemail of the extension you select.
- Note:** If you chose to play a redirection message in step 4, the caller will hear the redirection message followed by the voicemail greeting. You can use the combination to create full messages. For example, the redirection message can say “I’m sorry, we’re temporarily closed,” and the voicemail greeting can add, “Please leave a message.”
- **Hangup.** Redirected calls are disconnected.
- 6 Click **OK** to save the queue.

Redirecting calls after maximum wait time expires

You can automatically redirect individual calls after the calls have waited on the queue for a length of time that you specify.

To define a maximum wait time for a queue

- 1 Click the Redirection / Maximum Wait Time tab in the Queue dialog.



- 2 To redirect calls that meet the maximum wait time, select the **Redirect callers when they have waited too long** checkbox. If unchecked, the specified maximum wait time has no effect.
- 3 Enter the **Maximum wait time** (in seconds).
- 4 To play a message to callers who are about to be redirected, check **Play this prompt before redirection**. Use the audio controls to record or import the prompt. See “Using the audio controls” on page 1-8 for instructions.


- 5 To define how calls are redirected, choose an option under **Perform this action:**
 - **Transfer the call to.** Redirected calls are transferred to the extension you select.
 - **Send to voicemail.** Redirected calls are transferred directly to the voicemail of the extension you select.
 - **Hangup.** Redirected calls are disconnected.
- 6 Click **OK** to save the queue.

Redirecting calls when the queue is closed

This section describes how to redirect incoming calls when the queue is closed. (See “Closing a queue” on page 6-15). You can also have the queue close automatically whenever there are no agents signed in, as described in the following steps.

To redirect calls when a queue is closed

- 1 Click the Redirection \ Queue Closed tab in the Queue dialog.



- 2 To have the queue close automatically when no agents are signed in, select the **Close queue if no agents are signed in** checkbox.

Note: Agents in the On Break status will not cause the queue to close. For the queue to close, all agents must be either signed out, or in a personal status other than Available, Available (Queue Only), and On Break.

If the queue closes because no agents are signed in, the queue will reopen automatically when an agent signs in. You can also reopen it manually by deselecting this checkbox.

Note: This field does not affect the **Queue is closed** checkbox on the Distribution tab. For example, if that checkbox is selected, the queue remains closed regardless of how many agents are signed in or out.

- 3 To play a message to callers who are about to be redirected, check **Play this prompt before redirection**. Use the audio controls to record or import the prompt. See “Using the audio controls” on page 1-8 for instructions.
- 4 To define how calls are redirected, choose an option under **Perform this action**:
 - **Transfer the call to.** Redirected calls are transferred to the extension you select.
 - **Send to voicemail.** Redirected calls are transferred directly to the voicemail of the extension you select.
 - **Hangup.** Redirected calls are disconnected.
- 5 Click **OK** to save the queue.


Redirecting calls when there are no matching agent skills

This section describes how to redirect incoming calls when none of the signed-in agents in the queue have skills that match that call’s skill requirements.

Note: If you have set the queue to reduce calls’ skill requirements over time (see “Adjusting skill requirements over time” on page 7-12), then calls are not redirected for lack of matching skills.

To redirect calls when there are no matching skills

- 1 Click the Redirection \ No Matching Skills tab in the Queue dialog.




- 2 To have the queue redirect callers for whom no agents with matching skills are signed in, select the **Redirect call if all signed-in agents do not meet the call's skill requirements** checkbox.
- 3 To play a message to callers who are about to be redirected, check **Play this prompt before redirection**. Use the audio controls to record or import the prompt. See "Using the audio controls" on page 1-8 for instructions.
- 4 To define how calls are redirected, choose an option under **Perform this action:**
 - **Transfer the call to.** Redirected calls are transferred to the extension you select.
 - **Send to voicemail.** Redirected calls are transferred directly to the voicemail of the extension you select.
 - **Hangup.** Redirected calls are disconnected.
- 5 Click **OK** to save the queue.

Defining call logging for a queue

To define call logging for a queue

- 1 Click the Queue \ Call Log tab.



2 Enter the following information:

- **Log this queue's calls.** Specify which of this queue's calls appear in the Call Log. You can log inbound calls, outbound calls, both, or none. To log no calls, uncheck the field.

Important: If you turn off call logging for the queue, you cannot run reports on this queue.

- **Organization.** If you are using Organizations, check to associate this queue with the Organization you select from the drop-down list. Click to create a new Organization. Inbound calls to the queue that did not reach an agent will be logged as belonging to the selected Organization (for example, abandoned calls and calls where the caller left a voice message).

Organizations are a means to represent different companies or tenants that share a Wave Server.

Note: Outbound calls made by users calling as the queue are not associated with the queue's Organization. They are always associated with the user's Organization, even if the user has no associated Organization.

3 Click **OK** to save the queue.

Setting external Caller ID for outbound queue calls


An outbound calls placed by an agent is identified as being from the queue rather than from the agent's personal extension (see "Placing calls from a queue vs. calling as user" on page 10-10). For outbound queue calls, you can determine the Caller ID information that accompanies the call. The Caller ID information that you specify for the queue is used for outbound calls placed by any of the agents in the queue.

Note the following:

- Caller ID information entered here will be overridden by any external Caller ID that is specified for the outbound trunk.
- On trunk types other than ISDN, outbound Caller ID is always set by the phone company.

To set external Caller ID for a queue

- 1 Click the Queue \ External Caller ID tab.



- 2 Select one of the following:

- **Use external caller ID from General Settings.** External Caller ID as specified via the General Settings applet is sent as Caller ID number for outbound calls from the queue.
- **Send company name and main number.** Company name and main number (as specified via the General Settings applet) is sent as Caller ID number for outbound calls from the queue. (
- **Send station name and this number.** The name associated with the station as well as the number that you specify is sent as Caller ID number for outbound calls from the queue.

- **Do not send caller ID.** Caller ID is blocked on outbound calls from the queue. Note that the system still sends Caller ID information even though it is blocked—this is a requirement, because some institutions have the right to read blocked Caller ID, for example emergency services and 800 numbers.
- **Send organization name.** Organization Name is sent as Caller ID number for outbound calls from the queue.


3 Click **OK** to save the queue.

Managing a queue's password security

Use the options on the Security tab in the Queue dialog to protect the queue's account and your Wave system from unauthorized access and toll fraud.

To configure password security for a queue

1 Click the Security tab in the Queue dialog.



2 Specify security options:

- **Password never expires.** If checked, the queue's password does not expire, although you can always manually change it or force it to be changed. If unchecked, the password may expire as determined by your system settings.

Important: Checking this field is a security risk, as long-standing passwords are easier to guess.

- **Password must be changed on next logon.** If checked, the system requires the password to be changed the next time someone logs on to the queue's account, using any workstation application or the phone commands.
- **Queue is locked out.** If checked, the queue's account cannot log on to the system, even with the correct username and password. Depending on your system settings, lockout can occur automatically if someone repeatedly tried and failed to log on to the account. Deselect the checkbox to unlock the account and permit normal logging on.

3 Click **OK** to save the queue.

Adding Agents to a Queue

CHAPTER CONTENTS

Setting default wrap-up time and permissions for agents	3-2
Adding primary agents to a queue	3-4
Changing the order of agents.	3-12
Using remote agents	3-13
Using roaming agents, or hot-desking	3-13
Setting up overflow agents.	3-14

A queue can have both primary agents and overflow agents:

- *Primary agents* are agents whose primary task is answering queue calls.
- *Overflow agents* are agents whose primary task is not answering queue calls, but who receive them when all primary agents are busy.

An agent can work in more than one queue—you must add the agent separately to each of the queues. Before you can add an agent to a queue, he or she must already be a Wave user.


Setting default wrap-up time and permissions for agents

You can set defaults for agent wrap-up time and permissions. There are two benefits to doing this:

- **To save time when adding agents.** Before adding agents, set the defaults to the way you want them to be for a typical agent. The default settings will then appear as each new agent's settings, which you can then modify for an individual agent if necessary.
- **To change a permission for several agents at once.** When you change a default agent permission, you change it for all existing agents except agents for whom you have specified an unchanging permission. For example, you might give your agents the Queue Sign In/Out permission, and then later decide to disallow it. This effect works only for permissions, not wrap-up time.

To set a default wrap-up time for agents in a queue


- 1 Click the Agents tab.



- 2 Enter a number of seconds in **Default wrap-up for new agents in seconds**.

To set default agent permissions

- 1 Click the Agents \ Permission tab in the Queue dialog.




- 2 To set a default permission, click the **Value** column in its row in the list, then select the permission level you want from the drop-down list. For a description of the permissions and permission levels, see “Agent permissions” on page 3-9.
- 3 Click **OK** to save the queue.

Adding primary agents to a queue

To add primary agents to a queue

- 1 Click the Agents tab in the Queue dialog.
- 2 Click **Add**. The Agent dialog opens at the General tab.

The screenshot shows the 'Agent' dialog box with the 'General' tab selected. The 'This agent is the following user:' dropdown menu is set to 'aaa bbb'. The 'Wrap up time in seconds:' text box contains the value '15'. The 'Overflow tier:' text box contains the value '0'. There are two checkboxes: 'This agent is an gbsvr, not shown in Queue Monitor' (unchecked) and 'This agent is signed in' (checked). Below these is a section for call recording with an unchecked checkbox 'Automatically record this agent's calls'. This section contains four more controls: 'Record 1 call out of every:' (text box with '5'), 'Recording direction:' (dropdown menu with 'Inbound and outbound'), 'Send agent call recordings to:' (dropdown menu with 'this Agent'), and 'When mailbox is full:' (dropdown menu with 'Delete oldest call recording'). At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.

- 3 For **This agent is the following user**, select a user from the drop-down list. Agents must be Wave users before you can add them to a queue. For **Wrap up time in seconds**, accept the default or enter a different wrap-up time.

Agents can terminate their wrap-up period early and make themselves ready to receive calls.

- 4 For **Overflow tier**, leave the default value of 0 unless you want the agent to be an overflow agent. See “Setting up overflow agents” on page 3-14.

- 5 For **This agent is an observer, not shown in Queue Monitor**, check to make this agent an observer who can monitor queue activity without being seen by other agents in the queue. If checked:
- Other agents cannot see the agent in ViewPoint in the Agents pane in the Queue Monitor (see “Viewing queue statistics in the Queue Monitor folder” on page 9-3) or the queue’s tab in the Extensions list.
 - The agent is automatically signed out and cannot sign in, so that the agent does not receive calls from the queue (see the next step).
 - The agent cannot be given the permission **Queue Sign In/Out**.

The observer agent can view queue activity in the Queue Monitor and Call Monitor, supervise other agents’ calls and perform other supervisory actions. The observer agent can also take queue calls manually by using the **Take Call** command in the Call Monitor.

If the checkbox is cleared, the agent appears in the Agents pane in the Queue Monitor, and can be signed in or out.

- 6 For **This agent is signed in**, select the check box if the agent receives calls from the queue when the agent is ready. Clear the check box to define a supervisor who can monitor the queue but does not receive calls from the queue.


When the check box is cleared, calls from this queue are not sent to the agent, even when the agent is ready. However, the agent still sees the tab for this queue in the Call Monitor and can answer queue calls using the **Take Call** command.

Note: To receive calls from a queue, an agent must be both signed in, available for queue calls, and ready. See “How and when does an agent receive a queue call?” on page 1-2.

You can use this check box to switch an agent from one queue to another, by signing the agent in for one queue and out for the other queue.

You can also give agents the permission to sign themselves in and out of a queue. See “Agent permissions” on page 3-9 and “Signing in and out of a queue” on page 10-5.

- 7 To change the agent's permissions from the queue's default permissions, click the Permissions tab.



- 8 Click the permission, click the arrow in the Value column, and then select a value for the permission. If you choose “Use Default,” the value for this user will change whenever you change the default permission for the queue (see “Changing wrap-up time and permission defaults” on page 2-13). For an explanation of permissions, see “Agent permissions” on page 2-18

Note: You do not need to use the Skills tab unless you are using skills-based routing, described in Chapter 7.

- 9 To set automatic call recording for this agent, check **Automatically record this agent's calls**. See the next section, “Automatically recording an agent's calls” for details.
- 10 When you have finished defining the agent, click **OK**. The Agent dialog closes and you return to the Agents tab in the Queue dialog.

Automatically recording an agent's calls

You can have Wave automatically record an agent's queue calls on a periodic basis. The recorded calls appear as new voice messages in the voice mailbox that you select. The system records both inbound and outbound queue calls.

If you want to record all user calls, use system call recording instead.

Privacy issues with queue call recording

Caution: *It is the license-holder's responsibility to comply with any federal, state, or other applicable statutes regarding the recording of phone calls. Vertical Communications, Inc. disclaims any responsibility for failing to comply with such regulations.*

Some countries, states, or other locations require that you announce to callers that their calls may be or are being recorded.

- If you are using Wave in such a location and record some or all calls, your queue's Welcome prompt should inform callers that their calls may be recorded. See "Using the Welcome prompt to inform callers that their calls may be recorded" on page 2-11.
- Wave includes a system prompt, `MayBeMonitored.wav`, that says, "Your call may be monitored or recorded," which you can play as needed (for example, by using an auto attendant or Contact Center queue greeting).
- Wave allows you to play a regular "reminder beep" while recording queue calls which alerts agents and callers that their calls are being recorded.

Important: Be sure that all Contact Center queue understand how to comply with call recording privacy requirements.

To automatically record an agent's inbound queue calls

- 1 Click the Agents tab in the Queue dialog.
- 2 Click the General tab in the Agent dialog.

3 Check Automatically record this agent's calls.

The screenshot shows the 'Agent' dialog box with the 'General' tab selected. The 'This agent is the following user:' dropdown is set to 'aaa bbb'. The 'Wrap up time in seconds:' is 15, and 'Overflow tier:' is 0. The checkbox 'This agent is an observer, not shown in Queue Monitor' is unchecked, and 'This agent is signed in' is checked. The 'Automatically record this agent's calls' checkbox is checked. Below this, the 'Record 1 call out of every:' field is 5, 'Recording direction:' is 'Inbound and outbound', 'Send agent call recordings to:' is 'this Agent', and 'When mailbox is full:' is 'Delete oldest call recording'. The 'OK', 'Cancel', and 'Help' buttons are at the bottom.

- 4** In **Record 1 call out of every**, enter a number. Enter 1 to record every call to this agent, 2 to record every other call, 3 to record every third call, and so on.

Note: All calls that an agent handles count for purposes of counting that agent's calls.

- 5** From the **Recording direction** drop-down list, select whether to record inbound calls only, outbound calls only, or both. Selecting both means that you get one recording per *n* calls regardless of the calls' direction.
- 6** From the **Send agent call recordings to** drop-down list, select the mailbox that will receive the call recordings as new voice messages.
- 7** From the **When mailbox is full** drop-down list, select what happens if the destination mailbox is full when Wave attempts to store a new call recording there:
- **Discard new call recording.** Wave deletes the new call recording instead of storing it.
 - **Delete oldest call recording.** Wave deletes the oldest call recording in the mailbox to make room for the new recording. Only call recordings can be deleted by this method. Wave never deletes voice messages in this way.

- 8** Click **OK**. The Agent dialog closes.

Note: You can also record a general sampling of calls to the queue, regardless of which agent answers them. See "Automatically recording queue calls" on page 6-6.

Agent permissions

You can give agents the following permissions:

Permission	Description	Default value
Disconnect queue callback call	The agent can disconnect a queue callback call in the Call Monitor. See “Disconnecting a queue callback call” on page 5-17.	Disallow
Change the Personal Status of another user	<p>The agent can manage other agents’ workflow by changing their personal status. See “Changing an agent’s personal status” on page 9-24.</p> <p>If agents are prevented from changing their own personal status, you must create a supervisor with this permission to manage their workflow is. See “Preventing agents from changing their personal status” on page 3-11.</p>	Disallow
Join another agent’s call	The agent can enter another agent’s call, such that all parties in the call hear each other. See “Supervising other agents’ calls” on page 9-18.	Disallow
Coach an agent	The agent can enter another agent’s call and be heard by the coached agent but not by the caller. See “Supervising other agents’ calls” on page 9-18.	Disallow
Monitor Agent calls	The agent can listen in on other agents’ calls without being heard by the monitored agent or the callers. See “Supervising other agents’ calls” on page 9-18.	Disallow
Monitor Queue statistics	The agent can view real-time queue statistics in ViewPoint’s Queue Monitor folder or listen to statistics using the phone command *55. See “Monitoring queue statistics” on page 9-2.	Disallow

Queue Sign In/Out	The agent can sign in or out of individual queues. See “Signing in and out of a queue” on page 10-5. Note: If an agent has the general Wave permission Access Queues folder set to “View and Edit,” and is not an observer agent, the agent can sign in and out of all queues regardless of how this queue permission is set.	Disallow
Sign In/Out other agents	The agent can sign other agents in and out of queues from the Queue Monitor.	Disallow
View agents being monitored	The agent can see when agents’ calls—including their own—are being monitored. With this permission, agents whose calls are being monitored display in the Call Monitor with the monitoring party attached as an indented line. See “Viewing when agents are being monitored” on page 9-20.	Disallow
Access Queue call log	The agent can view a record of calls to the queue. With “View and Edit,” the agent can perform all actions in the folder.	No access
Access Queue call monitor	The agent can see queue calls on a tab in ViewPoint’s Call Monitor folder. With “View and Edit,” the agent can perform all actions in the folder. See “Using the Call Monitor tabs” on page 10-8.	No access
Access Queue mailbox	The agent can view and play voice messages in the queue’s voice mailbox. With “View and Edit,” the agent can perform all actions in the folder. See “Managing queue voice messages on the phone” on page 9-25.	View and Edit

Permissions are granted to Contact Center agents using the following levels:

- **Use default.** The agent's permission level is whatever the default is for that permission. The current default is shown in parentheses. If the default changes, the agent's permission changes with it. See "Setting default wrap-up time and permissions for agents" on page 3-2.
- **Allow.** The agent can perform the specified operation.
- **Disallow.** The agent cannot perform the specified operation.
- **No access.** The agent cannot view this part of the ViewPoint interface.
- **View only.** The agent can view the information in ViewPoint, but cannot perform any commands on an item. For example, if **Access queue call monitor** is set to **View only**, the agent can see queue calls but cannot answer or transfer them.
- **View and Edit.** The agent can view the information and perform all commands.

Preventing agents from changing their personal status

By default, Wave allows agents (and all users) to change their own personal status. If you want, you can prevent agents from changing their personal status by setting their user permission **Change Personal Status** to Disallow. When on duty, such agents are unable to select a personal status to stop receiving queue calls, for example Do Not Disturb or On Break. Supervisors can still change the agents' personal status to start and end their workday and let them take breaks.

About the Skills tab

The Skills tab in the Agent dialog is used only if you are using skills-based routing. See Chapter 7.

Changing the order of agents


Once you have added primary agents to a queue, you can reorder them. If you are using the **top down** or **round robin** algorithms to distribute calls to agents, the order of agents in the queue is especially important, because it determines the order in which agents receive calls.

The order of agents can also be important when using other distribution algorithms. For example, if you are using the **fewest calls** algorithm, and three agents are tied for the fewest calls, the topmost of those agents in the order gets the next call. Note that at the end of a shift all statistics are reset to zero, so all agents are tied in statistical categories, and agent order briefly becomes the method of distributing calls, until new statistics are accumulated.

For a description of the distribution algorithms, see “Queue call distribution methods” on page 4-1.

To change the order of agents in a queue

- 1 Click the Agents tab in the Queue dialog.



- 2 Click an agent name, and click the up and down arrows to move the agent to a different place in the queue.
- 3 Click **OK** to save the queue.

Using remote agents

If you have Contact Center agents who work primarily at a remote phone (for example, from their home or cell phone, or from a SIP phone), you should assign each of them a mobile extension. If they mostly work on an internal office station but occasionally work from home, you should assign them an internal station but make sure they use the “Imitate a station” feature and turn on call forwarding while working at home.

Using roaming agents, or hot-desking

If your Contact Center agents frequently move from desk to desk, or take calls at whatever internal phone happens to be nearest, you can set up your Contact Center to ensure the accuracy of statistics and reports, as follows:

- Give all agents a station ID of 0.
- For each desk, create a placeholder user with the station ID of the desk’s phone. Name the user after the desk, for example, “Cube 101” or “Desk 5.”
- Tell agents to add the following steps to their routine for beginning and ending their shifts. Following these steps ensures that Wave correctly displays and reports on agent activity no matter what phones they use.
 - When agents first sit down at a new phone to receive calls, before they mark themselves as ready, they should log in and forward their calls to their current location. They can use either of the following methods:
 - To use the phone commands, pick up the phone and log in by pressing # <extension> # <password> #. Once logged in, press **5 1** to forward calls to their current location.
 - To use ViewPoint, start ViewPoint. The Select Station dialog appears. Select the second login option, **Use station <x> to place and answer calls as <name>**. Check **Forward my calls to this station**.
 - When agents are finished using a phone, log out from it. This ensures that subsequent calls from that phone are not added to the agent’s record. To log out from a phone, either pick up the phone and press ***0 0**, or choose the ViewPoint command **File > Exit and Log Off**.

For more information, see “Working at different phones” on page 10-4.

Setting up overflow agents

Overflow agents receive calls from a queue only if the queue's primary agents are all busy for a certain number of minutes. Overflow agents can be users whose main focus is another task, but who are available to take queue calls if needed. You can set up multiple tiers of overflow agents, so that tier 1 agents receive calls only when all primary agents are busy, tier 2 agents receive calls only when all primary agents and tier 1 agents are busy, and so on.

Calls are distributed among each tier of overflow agents according to the queue's distribution algorithm. For example, if the algorithm is Top Down, the call rings the topmost ready primary agent. If all primary agents are busy, the call rings the topmost ready tier 1 agent. If all primary and tier 1 agents are busy, the call rings the topmost ready tier 2 agent, and so on.

Note: With the Simultaneous Ring algorithm, if the overflow wait time has been exceeded, the phones of all primary and overflow agents ring regardless of overflow level.


Setting up overflow agents consists of the following tasks:

- Assigning an overflow tier to agents, as described in the next section.
- Setting up the overflow wait time and options for the queue, as described on page 3-16.

Assigning an overflow tier to agents

To assign an overflow tier to agents

- 1 First, add the overflow agents to the queue the same way that you add normal agents (see “Adding primary agents to a queue” on page 3-4).
- 2 On the Agents tab in the Queue dialog, click the **Overflow tier** value for the agent, and then enter the agent’s tier level.




Note: Tier 0 identifies a primary agent. You do not have to number overflow tier levels sequentially—only the order is important. For example, you could have overflow tier levels 1, 5, 6, and 10. See the Note on page 3-17 for more about how you can use overflow tier values to control when calls are sent to overflow tiers.

Setting up the overflow wait time and options

Before you can use overflow agents, you must configure the queue according to the following steps:

To set up overflow wait time and options for a queue

- 1 Click the Distribution \ Agent Filtering (Overflow) tab in the Queue dialog.
- 2 Select the **Certain agents are only called when other agents are busy** checkbox.



Note: If this checkbox is not selected, overflow tiers are ignored and all agents are treated as primary agents.

- 3 Set any of the following overflow options:
 - **Calls are distributed to overflow agent tiers after waiting __ seconds.** This field determines how long (in seconds) calls wait for a primary agent before being sent to an overflow agent. By default a call must wait for 5 minutes (300 seconds) without being answered by a primary agent before it is sent to an overflow agent. You use the **Calls should wait...** options (described below) to specify how the wait time is applied to different overflow tiers.

- **If no agents in the current tier are signed in and available then immediately offer calls to the next tier.** If checked, the queue bypasses the overflow wait time if no primary agents are signed in and available, and calls are sent immediately to overflow agents. Note that in this case, a primary agent in On Break status is considered to be available. For the bypass to occur, primary agents must all be either signed out or signed in with a personal status other Available, Available (Queue Only), or On Break.

The bypass also occurs between overflow tiers. For example, if all primary and tier 1 agents are signed out, calls are immediately sent to tier 2 agents. If all primary, tier 1, and tier 2 agents are signed out, calls are immediately sent to tier 3 agents.

If this checkbox is not selected, the wait time will be used in all cases, even when a tier is signed out. For example, in the changeover between shifts there might be a moment when all primary agents are signed out, but you might still want calls to wait rather than ringing overflow agent phones.

- **Calls should wait...** This choice determines whether the overflow wait time is applied once, or applied differently for each overflow tier. Choose one of the following:
 - **Calls should wait a fixed amount of time for any available agent.** Select this option to apply the overflow wait time only once. If no primary agents answer during the wait time, the call is sent to the lowest-tier ready overflow agent, regardless of what tier that might be. For example, if all tier 1 agents are On Break when the overflow wait time expires, the call is sent to a tier 2 agent.
 - **Calls should wait longer for agents with higher skill values.** Select this option to have calls wait longer before being sent to higher overflow tiers. With this option selected, the wait time is multiplied by the tier level to determine how long a call must wait before being sent to that tier. For example, if the wait time is 5 minutes, a call must wait 5 minutes before being sent to tier 1, 10 minutes before being sent to tier 2, 15 minutes before being sent to tier 3, and so on.

Note: By changing the overflow tier value, you can increase the wait time for a tier, allowing you to fine-tune when an overflow tier will be pulled into queue activity. For example, if you define three overflow tiers with tier values of 1, 2, and 3, then the wait times for the tiers would be 5 minutes, 10 minutes, and 15 minutes. If you define three overflow tiers with tier values of 1, 3, and 10, then the wait times for the tiers would be 5 minutes, 15 minutes, and 50 minutes.

4 Click **OK**.

Distributing Calls to Agents in a Queue

CHAPTER CONTENTS

Queue call distribution methods	4-1
Using Last Agent Routing	4-4
Placing agents on break if they do not answer calls	4-6
Using call scores to distribute calls to agents.	4-7

This chapter describes the ways in which you can distribute incoming queue calls to agents.

Queue call distribution methods

You can use any of the following methods to distribute incoming queue calls to agents:


- **Top down.** The call moves through the list of agents—from the top of the list downward—until it reaches a ready agent. For this algorithm, the order of agents in the queue is important. (See “Changing the order of agents” on page 3-12.)
- **Round robin.** Agents receive calls in the same sequence as with Top Down, but starting with a different agent each time. Each call starts with the agent after the one who answered the previous call.
- **Longest idle agent.** The ready agent who has waited the longest time for a call receives the next call. This algorithm is calculated by determining which agent has gone the longest period of time without being in an Active state. Non-queue calls count as being “idle,” because they put an agent in the Standby state. (See the Agent State column under “Agents Pane Information” on page 9-4.)
- **Fewest calls.** The ready agent who has answered the fewest calls from this queue since beginning the agent’s work shift receives the next call.

- **Least talk time.** The ready agent who has spent the least amount of time on calls from this queue since beginning the agent's work shift receives the next call. This agent may be someone other than the agent who has handled the fewest calls.
- **Simultaneous ring.** All agents' phones ring at the same time. The agent who answers first takes the call. This feature is especially useful for small offices or departments.
- **Skills-based or custom routing.** This option lets you construct your own distribution algorithm, using agent skills and other attributes. It is more complex to set up, but can be more flexible.

Note: No matter what method you specify, calls are distributed only to agents who are both signed in and ready. (See “How and when does an agent receive a queue call?” on page 1-2 and “Starting your shift” on page 10-2.)

To specify how queue calls are distributed to agents

- 1 Click the Distribution \ Agent Scoring tab in the Queue dialog.



- 2 From the **Agent scoring algorithm** drop-down list, select one of the following methods. For a description of each method, see page 4-1.

If you select any of the following methods, no further configuration is required here—go to step 4.

- **Top down.**
- **Round robin.**
- **Simultaneous ring.**

If you select any of the following methods, go to step 3.

- **Longest idle agent.**
- **Fewest calls.**
- **Least talk time.**
- **Skills-based or custom routing.**

- 3 Choose the following options under **Distribution calculations are based on...**
 - **Time period.** Choose whether to distribute calls based on totals for the current **Shift** or the current **Day** (since midnight). For more information about shifts, see “Collecting queue statistics” on page 6-9.
 - **Direction.** Choose whether the algorithm counts **Inbound only** calls, or both **Inbound and Outbound** calls.

- 4 Click **OK** to save the queue.

Call distribution when the score is tied

When two or more agents tie for the same score (for example, with the “Fewest calls” algorithm, three agents have 0 calls each), the call always goes to the longest idle of the tied agents.

About simultaneous ring

Simultaneous ring does not ring the phones of overflow agents unless the overflow wait time has been exceeded. At that point it rings the phones of all agents. See “Using and improving expected wait time for callers” on page 6-1.

When an agent answers a call with simultaneous ring, it does not count as an unanswered call for the other agents, for purposes of putting the agent automatically in On Break status. However, if all agents fail to answer the call while it is ringing, it counts as an unanswered call for all of them. See “Placing agents on break if they do not answer calls” on page 4-6.

About the longest idle agent

The algorithm treats newly logged in agents as being idle since the beginning of the day or shift. This may result in those agents receiving calls ahead of agents who have been idle longer.

Using Last Agent Routing


With Last Agent Routing, callers are routed straight to the agent who last handled their call, as long as:

- The caller is calling from the same Caller ID as before.
- The agent is signed in and available. If the agent is signed in but unavailable, you can have the call wait a specified amount of time for him or her. If the wait time expires with the agent still unavailable, or if the agent has signed out, the call is routed according to the queue’s normal distribution algorithm.
- The agent has remained signed in since the caller’s previous call. Once an agent signs out, his or her history of previous calls is reset.

Note: Last Agent Routing overrides skill requirements and overflow levels. For example, if a tier 3 overflow agent took a caller’s first call, he or she will receive the caller’s second call even if primary agents are available.

To enable Last Agent Routing:

- 1 Click the Distribution \ Last Agent Routing tab in the Queue dialog.



- 2 Check **Enable Last Agent Routing**.
- 3 Choose any of the following Last Agent Routing options:
 - **Interrupt if last caller calls back during wrap-up.** If checked, the queue interrupts an agent's wrap-up period only if the caller he or she is wrapping up calls back.
 - **Wait __ seconds for last agent if agent is busy.** This checkbox determines what happens if the last agent is signed in but unavailable (for example, on another call) when the caller calls back. If unchecked, the call is immediately routed according to the queue's distribution algorithm as selected in "Queue call distribution methods" on page 4-1.

If checked, the caller waits for the number of seconds you enter. If the agent becomes available during that time, the call is routed is routed to the agent. If the wait times expires without the agent becoming available, the call is then routed according to the queue's normal distribution algorithm.
- 4 Click **OK**.

Last Agent Routing and Expected Wait Time


With Last Agent Routing enabled, the queue's Expected Wait Time prompt will often be inaccurate (see "Using and improving expected wait time for callers" on page 6-1). A caller who is waiting for a last agent will jump to the "head of the queue" if that agent becomes available, making other callers wait longer than advertised by the prompt. For that reason, queues with Last Agent Routing enabled should avoid using the Expected Wait Time prompt.

Placing agents on break if they do not answer calls

You can have Wave automatically place agents in the On Break personal status if they fail to answer one or more consecutive queue calls. Placing a missing agent On Break ensures that the queue does not send calls to that agent and provides the caller with a smoother waiting experience. This feature is a safeguard against agents leaving their phones and forgetting to place themselves in the On Break personal status.

To automatically place missing agents on break

- 1 Click the Agents tab in the Queue dialog.



- 2 Check **If an agent does not answer, set that agent to On Break**.
- 3 In **After how many unanswered calls**, enter the number of consecutive unanswered queue calls that must occur for Wave to automatically place an agent in the On Break personal status.
- 4 Click **OK** to save the queue.

You can keep track of how often the queue automatically puts agents into On Break status, using the Queue Monitor statistics Away, No Answer, and Forced Break. See “The Agents pane” on page 9-4.

Note: Supervisors can also manually place agents in the On Break personal status or in any other personal status. See “Changing an agent’s personal status” on page 9-24.

Using call scores to distribute calls to agents

When several calls are waiting in the queue, the queue scores each call to determine the order in which they will be sent to agents. The call with the highest score is the next one sent when an agent becomes available.

Defining how calls are scored

By default, a call’s score is the number of seconds it has been waiting in the queue. The call with the highest score is the one that has been waiting the longest and will be the next one sent to an agent. However, you can manipulate call scoring to give certain calls a higher score, bumping them closer to the front of the queue so that they will be answered sooner.

Choosing by how much to increase a call’s score

A call’s score is based on its wait time in seconds, so it’s helpful to think in terms of seconds when deciding by how much to increase a call’s score. For example, if you want a high-priority call to jump ahead of a call that has been waiting for a minute, you would want to add 60 to its score. To have it jump ahead of a call that has been waiting 5 minutes, you would want to add 300.

You can increase a call's score using the following methods:


- Basing a call's score on the length of time that the call has spent in queue or time in the Wave system. See page 4-8
- Giving some calls higher priority. See page 4-9.
- Increasing a call's score for skill matches. See page 4-12.

Basing a call's score on time in queue or time in system

You can choose whether a call's score is based on the length of time (in seconds) it has spent in that queue or in the Wave system as a whole. If based on time in queue, then a call transferred between queues starts waiting in the new queue with a score of 0. You may want to base call score on time in system if calls are often moved from queue to queue, or are returned to the queue after talking to an agent or leaving voicemail.

To base a call's score on time in queue or time in system

- 1 Click the Distribution \ Call Scoring tab in the Queue dialog.



- 2 Click **Time in this queue, in seconds** or **Time in the system, in seconds**.

Giving some calls higher priority

You can give some queue calls a higher priority than other queue calls. Calls with higher priority get a higher call score and advance to the head of the queue quicker than other calls.

To assign priority to calls, perform the following tasks:

- 1 Define a custom data variable to use for call priority (the “priority variable”), and set a “priority multiple” that determines the weight priority carries in the call score. See “Configuring a queue to use call priority” on page 4-10.
- 2 Identify high-priority calls when they enter the queue and assign priority appropriately using the priority variable, as described in “Assigning priority to calls” on page 4-12.

The value of a call’s priority variable is multiplied by the priority multiple and the result is added to the call’s score. The higher the priority multiple, the greater the effect of a high priority number. For example, if the priority multiple is 60, each unit of priority is worth a minute, so a call with priority 5 is equal to 5 minutes of wait time. If the priority multiple is 480, each unit of priority is worth 8 minutes, so a call with priority 5 is equal to 40 minutes of wait time.

Examples

The following tables illustrate how priority changes the order in which calls are answered.

Priority Multiple = 120 (Each unit of priority = 120 seconds or 2 minutes)					
First	900	0	0	900	Second
Second	600	0	0	600	Fourth
Third	300	5	600	900	Third
Fourth	60	2	240	300	Fifth
Fifth	30	10	1200	1230	First
Sixth	10	1	120	130	Sixth

Priority Multiple = 500 (Each unit of priority = 500 seconds or 8 minutes 20 seconds)					
First	900	0	0	900	Fourth
Second	600	0	0	600	Fifth
Third	300	5	2500	2800	Second
Fourth	60	2	1000	1060	Third
Fifth	30	10	5000	5030	First
Sixth	10	1	500	510	Sixth


Note: Redirection overrides caller priority. If the queue is currently redirecting callers based on the criteria you defined, calls are redirected no matter how high their priority would have been. (See “Redirecting calls” on page 2-17.)


Configuring a queue to use call priority

To configure a queue for call priority, you must specify the custom data variable to use for priority (or create a new one) and specify the priority multiple.

To configure a queue to use call priority

- 1 Click the Distribution \ Call Scoring tab in the Queue dialog.



- 1 Select the **Certain calls have a higher priority than other calls** checkbox.
- 2 Under **Priority is stored in custom variable**, specify the queue's priority variable by doing one of the following:
 - Select an existing custom data variable from the drop-down list.
 - Click  to create a new custom data variable. For instructions see "Creating a custom data variable" on page 6-13.

The custom variable that you specify must be a variable of **Data Type** Long and must have a **Default value** of 0.

- 3 In **For each unit of the variable's value add __ to the call's score**, enter the priority multiple. This number is multiplied by the value of a call's priority variable to determine by how much the call's score is increased.
- 4 Click **OK** to save the queue.

Assigning priority to calls

You assign priority to an incoming call by assigning a value to the custom data variable that you selected in the previous procedure. You can assign value to the variable using any of the following methods:

- **With an auto attendant.** Callers receive priority based on the phone number that they dial or menu choice they select. You could have a special phone number that you give out to your premier customers that gives them a high priority when they call that number.

You can also use the Call Classifier as part of auto attendant configuration to benefit Contact Centers in many ways. For example, you can automatically assign priority to calls based on issue number, Caller ID, or caller identification against your company database.

- **With queue data entry.** The queue can assign priority directly from a number that the caller enters (for example, you could give out customer numbers that range from 1 to 10 and have the queue prompt callers to enter them). See “Setting up caller data entry” on page 5-2 for more information.

Increasing a call’s score for skill matches

If you are using skill-based routing, you can increase a call’s score based on the available agents’ appropriate skills. See “Reducing wait time for calls with skill requirement matches” on page 7-17.

Customizing the Caller Experience

CHAPTER CONTENTS

Setting up caller data entry	5-2
Customizing the caller hold experience	5-7
Contact center queue callback	5-16
Setting up a queue's voice mailbox	5-21

You can customize a queue to provide additional features to your callers while they are waiting for an agent to answer their call or if an agent parks their call or puts it on hold:

- Prompt a caller to enter a customer ID or account number when they enter a queue, then use that information to customize subsequent prompts.

Note: If you need more sophisticated validation or data entry options, use the Wave Call Classifier, which can prompt callers for any numeric information, validate it based on any ODBC database, then send the resulting profile information to the agent along with the call.

- Provide queue-specific music on hold, or play another recording such as special offers.
- Announce the expected wait time as a courtesy to callers.
- Offer callers the option to opt out of waiting and transfer to another number, leave a message in the queue's voice mailbox, or request a callback when an agent is available. (Depending on how you configure callback for a queue, you can ensure follow-up for any callbacks that are not completed.)


Reducing the length of hold time for individual callers as well as the simultaneous number of callers on hold can enhance the customer experience, improve hold time statistics, and potentially reduce the number of trunks or agents required to handle the same number of customers with the same or better level of customer satisfaction.

Setting up caller data entry

You can set up the queue to prompt callers to enter data by using the keys on their phones. Data entry prompts play immediately after the Welcome prompt. You can, for example, prompt callers to enter their customer ID numbers. The data entered is stored in a custom data variable that you define. The data accompanies the call (if it is transferred, for example), and you can use the data in the following ways:


- As a condition for a Hold prompt to play. See “Using custom data variables to play conditional Hold prompts” on page 5-15.
- As a column displayed in agent Call Monitors.

You can create as many caller data entry prompts as you want. They play in the order that they are listed on the Caller Entry tab in the Queue dialog. To move a data entry prompt up or down in the list, select it and then click the Up and Down arrows to the right of the list.




To prompt the caller to enter data

- 1 Click the Caller Entry tab in the Queue dialog.




- 2 Click **Add**. The Queue Entry dialog opens.



- 3 Enter a **Name** for the data that you are collecting, for example Customer ID or Account Number.
- 4 Under **Prompt that explains the digits to enter**, type the text of the prompt or a description of it.
- 5 Using the audio controls, record a prompt that tells the caller to enter data, for example, “Please enter your customer ID number followed by the pound key. If you don’t have a customer ID number, just press the pound key.” See “Using the audio controls” on page 1-8 for instructions.

Note: While callers are entering data, they can press * and they will return to the previous data entry prompt. If callers press * during the first data entry prompt, they can choose to end the call or stay on the line. If they choose to stay on the line, they are transferred either to the auto attendant (if they started there) or to the queue operator (if they dialed the queue directly). You can optionally describe these options in your data entry prompts.

- 6 Specify the following optional information about the caller data entry:
 - **Terminate after an exact number of digits.** If the data must be an exact length, check this box and enter the number of digits.
 - **The following digit will terminate input.** To speed up data entry, check this box and select a key for callers to press when they have finished entering digits. The terminate key is usually #. Be sure to mention this key in the prompt that you record. If you do not specify a terminate key, Wave assumes the data is complete whenever the caller exceeds the **Maximum number of seconds between digits** setting.
 - **Number of seconds allowed for input.** Specify the length of time within which the caller can enter the data. If the caller does not complete data entry within that time, Wave attempts to validate the data. If you are not validating the data (see “Validating caller data entry” on page 5-5), the call proceeds into the queue without any data.
 - **Maximum number of seconds between digits.** Specify how long callers can pause while entering digits. If the caller exceeds that pause, Wave assumes that the data entry is complete.
- 7 **Store digits in custom variable.** Select the custom variable to hold the data entered by callers from the drop-down list. To create a new custom variable, click  next to the list. For instructions see “Creating a custom data variable” on page 6-13.

- 8 Click the Validation tab to set up data validation for this caller data entry. For details, see the next section.
- 9 Click **OK** to return to the Caller Entry tab in the Queue dialog.
- 10 Click **OK** to save the queue.

Validating caller data entry

The queue can validate the data or accept it exactly as the caller enters it. When you validate data, you are checking it for accuracy.

To set up validation for data entry

- 1 Click the Caller Entry tab in the Queue dialog.
- 2 Click **Add** to add a new caller data entry, or select an existing caller data entry and then click **Edit** to add validation criteria.
- 3 Click the Validation tab in the Queue Entry dialog.

The screenshot shows the 'Untitled - Queue Entry' dialog box with the 'Validation' tab selected. The dialog has two tabs: 'Number entry' and 'Validation'. The 'Validation' tab contains the following options and fields:

- ☐ Ask the caller to confirm the digits entered
- Minimum number of digits:
- Maximum number of retries:
- ☒ Validate digits according to range
 - The minimum value allowed is:
 - The maximum value allowed is:
- After the maximum number of retries:
 - ☒ Continue
 - ☐ Hang up
 - ☐ Transfer to:

At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.

- 4 Select the **Ask the caller to confirm the digits entered** checkbox to have Wave repeat the caller's entry back to them and prompt the caller to confirm that the entry is correct. If the entry is incorrect, the caller can reenter it.
- 5 Enter the **Minimum number of digits** that the caller must enter. If the length of the data that the caller enters is less than the number specified here, the caller will be prompted to reenter the data.
- 6 Enter the **Maximum number of retries**, the maximum number tries that the caller has to enter the data successfully.
- 7 Select the **Validate digits according to range** checkbox to compare the data entered by the caller to an acceptable range of values, then define the range of values:
 - **The minimum value allowed is.** Enter the minimum acceptable value.
 - **The maximum value allowed is.** Enter the maximum acceptable value.

If the data entered falls within the range, it is validated. If it falls outside the range, the caller is prompted to enter it again.
- 8 Specify how to handle callers whose data does not validate successfully **After the maximum number of retries** that you specified previously. Choose one of the following options:
 - **Continue.** Continue with the next data entry prompt. If this is the last data entry prompt, place the caller on the queue without any data associated with the call.
 - **Hangup.** Terminate the call.
 - **Transfer to.** Select the destination to which the caller is transferred.
- 9 Click **OK** to return to the Entry tab in the Queue dialog.
- 10 Click **OK** to save the queue.

Note: If you need more validation or data entry options, use the Wave Call Classifier, which can prompt callers for any numeric information, validate it based on any ODBC database, then send the resulting profile information to the agent along with the call.

Customizing the caller hold experience

You can configure the following aspects of the caller's experience while he or she is waiting on the queue:


- Setting up hold music. See page 5-7.
- Configuring hold and park ringback. See page 5-9.
- Offering options while a caller is waiting on a queue. See page 5-10.
- Creating Hold prompts. See page 5-11.

Setting up hold music

By default, callers waiting on this queue hear the hold music that you have specified for the system as a whole. Optionally, you can have each queue play hold music or another recording from a different music-on-hold source.

To set up hold music for callers on hold

- 1 Click the Hold tab in the Queue dialog.



2 Select the **Music on hold** source you want to use for this queue from the drop-down list.

- **(Use system default)**—Use the system-wide hold music source as specified in the General Settings applet.
- **Disabled**—Do not play music to callers on hold.

Hint: It is highly recommended that you specify a music-on-hold source or use the system default so that a caller does not hear extended ringing or silence, which may result in a hang-up.

- **External (Audio Input Jack)**—Play hold music from an external device, typically a CD player, radio, or specialized music-on-hold device.
- **Song n (<song title>)**—Play the selected WAV file to callers on hold.

Note: The system default music-on-hold source (if specified) as well as the other items listed in this drop-down list are set up via the General Settings applet.


3 Click **OK** to save the queue.

Configuring hold and park ringback

If an agent places a queue call on hold or parks it, you can have Wave automatically ring the agent's phone after a certain amount of time to reconnect him or her with the call. To do so:

To hold and park ringback for a queue

- 1 Click the Hold tab in the Queue dialog.




- 2 Check **Ring back if an agent leaves a call on hold or parked for over __ seconds**, and enter the number of seconds before ringback occurs.
- 3 Click **OK** to save the queue.

Offering options while a caller is waiting on a queue

You can give waiting callers the ability to redirect themselves out of the queue to another extension or voicemail.

To offer options while a caller is waiting on a queue

- 1 Click the Hold \ Special Keys tab in the Queue dialog.



- 2 Choose any of the following options to offer them to callers on hold.

Note: If you offer callers these options, you should mention them in your queue's Welcome prompt or in a Hold prompt.

- **Leave voice-mail key.** Available only if the queue has a voice mailbox (see “Setting up a queue's voice mailbox” on page 5-21). Callers can press a key to stop waiting and be transferred to the queue's voice mailbox. Select the key that you want callers to press from the drop-down list.

- **Transfer out of queue key.** Callers can transfer out of the queue to a destination you specify. This destination can be a supervisor's voice mailbox, an auto attendant, another queue, or any other extension. Select the key that you want callers to press from the drop-down list, and then select the transfer destination from **The caller will be transferred to** drop-down list.
- **Request callback.** Select this checkbox to offer the caller on hold the option to enter a phone number and receive a callback when an agent is available. See "Contact center queue callback" on page 5-16 for details.

3 Click **OK** to save the queue.

Creating Hold prompts

You can make one or more recordings for callers to hear while waiting, for example, to reassure them that they are still in the queue. You can choose to have a Hold prompt play only once, play on a repeating basis, or play only when a certain condition has been met. A Hold prompt might say, "Your call is very important to us. Please wait for the next available representative."


Hold prompts are listed on the Hold tab under **Hold prompts**. They are listed in the order that they play to callers. While the caller is waiting, Wave plays the Hold prompts from the top to the bottom of the list—with customizable pauses between them—and then repeats the cycle, starting at the top again. The cycle of Hold prompts repeats as long as the caller remains waiting.

You can choose whether a Hold prompt is part of the repeat cycle or whether it is played to the caller only once. If it is played only once, Wave plays it the first time through the cycle and then skips it on subsequent cycles.


For instructions on recording a Welcome prompt, which is played to callers once when they first enter the queue, see "Creating a Welcome prompt for a queue" on page 2-10.

To create a Hold prompt

- 1 Click the Hold \ Prompts tab in the Queue dialog. The tab shows existing Hold prompts in the order that they play to the caller.



- 2 Click **Add**. The Hold Prompt dialog opens.



- 3 Under **General**, enter the following information about the Hold prompt:
 - **Prompt name.** A descriptive name for the prompt.
 - **Seconds before this prompt.** The amount of time between the end of the previous prompt and the playing of this prompt. If you set this to 0, callers will not hear hold music before this prompt, even if it is the first prompt.
 - **Play this prompt every repeat cycle.** Select this checkbox to have this prompt play every time in the repeat cycle. Deselect it to have the prompt play only once. If deselected, the prompt will play only the first time through the cycle, unless it is a conditional prompt that does not play at all because the required condition has not been met.
- 4 Under **Play this audio**, choose one of the following options for the Hold prompt recording:

- **Prompt.** Choose this option to record a prompt to play to callers on hold. Record the Hold prompt using the audio controls. See “Using the audio controls” on page 1-8 for instructions. Enter the text of the prompt or a description in the text field for reference.

Note: If you are offering special-key options in this queue, with the special keys active only during prompts, then you should record a few seconds of silence at the end of each Hold prompt to give callers time to press the special keys before they become inactive. See “Offering options while a caller is waiting on a queue” on page 5-10.

- **Sentence.** Choose this option to play a pre-recorded message to callers on hold. Select one of the following from the **Sentence** drop-down list:
 - **Queue length.** Choose this option to play the prerecorded message: “There are <number> callers waiting ahead of you,” where <number> is the number of callers that Wave detects are ahead of a caller in the queue. If there is no one ahead of the caller in the queue, the message changes to: “Your call will be handled by the next available agent.”
 - **Sentence: Wait time.** Choose this option to play the prerecorded message: “The expected wait time is <number> minutes” where <number> is the number of minutes that Wave estimates will elapse before the call is answered. For information on how Wave calculates this number, and how to make it more accurate, see “Using and improving expected wait time for callers” on page 6-1.

Note: You can announce the expected wait time in minutes and seconds, instead of just minutes. See “Announcing expected wait time in minutes and seconds” on page 6-5.

- 5 Optionally, select or create a condition under which this Hold prompt plays, as described in “Creating conditional Hold prompts” on page 5-14.
- 6 Click **OK** to add the Hold prompt to the list on the Hold \ Prompts tab.
- 7 Click **OK** to save the queue.


Creating conditional Hold prompts

You can create Hold prompts that play only when a certain condition is met. For example, if the estimated wait time on the queue is 10 minutes or longer, you could play a prompt that says, “We are currently experiencing a heavy volume of calls. We recommend that you call back later or leave a voice message.”

Conditional Hold prompts can either repeat in the repeat cycle or play only once. If they repeat, the condition is checked each time through the cycle. For example, a prompt that played when the estimated wait time was over 10 minutes would repeat until the wait time dropped below 10 minutes and then stop playing.

To create a conditional Hold prompt

- 1 On the Hold \ Prompts tab in the Queue dialog, click **Add**. The Hold prompt dialog opens.
- 2 Enter the general information and create the audio for the Hold prompt as shown in the previous section, “Creating Hold prompts” on page 5-11.
- 3 Select the **Use the following condition** checkbox




The screenshot shows a dialog box titled "Use the following condition". It contains three rows of input fields, each with a dropdown menu and a star icon to its right. The first row is labeled "Condition variable:" and has "Expected wait time" selected. The second row is labeled "Minimum variable or value:" and is empty. The third row is labeled "Maximum variable or value:" and is empty. At the bottom of the dialog are three buttons: "OK", "Cancel", and "Help".

- 4 From the **Condition variable** drop-down list, select the custom data variable whose value the system will use to determine if the prompt plays.

Wave comes with two predefined custom data variables that can be used as Hold prompt conditions:

- **Expected Wait Time.** Returns the estimated number of seconds until the call is answered. For information on how Wave calculates this number, and how to make it more accurate, see “Using and improving expected wait time for callers” on page 6-1.
- **Number of people ahead.** Returns the number of waiting callers who entered the queue before the current caller.

You can also create your own condition variable by clicking  next to the **Condition variable** field. See the next section, “Using custom data variables to play conditional Hold prompts.”

- 5 In **Minimum variable or value** and **Maximum variable or value**, enter the minimum and maximum values that will cause the prompt to play. The prompt plays if the value is \geq the minimum and \leq the maximum.

For example, to play the prompt when the expected wait time is 10 minutes or more, select **Expected wait time** and set **Minimum variable or value** to 600 (600 seconds=10 minutes). If you are using a custom variable of Account Number (see the example in the next section), you could set the prompt to play for callers with a Account Number value within a specific range.

- 6 Click **OK** to save the queue.

Using custom data variables to play conditional Hold prompts

Whatever variable you select in the **Condition variable** field of the Hold prompt dialog is the one whose value is used to determine whether the prompt plays. You can create your own custom data variables and use them to trigger Hold prompts. For instructions on creating a custom data variable, see “Creating a custom data variable” on page 6-13.

Example: By creating a variable called Account Number, you can play a Hold prompt only for certain customers, such as your newest customers. First, you prompt callers to enter their account numbers, which you store in the Account Number variable (see “Setting up caller data entry” on page 5-2). Then you create a conditional Hold prompt that plays only if Account Number is within a certain range. A range of 1000 to 2000 might represent your newest customers, and you could specify that range for your Hold prompt, which would play only for your newest customers.

Note: Text variables are sorted alphabetically and so can have a “range,” for example A-E. A range of A-E means that the Hold prompt will play if the variable value begins with an A, B, C, D, or E.

You can also use auto attendant menu choices to pass custom variables to a queue and use those variables as Hold prompt condition variables.

Contact center queue callback

For customers who are waiting on hold in a queue, you can offer them the option to enter a phone number and receive a callback when an agent is available, rather than stay connected listening to hold prompts. The queue will maintain a “phantom” call that holds each caller's place in the queue order. This call will be displayed in the ViewPoint Call Monitor just like any other call.

Note: You can also offer a callback option to customers who are in the process of leaving a message in a queue's voice mailbox. See “Enabling callers to leave a callback phone number via voicemail” on page 2-13.

How queue callbacks work

After a customer presses the “Request Callback” key (available when configured for a queue), Wave prompts the caller to say his or her name, which is then recorded as the voice title for the call. If available, Wave will use caller ID, or prompt the caller for a callback number. (Caller ID, if available, will be used by default if the caller hangs up during the prompt process.)

Wave plays the callback information back to the caller for confirmation, and then ends the call

Important: Whether a callback number or caller ID is specified, if it does not meet dialing format rules for an outbound call, the callback will be deleted.

The call will continue to appear in the Call Monitor, retaining its position in the queue order, and will be offered to an agent at the appropriate time (any queue skills or scoring rules will be applied as usual). Agents can use Take Call in the Call Monitor to take a callback call.

When the call is presented to the agent (either because the call reaches the top of the queue or the agent takes call in the Call Monitor), the call rings the agent and plays “This is a queue callback. Please wait to be connected to <caller's recorded voice title>”.

Disconnecting a queue callback call

If you want to terminate a queue callback call for any reason, you can disconnect the call in the Call Monitor.

This feature requires that the queue supervisor or agent has the queue permission “Disconnect queue callback calls”.

Adding the callback prompt to the Hold menu

You add callbacks to a queue via the Hold > Special Keys section of Queue Settings. Specify the dialpad key that the caller should press to select a callback, for example, “To receive an automatic callback, press 6”. (See “Creating Hold prompts” on page 5-11.)

Make sure to click on Callback Settings to specify the details of how the callback works.

Callback statistics

In the ViewPoint Call Monitor, Wait time for a callback call is based on the actual time the caller is on the phone—it does not include idle time between the time the callback is created and when the actual callback occurs.


In the ViewPoint Queue Monitor, the Inbound Statistics tab now includes a Callbacks section that displays the following:

- **Callbacks.** Total number of callbacks created during the indicated interval (shift, period, or day).
- **Callbacks Failed.** Number of callbacks that did not complete.
- **Average Time to Callback.** Average time from the callback being created to the callback being placed (to the caller, not to the agent).


Setting up contact center queue callback

To set up callback for a queue

- 1 In User/Group Management, edit an existing queue or create a new one.
- 2 In the left pane, choose **Hold > Special Keys**.
- 3 Select the **Request callback key** checkbox to turn on the callback feature for the queue, and then select the phone key that the caller should press to request a callback from the drop-down list.



- 4 Click **Callback Settings** to edit specific settings for this feature.



The screenshot shows the 'Callback Settings' dialog box. It has a title bar 'Callback Settings'. Inside, there is a checkbox 'Limit callback wait time to:' with a value of '1' hours and '0' minutes. Below this are two radio buttons: 'Agent answers first' (selected) and 'Customer answers first'. There is a section 'Play when customer answers:' with icons for play, stop, and volume. Below that is 'Limit wait for response to:' with a value of '15' seconds. Then 'Retry call every:' with a value of '5' minutes. Then 'Maximum number of retries:' with a value of '10'. A section 'When wait time expires or the maximum number of retries is reached:' has three radio buttons: 'Hang up' (selected), 'Send to voice mail:' with a dropdown menu showing '_Account Receivable (x 24702)', and 'Transfer to queue:' with a dropdown menu showing '_Att Dial 0 (x 68732)'. At the bottom are 'OK', 'Cancel', and 'Help' buttons.

- 5 For **Limit callback wait time to**, specify the maximum length of time (in hours and minutes) to wait for the callback to occur. If this time elapses without the callback taking place, the callback will be cancelled. The callback will appear in reports as “callback failed”.

- 6 Select one of the following answer modes:

- **Agent answers first.** Choose this option to maximize customer convenience. Customer will be prompted with the confirmation dialog. When they confirm who they are, the call is connected to the agent, who then waits while the customer is alerted. Since the customer may have stepped away from the phone, the callback may fail, leaving the agent idle for a period of time.

Important: **Agent answers first** is not supported if a queue’s call distribution method is **Simultaneous ring**.

- **Customer answers first.** Choose this option to minimize agent downtime. Wave calls the customer and prompts the customer to confirm his or her identity. When confirmed, the call will be the next one handled by the agent. Since that agent may have become busy between the time that the customer answered the callback, and the time that call was routed back into the queue, the customer may still end up waiting a bit longer.

- 7 Use the **Play when customer answers** audio controls to record a message to be played to the customer. The customer will be prompted to confirm his or her identity. When confirmed, the call is connected to the agent. (The same message is played whether you select **Agent answer first** or **Customer answers first**.)

Important: When you record your message, be sure to tell the customer how to connect to the callback, for example “This the office of Doctor Deborah Holmes returning your call. Press 1 to connect”.

For either answer mode, specify the following:

- **Limit wait for response to ____ seconds.** Enter the number of seconds to wait for a response to the played message.
 - **Retry call every ____ minutes.** Enter the number of minutes to wait before retrying a callback that was not answered by the customer. If you selected the Limit callback wait time above, the call will be retried until the wait time elapses.)
 - **Maximum number of retries.** Enter the maximum number of times to retry a callback.
- 8 Select one of the following actions to occur **When wait time expires or the maximum number of retries is reached**:
 - **Hang up.** When this option executes, it will be logged as a failed callback.
 - **Send to voicemail.** Select an extension from the drop-down list. When this option executes, the voice title recorded for the callback is sent to that voice mailbox as a new message for follow-up. This will be logged as failed callback.
 - **Transfer to queue.** Select a queue from the drop-down list. When this option executes, the callback is transferred to the queue that you specify.
 - 9 Save your changes.

Setting up a queue's voice mailbox

A queue can have its own voice mailbox and can receive voice messages if you give callers the option of leaving voicemail instead of waiting in the queue.

With the proper permissions, agents can see the queue's voice mailbox, in addition to their own mailboxes, using ViewPoint's voicemail folders. Users can also log on to the queue's account over the phone by using the phone commands.


To access the queue's voice mailbox, agents must have the **Access queue mailbox** privilege. See "Agent permissions" on page 3-9.

Setting up a voice mailbox for a queue is optional—if you do not need to provide a way for queue callers to leave voice messages, select **No mailbox** on the Voice Mail tab according to the instructions below.

Important: Voicemail and call recordings take up disk space on the Wave Server. Once available disk space becomes scarce, system performance can suffer. To avoid this problem, archive your queues' voice messages (and call recordings that are saved in the queue's mailbox) regularly.

To set up a queue's voice mailbox

- 1 Click the Voice Mail tab in the Queue dialog.



- 2 To give the queue a voice mailbox, click **Mailbox with __ minutes max size**, and enter the size of the mailbox in minutes. Note that a minute of voice recording occupies roughly .5 MB of disk space. If the voice mailbox is full, it cannot accept new voice messages.

Note: If you expect to keep thousands of voice messages in the queue's mailbox you should configure Wave to automatically archive the recordings in the queue mailbox, and use the Archived Recording Browser instead of ViewPoint to manage and listen to the recordings.

To have a queue without a voice mailbox, click **No mailbox**.

- 3 Enter the **Maximum message length (seconds)** for an individual voice message. When a voice message reaches the maximum length specified, message recording is cut off and the caller hears the message option prompts. The maximum message length is 999 seconds (about 16 minutes).

4 Select the following options:

- **Allow voice mail logon during greeting by pressing 9.** Select this option to allow a caller to go directly to voice mail by pressing 9 while listening to the voice mailbox greeting.
- **Periodically remove items older than ____ days.** Select this option, to automatically delete items (voice messages and call recordings) after the number of days that you specify.

Note: If these items are important to you, be sure to archive them before the specified time period elapses.

- **Synchronize with Exchange server mailbox.** *This feature is not currently supported.*

5 Click **OK** to save the queue.

Setting up voicemail notifications

Wave can automatically send a notification you by e-mail, pager, or call whenever the queue receives a new voice message. Click the Voicemail \ Notification tabs to set up notification of new queue voice messages.

Voicemail notification works the same way for queues as the notification feature for users' voice messages does.

Managing a Queue

CHAPTER CONTENTS

Using and improving expected wait time for callers	6-1
Automatically recording queue calls.	6-6
Collecting queue statistics	6-9
Creating and using custom data variables	6-12
Closing a queue	6-15
Deleting a queue	6-16

This chapter covers ways to further customize and manage a queue.

Using and improving expected wait time for callers

The queue continuously calculates the expected wait time for each caller. You can use expected wait time in the following ways:

- Announce the expected wait time as a courtesy to callers. See “Creating Hold prompts” on page 5-11.
- Use expected wait time to determine whether or not a conditional Hold prompt is played to a caller. See “Creating conditional Hold prompts” on page 5-14.
- Automatically redirect new callers when the expected wait time is too high. See “Redirecting calls when the queue is too busy” on page 2-17.

About the expected wait time estimate

Expected wait time is an estimate based on how many agents are currently ready to take queue calls and the average length of a call. The formula is as follows:

$$6 + \text{MinWaitTime} + \text{AvgCallLnth} * (\text{CallerPosition} - 1) / (\max(\text{AgentsAvailable}, \text{MinimumAgents}))$$

Note: The formula uses whichever is larger, AgentsAvailable or MinimumAgents.

MinWaitTime	Minimum wait time
AvgCallLnth	Estimated average call length
CallerPosition	Position of the caller in the queue (includes priority)
AgentsAvailable	Number of agents currently signed in and in the personal status Available or Available (Queue Only).
MinimumAgents	Minimum agent count

Example: For a queue with 10 available agents and an estimated average call length of 300 seconds, with MinWaitTime of 60, the expected wait time for the fifth caller would be:

$$6 + 60 + 300 * (4 / 10) = 186 \text{ seconds (about 3 minutes).}$$

This calculation is most reliable for a Contact Center with many agents and short calls, and in which agents take calls from only one queue at a time. Though you can improve the estimate (see “Improving the expected wait time estimate” on page 6-3), you should consider not using expected wait time if your Contact Center has very few agents and long calls, or if most of your agents work in multiple queues at once.

Expected wait time and overflow tier levels


When calculating the expected wait time, Wave includes overflow tiers if the wait time among primary agents only is longer than the overflow wait time. For example, if the expected wait time among primary agents is 5 minutes, and tier 1 overflow agents are activated after 3 minutes, Wave recalculates the expected wait time including primary and tier 1 agents. The process is then repeated for each overflow tier until the expected wait time is less than an overflow wait time or until all overflow tiers are included. The final expected wait time is then presented to the caller.

Improving the expected wait time estimate

You can improve the expected wait time estimate, and fine-tune queue behavior based on the expected wait time estimate.

To improve the expected wait time estimate for a queue

- 1 Choose the Distribution \ Expected Wait Time tab in the Queue dialog.



2 Enter the following parameters:

- **Minimum agent count.** If you enter a minimum agent count, the expected wait time estimate will never be based on fewer available agents than this number, even if there are in fact fewer available agents. A minimum agent count makes the calculation more accurate over brief drops in agent availability.

For example, if the queue is redirecting calls based on expected wait time, it can be vulnerable to agents taking short breaks or a general shift changeover. With fewer available agents, even for a moment, the expected wait time rises and incoming calls may be redirected when there would have been agents available in a few minutes to take them. Entering a minimum agent count overcomes that problem.

- **Estimated average call length.** This number is crucial to the accuracy of the expected wait time calculation. Enter the average length of a call in this queue, in seconds. Include only the talk time plus wrap-up time, not the wait time.

To get the best estimate, use the Queue Monitor's Avg. Talk Time statistic at the end of a period or shift (see "The Queue Statistics pane" on page 9-8), and the Activity History by Queue report (see "Activity History by Queue report" on page 11-22). More importantly, base the number on your overall experience with the queue.

If you have agents who work in multiple queues, make this number higher to account for the time they spend in calls from other queues. In general, you can adjust this number to correct for expected wait time inaccuracies, as described in "Correcting expected wait time inaccuracies" on page 6-5.

- **Minimum wait time.** If you enter a minimum wait time, the calculated expected wait time will never be less than this number, even when it otherwise would have been. Using a minimum wait time can avoid inaccurate results for the first callers into a queue. Note that if an agent is ready when a call enters the queue, the expected wait time is still 0 and the call is sent immediately to that agent.

3 Click **OK** to save the queue.

Correcting expected wait time inaccuracies

Various factors may cause the expected wait time calculation to consistently be too high or too low. For example, agents working in multiple queues at once can cause it to be too low.

You can easily adjust the expected wait time result by adjusting the **Estimated average call length** number. See the previous section, “Improving the expected wait time estimate” on page 6-3. Raising this number makes the expected wait time result higher; lowering it makes the result lower.

You can also adjust the 6 seconds that is added to the expected wait time (displayed at the beginning of the expected wait time calculation on page 2). To do so:

- 1 Add the following registry key to the Wave Server:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Artisoft\TeleVantage\Server\Settings\ExpWaitRingCycleLength
```

- 2 Specify the added time in milliseconds.

Announcing expected wait time in minutes and seconds

By default, the expected wait time prompt announces the wait time in minutes only. To have Wave announce the expected wait time in minutes and seconds:

- 1 Add the following registry key to the Wave Server:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Artisoft\TeleVantage\Server\Settings\PlayExpWaitTimeInSeconds
```

- 2 Set the value to 1.

Automatically recording queue calls

You can have Wave automatically record a queue's calls on a periodic basis. The recorded calls appear as new voice messages in the voice mailbox that you select. The system records both inbound and outbound queue calls.


To automatically record *all* calls (including queue calls) in the Wave system, use Wave system call recording instead.

Note the following important information:

- In some locations, it is illegal to record a call without notifying the caller. If you are using Wave in such a location, your queue's Welcome prompt should inform callers that their calls may be recorded. See "Using the Welcome prompt to inform callers that their calls may be recorded" on page 2-11.
- If you expect to keep thousands of voice messages in the queue's mailbox you should configure Wave to automatically archive call recordings out of the queue mailbox, and then use the Archived Recording Browser instead of ViewPoint to manage and listen to them.

To record a queue's calls

- 1 Click the Recording tab in the Queue dialog.
- 2 Check **Automatically record queue calls**.



- 3 In **Record 1 call out of every**, enter how frequently to record queue calls. Enter 1 to record every call, 2 to record every other call, 3 to record every third call, and so on.

Note: A call is considered a “queue call” for counting purposes *only* if the call was placed or answered by an agent in that queue. Calls transferred into the queue, for example, are not counted.

- 4 Select the **Recording direction** from the drop-down list. You can record inbound calls only, outbound calls only, or both. Selecting both means that you get one recording per *n* (the value that you entered in step 3), calls regardless of the direction of the calls.
- 5 From the **Send queue call recordings to** drop-down list, select the voice mailbox where call recordings will be sent as new voice messages.

- 6 From the **When mailbox is full** drop-down list, select the action to occur if the destination mailbox is full when Wave attempts to store a new call recorded there:
 - **Discard new call recording.** Wave deletes the new call recording instead of storing it.
 - **Delete oldest call recording.** Wave deletes the oldest call recording in the mailbox to make room for the new recording. Only call recordings will be deleted by this method—voice messages are never deleted this way.
- 7 Click **OK** to save the queue.

You can also automatically record an individual agent's calls. See "Automatically recording an agent's calls" on page 3-7.

Stopping recording for calls transferred out of a queue

By default, when the queue is set to record calls, incoming queue calls that are then transferred out of the queue continue to be recorded. You can change this behavior so that recording stops as soon as the call leaves the queue.

To stop recording calls when they leave a queue

- 1 On the Wave Server, add the following new (DWORD) registry key:
HKEY_LOCAL_MACHINE\SOFTWARE\Artisoft\TeleVantage\Server\Settings\6E23WK
- 2 Set the value of this key to 1.
- 3 Restart the Wave Server.

Collecting queue statistics

Wave records a wide variety of Contact Center statistics that measure caller experience and agent effectiveness. Agents with the required permission can view real-time queue statistics by using ViewPoint's Queue Monitor. See "Monitoring queue statistics" on page 9-2.

This section describes how to set the following options for how statistics are displayed:

- Statistics period
- Shifts


Both are used for display purposes only, to compare previous performance with current performance. The Queue Monitor displays statistics for the previous and the current periods, and for the previous and current shifts.

Defining the statistics period

The statistics period defines a length of time that you use to compare performance throughout the day. For example, if you set the statistics period to one hour, the Queue Monitor displays totals for the previous hour and the current hour.

To define the statistics period

- 1 Click the Statistics tab in the Queue dialog.
- 2 Select the **Statistics period** from the drop-down list.



- 3 Click **OK** to close the Queue dialog.


Defining shifts for statistics display

ViewPoint displays agent statistics for the current shift and the previous shift. These shifts are arbitrary divisions of the workday that you define for the sole purpose of grouping statistics for display. For example, you can break the workday into a morning shift and an afternoon shift. During the afternoon you can then view the statistics for the ongoing afternoon shift and compare them to the statistics for the morning shift.


Note: Defining shifts is unrelated to scheduling agent work periods, which is something you do outside of Wave. It may be helpful to define shifts that govern statistics display according to the following instructions so that they match your company's actual work schedules, but it is not required.

To define shifts for statistics display

- 1 Click the Statistics \ Shifts tab in the Queue dialog.



- 2 Click **Add**. The Shift dialog opens.



- 3 Enter the **Start time** and **End time** for the shift.

Note: The duration of a shift must be greater than the statistics period of the queue.

- 4 Click **OK**.

- 5 Repeat to add as many shifts per day as you need, for example to cover particularly busy periods during your workday.

Note: If you define multiple shifts, you should configure one shift to begin on the same minute that another one finishes, for example a 9:00 AM - 12:00 PM shift followed by a 12:00 PM - 5:00 PM shift. If you leave a gap between shifts, calls that begin and end in the gap will not be included in the Queue Monitor totals.

- 6 When you are done defining shifts, click **OK** to close the Queue dialog.

Creating and using custom data variables

Custom data variables let you attach any kind of information to incoming calls. Each custom data variable represents a different field of information—for example, caller priority—and the value of that variable can be set individually for each incoming call—for example, each call can have a different priority value.

You can use custom data variables with a Contact Center queue in the following ways:


- To determine whether a Hold prompt plays. See “Creating conditional Hold prompts” on page 5-14.
- To give high-priority callers less wait time. See “Giving some calls higher priority” on page 4-9.
- To prompt callers to enter information that is then displayed to agents. See “Setting up caller data entry” on page 5-2.

Creating a custom data variable

Use the following procedure to create a custom data variable for any of the purposes listed above:


To create a custom variable

- 1 Choose **Tools > System Settings**. The System Settings dialog opens.
- 2 Choose the Call Data \ Custom Data tab. The tab shows any existing variables.



Note: Wave comes with two pre-defined custom data variables, Expected wait time and Number of people ahead. For instructions on using them with conditional Hold prompts, see “Creating conditional Hold prompts” on page 5-14.

- 3 Click **Add**. The Custom Data dialog opens.

The image shows a 'Custom Data' dialog box with a title bar. It contains four text input fields: 'Name:', 'Description:', 'Data type:', and 'Default value:'. The 'Data type:' field has a dropdown menu currently showing 'Long'. At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.

- 4 Enter the following information:
- **Name.** Enter the variable's name. Variable names are case-sensitive.
 - **Description.** Enter a description that helps you remember the purpose of the variable.
 - **Data type.** Choose one of the following:
 - **Long.** The variable holds integer numbers only. If you are creating a custom data variable to set caller priority, select data type Long.
 - **Double.** The variable can hold integer numbers or decimal point numbers.
 - **Boolean.** The variable can hold the numbers 0 or 1 only.
 - **String.** The variable holds text.
 - **Default value.** The variable will be set to the value you enter for every caller that enters the queue, if it has not received a value elsewhere.
- 5 Click **OK**. The new custom variable appears in the list.
- 6 Click **OK** to close the System Settings dialog.

Closing a queue

You can close a queue and prevent new incoming calls from being routed to agents, for example after business hours when your department is closed. When a queue is closed, incoming calls to it are automatically handled according to the selections you make on the Redirect tab (see “Redirecting calls when the queue is closed” on page 2-21).

To close a queue

- 1 Click the Queue tab of the Queue dialog.
- 2 Select the **Queue is closed** checkbox.
- 3 Click **OK** to save the queue.

Note: You can have the queue close itself automatically when there are no agents signed in. See “Redirecting calls when the queue is closed” on page 2-21.

Queue status when closed

Queue status displays in ViewPoint’s Extensions List in the Personal Status Name column, and lets you see at a glance whether the queue is currently accepting calls or not. The queue statuses are:

- **Open.** The queue is distributing to its calls to ready agents as normal.
- **Closed.** The queue is redirecting calls as specified on the Redirect tab.
- **Closed - No agents.** All agents in the queue are currently signed out or unavailable, so the queue is automatically redirecting calls as specified on the Redirect tab.

Deleting a queue

To delete a queue, in the User/Group Management applet, right-click the queue and then select **Delete**.

Important: A warning is displayed if you try to delete queue that is currently being used as a target location of any kind, for example “This queue is currently being used as a routing list target: [Name] (extension). Edit or delete these locations before deleting this queue.”

This warning is displayed if you try to delete a queue that is currently being used as any of the following:

- Forward-to extension: [Name] (extension)
- Intercept destination: [Name] (Trunk Group)
- Also ring extension: [Name] (Trunk Group)
- Call notification: [Name] (extension, Cascading Notification Rule: [Rule Name])
- Call notification: [Name] (extension)
- Routing List target: [Name] (extension)
- Menu choice for Auto Attendant: [AA Name] extension)
- ViewPoint group member: [Group Name]
- Operator: [Name] (extension)

Using Skills-Based and Custom Routing

CHAPTER CONTENTS

Defining skills	7-4
Assigning skills and attributes to users	7-5
Adding skill requirements to calls	7-6
Selecting and weighting relevant skills for a queue	7-8
Setting up skills-based routing for a queue	7-9
Viewing an agent's skills within a queue	7-16
Reducing wait time for calls with skill requirement matches	7-17
Using custom agent scoring	7-18

Skills-based and custom routing are optional features that let you go beyond the predefined algorithms used to distribute calls to agents. Using skill-based and custom routing, you can define your own system for how a queue chooses an agent for a given call, based on any combination of the following:

- **Skills.** Calls have varying skill requirements attached and are routed to agents with the matching skills. For example, Spanish callers within a queue are routed to Spanish-speaking agents. Skills are a powerful way to maximize your Contact Center resources by making sure calls go to the agents who are best equipped to handle them.
- **Cost.** You can factor the cost of an agent into call distribution. For example, you may want your most expensive agents to take fewer calls, freeing them to work on other tasks. Alternatively, you may want your most expensive agents to take the most calls, since they have the most expertise.
- **Other agent attributes.** You can define custom attributes for agents that affect call distribution. For example, you can have an attribute that represents “Time with company” so that your newest agents take fewer calls, giving them space to learn the workflow.
- **Predefined distribution algorithms.** You can blend your custom distribution choices with the predefined algorithms. For example, you can use the Least talk time algorithm while factoring in Cost.

Do I need to use skills-based or custom routing?

The predefined distribution algorithms are easier to use and in many cases will be sufficient for your Contact Center needs. You should use skills-based or custom routing only if you want to distribute calls based on the following characteristics:

- **Two or more caller requirements within a single queue.** For example, you send both Spanish and English calls to one queue staffed by both your Spanish-speaking and English-speaking agents. Skills-based routing allows you to send each call to the appropriate agent in the queue. (If you have a separate queue for each language, you do not need to use skills-based routing because each queue is staffed only by the appropriately-skilled agents, and your auto attendant sends each call to the right queue.)
- **Two or more relevant agent skills or attributes within a single queue.** For example, some callers require either Spanish-speaking agents, or experts in South American travel, or both. If only one skill was relevant—for example, South American travel—you could create a separate queue for South American travel that uses the top-down distribution algorithm to reflect agents' skill.

How skills-based routing works

When a call arrives, you can attach skill requirements to it at the auto-attendant level before sending the call to the queue. The queue then tries to route the call to the available agent with the best matching skill. You define to what degree skill is emphasized in the routing algorithm—you can have the call wait indefinitely for an agent with the right skill, or be eventually routed to a less-skilled or unskilled agent.

You can attach multiple skill requirements to calls, and agents can have multiple skills at different values. You define how important each skill is in routing calls.

Example: Your queue routes calls based on two skills: Spanish and Product Expertise. Your auto attendant has menu prompts separating Spanish from English callers; calls that choose the Spanish prompt have a Spanish skill requirement attached to them. Also, all calls start with a high Product Expertise requirement. You have defined that calls requiring Spanish can never be routed to an agent without the Spanish skill. However, the longer a call waits, the lower the Product Expertise requirement becomes, so that after 15 minutes of waiting a call can be sent to agents with the lowest Product Expertise skill.

Setting up skills-based routing

Setting up skills-based routing involves the following tasks:

- 1** Define one or more skills. See page 7-3.
- 2** Assign skills and attributes to users. See page 7-5.
- 3** Set up an auto attendant to define skill requirements for incoming calls. See “Adding skill requirements to calls” on page 7-6.
- 4** Select which skills are relevant to the queue. See page 7-8.
- 5** Configure the queue to use skills-based routing based on settings you define. See “Setting up skills-based routing for a queue” on page 7-9.

Tools to prepare for and analyze skills-based routing

Wave provides an Excel spreadsheet that you can use to quickly see the impact of using different skills and weights, and calculate what would happen to calls in various scenarios.


Wave’s easy-to-read queue logs show the routing and scoring decisions queues make while they are handling calls.

Defining skills

As the first step to using skills-based routing you must define a set of skills, that you can then assign to users, calls, and queues.

To define skills

- 1 Choose **Tools > System Settings**, and go to the Queue \ Agents Skills tab.



- 2 Click **Add**. The Agent Skill dialog opens.
 - 3 Under **Name**, enter the name of the skill. Spaces and colons (:) are not legal characters. Letters, numbers, and other characters are legal as long as a letter is the first character. Skill names are not case sensitive, so you cannot use the same skill name twice with different case.
 - 4 If necessary, enter any **Comments** to help identify the skill.
 - 5 Click **OK**.
- Note:** You cannot delete a skill from that list if that skill is assigned to a user or queue.
- 6 When you are done entering skills, click **OK** to close the System Settings dialog.

Assigning skills and attributes to users

Skills can be defined at the queue level or the user level. When a user has a skill, it overrides the queue's default value for that skill. If a queue uses a skill that the agent does not have, the agent is treated as though he or she had the skill at the queue's default value. For example, if a queue uses Spanish with a default value of 50, then an agent without the Spanish skill is treated as though he or she had a Spanish skill of 50. To represent an agent with no skill in Spanish, you should add the Spanish skill to the user with a value of 0.

You can also assign attributes other than skills to users, for example the cost of the agent, and have them factor into a custom routing algorithm.


The skill value scale

The scale for skills and attributes is 0-100, where 0 represents no skill and 100 represents the highest possible skill. This scale balances skills with other factors if you use custom routing (see “Using custom agent scoring” on page 7-18).

Assigning skills to a user

To assign skills to a user

- 1 Double-click the user in the User's view to open the User dialog, and go to the Queue \ Skills tab.
- 2 Click **Add**. The Queue Skill dialog opens.



- 3 Select the skill from the **Skill** drop-down list. To add another skill at the system level, click the star icon, and see the previous section, “Defining skills” on page 7-4.
- 4 Under **Proficiency**, enter the user's skill value (0-100).
- 5 Click **OK**.

Assigning attributes to users

You can assign users the following non-skill attributes for call routing purposes:

- **Cost.** A measure of how expensive an agent is to you. For example, you may want your most expensive agents to take fewer calls, freeing them to work on other tasks. Alternatively, you may want your most expensive agents to take the most calls, since they have the most expertise.
- **Custom attributes.** You can define up to three custom attributes for agents and have them affect call distribution. For example, you can define an attribute that represents “Time with company” so that your newest agents take fewer calls, giving them space to learn the workflow.

To assign attributes to users

- 1 Double-click the user in the User’s view to open the User dialog, and go to the Queue \ Attributes tab.
- 2 To define the user’s level in **Cost** and any of the **Custom** attributes, enter a value (0-100).
- 3 Click **OK**.

For the queue to route calls based on an attribute, you must configure the queue to use it in agent scoring. See “Configuring custom agent scoring” on page 7-20.

Adding skill requirements to calls


This section describes configuring an auto attendant to add skill requirements to incoming calls. An auto attendant can attach skill requirements to a call in the following ways:

- To all callers who enter the auto attendant.
- To callers who select a particular menu choice.

Note: You can also attach skill requirements to a call using the Wave Call Classifier.

To have an auto attendant attach skill requirements to calls

- 1 Edit the auto attendant by double-clicking it in the Auto Attendants view to open the Auto Attendant dialog.
- 2 Do one of the following:
 - To attach skill requirements to all callers who enter the auto attendant, click the Advanced tab in the Auto Attendant dialog.
 - To attach skill requirements based on a particular menu choice, go to the Menu Choices tab, **Add** or **Edit** that menu choice, and click the Advanced tab in the Menu Choice dialog.
- 3 Click **Add**. The Custom Data / Skill Requirement dialog opens.



- 4 Click **Agent skill**, and select the skill that you want to attach as a requirement to the call. You can click the star icon to create a new skill at the system level (see “Defining skills” on page 7-4).
- 5 Under **Minimum value** and **Maximum value**, enter the range (from 0 to 100) that an agent’s skill value must be within to qualify for taking the call.

Note: You can set up skills-based routing to ignore **Maximum value**, so that no agent is considered “overqualified” for a call. You can also set up skills-based routing to gradually relax the minimum requirements as the caller’s wait increases. See “Defining how skills are used in routing calls to queues” on page 7-12.


- 6 Click **OK**.
- 7 When you are done adding skill requirements, click **OK** to close all dialogs and return to the Auto Attendants view.

Selecting and weighting relevant skills for a queue

For each queue that will use skills-based routing, you must select which skills are relevant to the queue, and define the relative weight of those skills in selecting agents for a call. Skills in your system that are not assigned to the queue play no part in routing the queue's calls, even if calls require these skills and agents have them.

To select and weight a queue's skills

- 1 Edit the queue by double-clicking it in the Queues view to open the Queue dialog, and go to the Skills tab.
- 2 Click **Add**. The Queue Skill dialog opens.



- 3 Select the skill from the **Skill** drop-down list. To add another skill at the system level, click the star icon, and see “Defining skills” on page 7-4.
- 4 Under **Default proficiency**, enter a default value for this skill in this queue. Agents without the skill will be treated as though they had the skill at this value. Agents with this skill override the default.

The best value scale is 0-100, where 0 represents no skill and 100 represents the highest possible skill. This scale balances skills with other factors if you use custom routing (see “Using custom agent scoring” on page 7-18).

- 5 Under **Proficiency weight**, enter a number to define how important this skill is relative to other skills and factors when routing calls to matching agents in this queue. The agent's skill value is multiplied by this number and added to the agent's total score (see "The agent scoring formula" on page 7-21).

Example: By giving Spanish a weight of 1 and Expertise a weight of 5, you make Expertise five times as valuable when selecting an agent for a call. An agent with Spanish 50 and Expertise 20 will get 50 points for Spanish and 100 points ($20 * 5$) for Expertise.

Weight can have a range from -1000 to 1000. With a negative weight, the agent's skill is multiplied by the weight and then subtracted from the agent's score, meaning aptitude makes the agent less eligible to receive matching calls.

- 6 Click **OK**.
- 7 When you are done adding the relevant skills for the queue, click **OK** to close the Queue dialog.

Setting up skills-based routing for a queue

Before setting up a queue for skills-based routing, you should have already defined skills and assigned them to the queue, as well as to the users who will be agents in the queue. For instructions, see the previous sections in this chapter.


To set up skills-based routing for a queue, you perform the following tasks:

- Choose skills-based or custom routing as the distribution algorithm. See the next section.
- Define how skills are used in routing. See page 7-12.

Configuring skills-based routing for a queue

To configure skills-based routing for a queue

- 1 Click the Distribution \ Agent Scoring tab in the Queue dialog.
- 2 Select “Skills-based or custom routing” from the **Agent scoring algorithm** drop-down list.



When you select this option, additional fields are displayed on the Distribution \ Agent Scoring tab:

Category

- Queue
- Skills
- Agents
 - Distribution
 - Agent Scoring**
 - Call Scoring
 - Agent Filtering (Skills)
 - Agent Filtering (Overflow)
 - Expected Wait Time
 - Last Agent Routing
 - Redirection
 - Hold
 - Voice Mail
 - Caller Entry
 - Dial-by-name Directory
 - Security
 - Audio
 - Recording
 - Statistics

Distribution \ Agent Scoring

Agent scoring algorithm: Skills-based or custom routing

Distribution calculations are based on queue calls occurring in:

Time period: Day

Direction: Inbound only

Determine which agent gets the next call using the following agent attributes:

Agent attributes	Use	Weight
Proficiency in call's skills	<input checked="" type="checkbox"/>	1.000
Attributes		
Standard agent scoring algorithms		

The agent's average proficiency in the skills required by the call. The queue configuration may give more weight to some skills. This value will be between 0 and 100.

OK Cancel Help

- 3 Under **Distribution calculations are based on queue calls occurring in**, specify the following:
 - **Time period.** Choose whether to distribute calls based on totals for the current **Shift** or the current **Day** (since midnight).
 - **Direction.** Choose whether the algorithm only counts **Inbound calls**, or both **Inbound and Outbound** calls.
- 4 In the **Determine which agent gets the next call using the following attributes** table, select the **Use** checkbox for **Proficiency in call skills** to enable skills-based routing. For more information on **Weight** and the rest of this table, see “Using custom agent scoring” on page 7-18.
- 5 Click **OK**.

Defining how skills are used in routing calls to queues

To define how Wave uses the skills you define to identify agents who are qualified to take a call, you specify the following:


- **Minimum and maximum skill requirements.** A skill requirement on a call includes a minimum and maximum required value (see “Adding skill requirements to calls” on page 7-6). You can choose whether the queue filters out agents who are underqualified (agents who fail to meet the minimum skill requirement), or whether it also filters out overqualified agents who exceed the maximum skill requirement.
- **If and how skill requirements change over time.** Based on how long a call remains unanswered in the queue, you can reduce the minimum skill requirements so that the call does not remain unanswered for too long.

Adjusting skill requirements over time

You can define whether minimum skill requirements get reduced as the caller waits, so that eventually the call may be sent to a less-skilled or unskilled agent. If you are using maximum skill requirements (see the previous section, “Defining how skills are used in routing calls to queues” on page 7-12), you can have those increase over time, allowing more highly-skilled agents to take the call. Choose one of the following:

To define how skills are used in routing calls to the queue

- 1 Click the Distribution \ Agent Filtering (Skills) tab in the Queue dialog.




- 2 To specify the minimum and maximum skill requirements, select one of the following **Send calls to agents** options:

- **If the agent meets the minimum skill requirements.** Calls will be routed only to agents whose skill values meet or exceed the calls' minimum proficiency requirements for those skills. Calls' maximum proficiency requirements are ignored, so no agents are considered "overqualified" for a call.
- **If the agent's skills are between the minimum and maximum requirements.** Calls will be routed only to agents whose skill values are within the range of the calls' minimum and maximum proficiency requirements for those skills.

Note: Selecting **Ignoring the call's skill requirements** disables the filtering step. If you select this option, calls are distributed to agents whether or not the agents meet the call's skill requirements. Routing is then based entirely on non-skill factors, such as the weight of agents' attributes and the queue's standard agent scoring algorithms (see "Using custom agent scoring" on page 7-18).

- 3 Depending on the option you selected in the previous step, specify how adjust skill requirements over time.



- **Wait indefinitely for a matching agent.** Calls with skill requirements wait indefinitely until an appropriately skilled agent is available. They are never sent to agents who do not meet those requirements.
- **Reduce call's skill requirements after __ seconds.** Enter a time (in seconds) to define an initial threshold of waiting, during which the call's skill requirements remain intact. As soon as the initial threshold is passed, skill requirements are adjusted once.
- **Change them again every __ seconds.** Enter an interval (in seconds) to determine how often the skill requirements are adjusted, after the first adjustment following the initial waiting threshold.

- 4 In the table, define by how much each skill requirement is adjusted whenever the system makes an adjustment pass. You can have the system adjust different skill requirements at different rates.

For each skill, click the **Reduce minimum by** column to enter a number by which the skill minimum will be reduced. If you are using skill maximums (see the previous section, “Defining how skills are used in routing calls to queues” on page 7-12), then you can click the **Increase maximum by** column and enter a number by which the skill maximum will be increased.

Note: Entering a value of 0 means that skill requirement is never adjusted, and the call waits indefinitely for an agent who has the required skill value. (Setting all skills to 0 is equivalent to selecting **Wait indefinitely for a matching agent** above).

- 5 Click **OK**.

Redirecting calls when no agents have matching skills


You can have the queue automatically redirect calls when there are no signed-in agents with skills that match the call’s skill requirements. See “Redirecting calls when there are no matching agent skills” on page 2-22 for instructions.

Note: If you have set the queue to reduce calls’ skill requirements over time (see the previous section), then calls will not be redirected for lack of matching skills.

Viewing an agent's skills within a queue

To view an agent's skills within a queue

- 1 Edit the agent (see “Adding primary agents to a queue” on page 3-4) and then click the Skills tab.



- 2 The Skills tab lists all the agent's skills that are relevant within this queue. This user may have other skills, but they do not appear if they are not relevant to the queue. To view or edit a complete list of the user's skills, click **Edit User's Skills**, and see “Assigning skills and attributes to users” on page 7-5.
- 3 To change which skills are relevant to the queue, see “Selecting and weighting relevant skills for a queue” on page 7-8.

The source of an agent's skill value

In the Agent dialog \ Skills tab, the **Proficiency** column displays the agent's ability in that skill. It also indicates whether the agent's skill value comes from his or her own native skill set at the user level (“user”), or the queue's default value for that skill (“queue”). A user's native skill value always overrides the queue default value. Queue default values are used only if the user does not have a skill that is relevant to the queue.


Reducing wait time for calls with skill requirement matches

By default, calls are routed to agents in the order received, regardless of skill requirements. In fact, calls with skill requirements may wait longer, since they are waiting on a smaller pool of agents who have the required skills. You can counterbalance this by sending a call ahead in the queue when an appropriately skilled agent for that call becomes available. In essence, you are giving calls higher priority when their skill requirements are met by an available agent.

For example, your queue uses the skills Spanish, Japan Travel, and China Travel. Only one agent has all three skills, so that by default a call requiring all three skills would have to wait in the queue for that one agent, while in the meantime the agent might be taking calls that could be handled by other agents. If you reduce wait time based on skill, then as soon as the matching agent became available, the call would jump ahead in the queue, increasing the efficiency of your queue.

To reduce wait time for calls with skill requirement matches

- 1 Click the Distribution \ Call Scoring tab in the Queue dialog.



- 2 Check **Add the agent's average proficiency times __ to the call's score**. Enter a number that determines how much a call moves ahead in the queue when one or more of its skill requirements find a matching available agent. When an agent with a matching skill becomes available, his or her skill value is multiplied by that number and added to the call's score. The higher the multiplier, the more matching calls are advanced in the queue.

In cases where the call has multiple skill requirements, the agent's applicable skill values are averaged, and that average value is multiplied by the number you enter.

Note: This setting applies only when comparing calls with skill requirements to calls with no skill requirements. In cases where different calls have different skill requirements, this setting is ignored, and skills change the call's score based only on their weight in the queue (see "Selecting and weighting relevant skills for a queue" on page 7-8).

- 3 Click **OK**.

Using custom agent scoring

A queue uses agent scoring when a call arrives and several agents are available to take it, to determine which agent gets the call. For each incoming call with more than one agent available, the queue does the following:

- 1 Filters out those agents who are unable to take the call, for example, because they do not meet the call's skill requirements.
- 2 Calculates scores for the remaining agents.
- 3 Sends the call to the agent with the highest score.

Note: When two or more agents tie for the highest score, the call always goes to the longest idle of the tied agents.

When you use a predefined routing algorithm, agent scores are calculated from 0 to 100. For example, when using the "Top down" algorithm, the topmost agent gets a score of 100, the bottom agent gets a score of 0, and those in between get percentage scores representing how close they are to the top.

You can create your own customized agent scoring system that scores agents according to a variety of factors. You determine how much weight each factor carries in determining the agents' scores. With custom agent scoring you can do the following:

- **Blend two or more predefined algorithms.** For example, you could blend “Round robin” and “Longest idle,” so that the randomness of round-robin distribution doesn’t leave an agent waiting too long.
- **Incorporate agents’ skill values.** If a call requires Spanish and several agents with Spanish are available, the agent with the highest Spanish skill will get a higher score. You can weight individual skills differently, for example, a 20 skill in Kazakhstan Travel could increase the agent’s score by more than a 100 skill in Spanish.
- **Incorporate agents’ cost and custom attributes.** See “Assigning attributes to users” on page 7-6. After assigning cost and custom attributes to agents, you can weight them appropriately and use them in routing. For example, you could blend “Least talk time” with a negative “Cost,” so that your most expensive agents take fewer calls, freeing them for other tasks.

Configuring custom agent scoring

To set up custom agent scoring

- 1 Click the Distribution \ Agent Scoring tab in the Queue dialog.
- 2 Select **Skills-based or custom routing** from the **Agent scoring algorithm** drop-down list.

Untitled - Queue

Category

- Queue
 - Skills
 - Agents
 - Distribution
 - Agent Scoring**
 - Call Scoring
 - Agent Filtering (Skills)
 - Agent Filtering (Overflow)
 - Expected Wait Time
 - Last Agent Routing
 - Redirection
 - Hold
 - Voice Mail
 - Caller Entry
 - Dial-by-name Directory
 - Security
 - Audio
 - Recording
 - Statistics

Distribution \ Agent Scoring

Agent scoring algorithm: Skills-based or custom routing

Distribution calculations are based on queue calls occurring in:

Time period: Day

Direction: Inbound only

Determine which agent gets the next call using the following agent attributes:

Agent attributes	Use	Weight
Proficiency in call's skills	<input checked="" type="checkbox"/>	1,000

Attributes

Standard agent scoring algorithms

The agent's average proficiency in the skills required by the call. The queue configuration may give more weight to some skills. This value will be between 0 and 100.

OK Cancel Help

- 3 In the **Determine which agent gets the next call using the following agent attributes** table, expand the categories and do the following:
 - Check **Use** for each factor that you want to include in the agent's score. Note that checking "Proficiency in call's skills" makes all skills a factor. To adjust the weight of individual skills, see "Selecting and weighting relevant skills for a queue" on page 7-8.
 - To change the weight of a factor, click the **Weight** column for that factor and enter the new number. The factor's value will be multiplied by that number and added to the agent's score. **Weight** has a range of -1000 to 1000. To choose a negative weight, meaning the value will be subtracted from the agent's score, use the minus sign to enter a negative number (for example, "-1"). Setting **Weight** to 0 is equivalent to deselecting **Use**, as it will always add 0 to an agent's score.
- 4 Click **OK**.

The agent scoring formula

Agents are scored as follows:

Required skill proficiency weighted average (see below) * skill factor weight

plus Cost * cost weight

plus Custom 1 * custom 1 weight

plus Custom 2 * custom 2 weight

plus Custom 3 * custom 3 weight

plus Idle time algorithm rank * idle time weight

plus Talk time algorithm rank * talk time weight

plus Number of calls algorithm rank * number of calls weight

plus Top down algorithm order * top down weight

plus Round robin algorithm order * round robin weight

equals Agent score

The **Required skill proficiency weighted average** is as follows:

Required skill 1 proficiency * that skill's proficiency weight

plus Required skill 2 proficiency * that skill's proficiency weight

plus ... the same for each skill required by the interaction

over The sum of all proficiency weights

Example

Factor	Value	Weight	Score
Round robin	100	1	100
Longest Idle	33	2	66
Spanish	50	1	50
Kazakhstan	20	10	200
Cost (neg)	50	1	-50
Total			366

Factor	Value	Weight	Score
Round robin	0	1	0
Longest Idle	100	2	200
Spanish	100	1	100
Kazakhstan	0	10	0
Cost (neg)	100	1	-100
Total			200

Viewing agent and call scoring decisions

You can use the queue logs to review and analyze the step-by-step logic used by the queue to route calls to your agents, including how it followed your custom agent scoring setup.

Using Contacts and Call Rules with a Queue

CHAPTER CONTENTS

About using contacts and call rules with a queue	8-1
Setting up a utility user for a queue	8-3
Creating queue contacts	8-9
Setting up call rules for a queue	8-9

About using contacts and call rules with a queue

This chapter describes how to use contacts and call rules with a queue. This procedure is optional—you can run a Contact Center queue without using contacts and call rules.

To use contacts and call rules with a queue, you create a *utility user*, which is a dummy user whose routing list contains only a final action of transferring calls to the queue. The utility user does not represent a real person. Its function is to receive queue calls, identify the callers if possible, apply call rules when appropriate, and then transfer the calls to the queue for distribution to agents. Callers are not aware of the utility user.

Benefits of using contacts with a queue

By setting up public contacts for the queue that represent important customers or business contacts, you can enjoy the following benefits:

- Wave can identify the queue's contacts when they call, so that calls appear in the agents' Call Monitors labelled with the contact's name.
- All agents in the queue can view the queue's contacts and place calls to them if necessary.
- After a call, an agent can update a contact's record with notes that all other agents can also see.

Benefits of applying call rules to queue calls

By applying call rules to incoming queue calls, you can handle individual calls based upon the caller and the time of day. For example, you can:

- Have the queue automatically take itself offline at 5:00 pm, sending all calls directly to voicemail or playing a message explaining the department hours.
- Greet important customers with a special message before they enter the queue. You can record a Welcome message that gives callers a code for a special discount, and you can play the message only to favored customers.
- Change greetings and automatically transfer calls based upon the time of day. For example, instead of using the manual **Queue is closed** field (see "Defining call logging for a queue" on page 2-24), you can use your Business Hours schedule to have the queue automatically play a "We're closed" greeting and route calls to a voice mailbox when your business is closed. You can use different schedules for different queues.

You can use an auto attendant as well as a utility user to play greetings and transfer calls based on time of day.

Setting up a utility user for a queue

To set up a utility user for a queue, you must complete the following tasks, which are described in detail in the next two procedures in this section:

- Creating the utility user
- Editing the utility user's routing list

Creating the utility user

To create a utility user

- 1 If necessary, click the Administration tab in the Global Administrator Management Console.
- 2 Click the User/Group Management icon, located in the PBX Administration section.
- 3 Log on to the User/Group Management applet, which opens in a remote access window. Once you log on, the Users view opens.
- 4 Choose **File > New > User**. The User dialog opens.

Click



Untitled - User


Category	User
<input checked="" type="checkbox"/> User	First name: <input type="text"/>
<input type="checkbox"/> Voice Mail	Last name: <input type="text"/>
<input type="checkbox"/> Phone	Title: <input type="text"/>
<input type="checkbox"/> Audio	Extension: <input type="text"/>
<input type="checkbox"/> Security	DID number: <input type="text"/>
<input type="checkbox"/> Queue	Password: <input type="text"/> Confirmation: <input type="text"/>
<input type="checkbox"/> Dial-by-name Directory	Associated device
<input type="checkbox"/> ViewPoint	<input checked="" type="radio"/> Slot:port Slot 5 (Analog) Port 4
	<input type="radio"/> IP phone MAC address: <input type="text"/>
	Telephone type: Analog
	Access profile: Unrestricted
	OK Cancel Help

5 Give the user a **Last Name** that identifies the queue for anyone transferring calls to it. For example, “Sales.” Users who transfer calls to the queue will do so by transferring them to this user’s extension.

6 Give the user an **Extension** and **Password**.


You do not need to specify anything in the **Associated device** section, since the utility user does not have an associated phone.

7 Click the Voice Mail tab.




8 Select the **No Mailbox** checkbox. Voice messages for the queue will be stored in the queue’s voice mailbox, so the utility user does not need one.

9 Click the Audio \ Voice Title tab.




10 Use the audio controls to record the queue's name, for example, "Sales queue." See "Using the audio controls" on page 1-8 for instructions.

11 Click the Phone \ Call Handling tab.



12 Deselect all options.

13 Click the Dial-by-Name Directory tab.




14 Check **List in dial-by-name directory** if you want callers and users to be able to find the queue by name.

Note: If you list the utility user in the dial-by-name directory, you should deselect this option for the queue itself, so that callers who reach the dial-by-name directory do not hear two entries for the queue.

15 Click **OK**.


Creating the utility user's routing list

- 1 Log on to ViewPoint as the utility user.
- 2 Choose **File > New > Routing List**. If you see the Welcome to the Routing List Wizard screen, click **Routing List Editor**. The Routing List dialog opens.



- 3 Give the Routing List a **Name** to help you identify it with the queue, such as “To Sales.”
- 4 If there are any actions listed (for example, “Call my Preferred Location”), select each one and then click **Delete**.

5 Click the **If not answered or busy** tab.

The image shows a Windows-style dialog box titled "Routing List - Routing List". At the top, there is a text field labeled "Name:" containing the text "Routing List". Below this is a tabbed interface with two tabs: "Actions" and "If not answered or busy". The "If not answered or busy" tab is currently selected. Inside this tab, there is a section titled "Final action if the call is not answered or the station is busy". Within this section, there is a checked checkbox labeled "Play greeting:" followed by a dropdown menu showing "Active (Initial Greeting)". Below this is another dropdown menu labeled "Final action:" showing "Take a message". At the bottom of the dialog box are three buttons: "OK", "Cancel", and "Help".

6 Under **Final action if the call is not answered or the station is busy**, do the following:

- Deselect the **Play greeting** checkbox.
- Select **Transfer to an extension** from the **Final action** drop-down list.
- From the **Transfer to** drop-down list that appears, select the queue to which you want the utility user to send calls.

7 On the **Actions** tab, select the **Use this routing list as the default for incoming calls**.

8 Click **OK** to save the new routing list and exit the dialog.

When you are finished editing the utility user's routing list, make sure the utility's user's personal status is set to Available.

Creating queue contacts

You create contacts for the queue by creating public contacts for the utility user.

To create queue contacts

- 1 Log on to ViewPoint as the utility user.
- 2 Choose **File > New > Contact** to add a contact.

Name	Address	Description
Business		
Business 2		
Home		
Home 2		
Mobile		
Other		
Email		
Email 2		
IM Address		

- 3 Select **Contacts (Public)** from the **Create new contact in folder** drop-down list.
- 4 Enter contact information, and then click **OK** to save the new contact and exit the dialog.

Setting up call rules for a queue

You set up call rules for a queue by creating call rules for the utility user.


Each call rule that you define for a queue must handle calls by using a particular routing list.

Example: To define a call rule that plays certain callers (contacts) a special Welcome message before they enter the queue, you would create a call rule that sends calls to a custom routing list (a routing list created for the utility user) that has the following features:

- No actions
- A greeting that plays the Welcome message before the final action
- A final action of **Transfer to Extension** that transfers calls to the queue

To set up call rules for a queue

- 1 Log on to ViewPoint as the utility user.
- 2 Choose **Tools > Call Rules**. The Call Rules dialog opens.



- 3 Click **New Rule**. The Call Rule Wizard starts. Follow the on-screen instructions to define the new call rule.

Use only the call rule's **Routing List** field and custom non-active routing lists to determine how calls are handled. Do not use the call rule's Personal Status or Taking Calls fields—if you use these fields, calls may be lost.

To activate call rules based on individual callers, define those callers as contacts for the utility user. See “Creating queue contacts” on page 8-9.

- 4 Make sure that **Enable this call rule** is checked.
- 5 Click **OK**. Repeat this procedure to create other call rules for the queue.

Supervising a Contact Center Queue

CHAPTER CONTENTS

About supervising queues	9-1
Viewing current queue calls	9-2
Monitoring queue statistics.	9-2
Supervising other agents' calls.	9-18
Managing agents' status	9-21
Managing a queue's voice mailbox	9-25

About supervising queues

You can assign agents any number of queue permissions that give them the ability to supervise a queue. Supervisors are merely agents with extra permissions. Supervisory tasks include the following:

- Configuring the queue, including the which agents belong to the queue
- Signing agents in or out of the queue
- Viewing real-time queue statistics in ViewPoint
- Changing an agent's personal status
- Managing a queue's voice mailbox
- Supervising agent conversations by monitoring or coaching

You assign permissions separately for each queue. To give an agent supervisor permissions in more than one queue, you must edit the agent separately in each queue.

For instructions on adding agents to a queue and setting their permission levels, see “Adding primary agents to a queue” on page 3-4. For a list of queue permissions, see “Agent permissions” on page 3-9.

Exempting supervisors from receiving queue calls

Because supervisors are agents in the queue, by default they receive queue calls when they are ready, just as other agents do. To exempt an agent from receiving calls from a queue, sign the agent out for that queue, or configure the agent as an Observer.

When supervisors are signed out from a queue, the queue does not send calls to them. However, supervisors can watch queue calls in the Call Monitor folder and answer them if necessary using the **Take call** command. They can also perform all other queue monitoring and managing tasks when they are signed out.

For instructions on signing a supervisor out, see “Signing agents in or out of a queue” on page 9-21.

Viewing current queue calls

Agents with the permission **Access Queue call monitor** can view all current queue activity on the queue’s tab in ViewPoint’s Call Monitor folder. Note that only calls associated with the queue appear in the queue’s tab. If the agent is on a personal call or a call from another queue, it does not appear in the queue tab.


For more information, see “Using the Call Monitor tabs” on page 10-8.

Monitoring queue statistics

Agents who have the permission **Monitor queue statistics** set to Allow can monitor a queue’s performance via the Queue Monitor folder in ViewPoint.

Viewing queue statistics in the Queue Monitor folder

To view statistics for a queue, open that queue in the ViewPoint Queue Monitor. To do so, in the ViewPoint Call Monitor click on the queue in the navigation pane. Queue statistics are displayed at the bottom of the Queue Monitor.



In order to view a queue's statistics, you must:

- Be an agent in that queue. If you do not want to receive calls from the queue, see “Exempting supervisors from receiving queue calls” on page 9-2.
- Have the permission **Access Queue call monitor** set to allow for the queue.

For a detailed description of when Queue Monitor statistics reset to zero, see “When statistics are reset” on page 9-12.

Note: You can continue to use the Call Monitor while you are in the Queue Monitor. Choose **View > Calls Pane** to add the Call Monitor to the Queue Monitor folder as a separate pane.

The Agents pane

At the top of the Queue Monitor folder, the Agents pane displays the names of all agents in the queue, their current statuses, and their performance, including inbound and outbound calls.

You can have the Agents pane display statistics by day or by shift. Choose **Actions > Show agent statistics by day/shift**. For information about shifts, see “Defining shifts for statistics display” on page 6-10.

Note: The Agents pane’s statistics are those for the selected queue only. For example, the **Calls answered** field shows the number of calls an agent has answered for this queue. The agent may have answered other calls such as personal calls or calls from other queues.

The Agents pane displays the information shown in the following table. Some columns may be hidden by default. To show them, choose **View > Current View > Show Columns**.

Availability	Icon showing the agent’s phone as on-hook or off-hook.
Personal Status icon	Icon for the agent’s current personal status.
Distribution Order	The order in which agents are scheduled to receive calls. The order is dependent on the queue’s distribution algorithm. The agent who will receive the next call is the agent with the lowest number among currently Ready agents. This column may be disabled. See “Enabling and disabling the Distribution Order column” on page 9-16.
Name	Agent’s name.

Agent State	<p>Agent's current level of availability to take calls from this queue. Note than an agent can be in different states for different queues at the same time. The possible states are:</p> <p>Ready. The agent is signed in, and in the personal status Available or Available (Queue Only), and the phone is on-hook. The agent is ready to take a call.</p> <p>Active Inbound. The agent is on an inbound call from this queue.</p> <p>Active Outbound. The agent is on an outbound call associated with this queue.</p> <p>Wrap-up Inbound. The agent is in the wrap-up period immediately following the end of an inbound call associated with this queue.</p> <p>Wrap-up Outbound. The agent is in the wrap-up period immediately following the end of an outbound call associated with this queue.</p> <p>Dialing. The agent is in the process of dialing an outbound call as the queue.</p> <p>Standby. The agent is On Break, or is in a non-queue call (such as a personal call or a call from another queue.)</p> <p>Signed out. The agent is signed out of this queue and so is not taking calls from this queue.</p> <p>Unavailable. The agent is in a personal status other than Available or Available (Queue Only), and so is not taking queue calls.</p> <p>No answer. The agent did not answer the last queue call. The queue does not send calls to agents in the No Answer status. Wave automatically removes the agent from No Answer status after a certain time based on what caused the No Answer status.</p> <p>Offering. The agent's phone is ringing with a call from this queue, but the agent has not accepted the call yet.</p>
Time in State	<p>The length of time that the agent has been in the current state for this queue. Times are displayed in the following format: days: hours:minutes:seconds.</p>


Calls answered	Number of incoming calls from this queue that the agent has answered since the beginning of the queue's current display period. Does not include calls the agent participated in but did not answer (see Total Calls - All)
Calls placed	Number of outbound calls associated with this queue that the agent has placed since the beginning of the queue's current display period. Does not include calls the agent participated in but did not place (see Total Calls - All)
Time on calls	The total time the agent has spent on this queue's calls since the beginning of the shift. You can show this column separately for inbound calls, outbound calls, and all calls.
Longest call	The length of time of the longest queue call (including wrap-up time) that the agent handled since the beginning of the shift. You can show this column separately for inbound calls, outbound calls, and all calls.
Avg. call	Average length of the agents' queue calls (including wrap-up time) since the beginning of the shift. You can show this column separately for inbound calls, outbound calls, and all calls.
Longest talk	The length of time of the longest single call the agent handled (not including wrap-up time). You can show this column separately for inbound calls, outbound calls, and all calls.
Away	A check mark indicates that the agent has been automatically placed in On Break status by the queue for having let his or her most recent queue calls ring unanswered. See "Placing agents on break if they do not answer calls" on page 4-6.
Forced Break	Number of times the queue has automatically placed the agent in On Break status for letting queue calls ring unanswered, since the beginning of the current display period. See "Placing agents on break if they do not answer calls" on page 4-6.

Inbound Calls	Number of incoming queue calls that the agent has participated in since the beginning of the queue's current display period, including inbound calls transferred from other agents in the queue.
Longest wrap-up	The length of time that the agent spent in the longest wrap-up after a call.
No Answer	Number of queue calls to the agent that rang unanswered, since the beginning of the current display period.
Outbound Calls	Number of outbound queue calls that the agent has participated in since the beginning of the queue's current display period, including outbound bound calls placed by other agents in the queue and then transferred to this agent.
Overflow	The agent's overflow tier. If no number is listed the agent is a primary agent (assuming the overflow skill default is set to 0).
Personal Status Name	Name of the agent's current personal status.
Queue	Name of the agent's queue.
Signed in	A check mark indicates that the agent is signed in to this queue.
Total calls - All	The total number of calls associated with this queue in which the agent has participated since the beginning of the queue's current display period. Includes inbound and outbound calls, and calls where the agent did not answer or place the call (for example, joining another agent in a conference call or having another agent transfer a call to him)

The Queue Statistics pane

At the bottom of the Queue Monitor folder, the Queue Statistics pane displays statistics for the queue as a whole. To show or hide the Queue Statistics pane, choose **View > Queue Statistics Pane**.

You can display queue statistics for inbound calls only, outbound calls only, or all calls, by clicking the appropriate button above the **Queue statistics by day** section.



For outbound calls to appear in the Outbound Statistics section, agents must place calls as the queue. See “Placing calls from a queue vs. calling as user” on page 10-10.

The Queue Statistics pane is divided into the following sections:

- **Current status.** Statistics for the number of agents and calls currently in the queue.
- **Queue statistics by day.** Statistics for calls since the beginning of the current day. These statistics automatically reset to zero at midnight.
- **Queue statistics by period and shift.** Statistics for calls during the current period and shift, compared to the previous period and shift. When the current period or shift ends, the current statistics automatically reset to zero, and the totals that had accumulated are moved into the **Previous** column.

For instructions on defining the statistics period and shifts, see “” on page 2-28. For detailed descriptions of when day, period, and shift statistics reset to zero, see “When statistics are reset” on page 9-12.

Note: Queue statistics by shift are not updated during gaps between shifts. For example, if one shift ends at noon and the next shift begins at 12:30, queue activity between 12:00 and 12:30 is not reflected in the shift totals.

The Queue Statistics pane displays the statistics shown in the following table.

Current Status	
Queue status	Whether the queue is currently distributing calls to agents. The possible statuses are: Open. The queue is distributing its calls to ready agents as normal. Closed. The queue is closed. No calls are being distributed to agents. Closed - No agents. All agents in the queue are currently signed out, so the queue is automatically sending its calls directly to voicemail.
Agents on break	Number of agents currently signed in and in the On Break personal status.
Agents ready	Number of agents waiting to receive queue calls. Ready agents are those who are signed in, have their personal statuses set to Available or Available (Queue Only), and are not currently off hook or in a wrap-up period.
Signed in and available	Number of agents eligible to receive queue calls, including those currently on a call or in wrap-up period. To receive queue calls an agent must be signed in and in a personal status whose Queue calls field is set to “Yes,” such as Available or Available (Queue Only.)
% agents ready	The percentage of agents eligible to receive queue calls who are currently waiting for a call. The others are either off hook or in a wrap-up period.
Calls waiting	Number of calls currently waiting on the queue.
Calls being placed	Number outbound calls in the process of being placed. (Connected outbound calls are not counted.)
Agents wrap-up	Number of agents currently in the wrap-up period following a queue call.
Inbound Statistics	
Calls answered	Number of calls answered by an agent.

Calls transferred out	Number of calls transferred out of the queue without being handled by an agent, as a result of callers pressing the transfer key. (See “Offering options while a caller is waiting on a queue” on page 5-10.)
Calls received	Total number of calls received, including abandoned calls.
Calls abandoned	Number of callers who hung up without talking to an agent.
Calls completed	Number of completed calls in which a caller finished talked with an agent. Completed calls are calls that ended by hanging up or transferring.
Avg. talk time	Length of the average time that callers spent talking with agents.
Calls to voice mail	Number of calls that went to voicemail without being handled by an agent, as a result of callers pressing the key to leave voice-mail. (See “Offering options while a caller is waiting on a queue” on page 5-10.)
Total talk time	Total number of minutes that callers have spent talking with agents.
Longest time	Length of the longest time in each of the following categories (by day only): Talk time. Time spent talking with an agent. Wait time. Time spent waiting on the queue.
Average wait time	Average length of time callers waited on the queue for each of the following categories: All calls. All inbound calls to the queue. Answered calls. All calls to the queue in which the caller spoke with an agent. Abandoned calls. All calls to the queue in which the caller hung up or left a voice message.

Redirection	<p>Number of calls that have been automatically redirected by the queue, for each of the following categories:</p> <p>Maximum hold. Calls that reached the maximum wait time without being answered (see page 2-20).</p> <p>Queue busy. Calls that were redirected because the queue was too busy (see page 2-17).</p> <p>Queue closed. Calls that were redirected because the queue was closed (see page 2-21).</p>
Outbound Statistics	
Calls placed	Number of outbound calls placed by this queue.
Calls completed	Number of connected calls that are now over.
Calls connected	Number of calls that have connected with the called party.
Longest time*	Length of the longest time by one call.
Average time*	Length of the average time over all calls.
Total time*	Total number of minutes from all calls.
* Talk time = Time spent talking with an agent.	
Combined Statistics	
Calls attempted	Total number of inbound calls received and outbound calls placed.
Calls completed	Total number of inbound and outbound calls completed.
Calls connected	Total number of inbound calls that were answered and outbound calls that were connected with the called party.
Longest time*	Longest talk time counting both inbound and outbound calls.
Average time*	Average talk time counting both inbound and outbound calls.
Total time*	Total talk time adding inbound and outbound calls.
* Talk time = Time spent talking with an agent.	

When statistics are reset

Statistics are reset to zero at the following times:

Statistics by day	At midnight, or when the Server is restarted.
Statistics by period	<p>On 15, 30, or 60 minute intervals, depending on your configuration for Statistics period interval (see “Defining the statistics period” on page 6-9). The intervals are counted from midnight, so a 15-minute interval would reset at 12:15, 12:30, 12:45, etc. All queues that share the same statistics period interval reset at the same clock time.</p> <p>Note: Period statistics are always reset counting from midnight, not from the time of a Server restart. This could result in a short period. For example, if the Server was started at 9:50, the period would still end at 10:00, resulting in a 10-minute period.</p>
Statistics by shift	At the end of the shift, as you defined it (see “Defining the statistics period” on page 6-9).

Note: When a call overlaps a reset time, some statistics for it will appear in the first grouping, some in the second, depending on when the statistic is counted. For example, Calls Answered is counted as soon as the call is answered, while Calls Completed is counted when the call ends. Therefore, if a call lasts from 11:58 PM to 12:20 AM, it would be counted as a Call Answered in Day 1, and a Call Completed in Day 2.


When statistics are refreshed

By default the Queue Monitor folder refreshes with new statistics as soon as they become available, providing a real-time picture of queue activity. You can enter a slower refresh rate to improve the responsiveness of agents' ViewPoint applications. You should change this setting if you find that agents' ViewPoint applications are responding too slowly.

To change the Queue Monitor refresh rate

- 1 If necessary, click the Administration tab in the Management Console.
- 2 Click the User/Group Management icon, located in the PBX Administration section.
- 3 Log on to the User/Group Management applet, which opens in a remote access window. Once you log on, the Users view opens.
- 4 Choose **Tools > System Settings**. The System Settings dialog opens.
- 5 Click the Queue tab.

Click



- 6 Enter the new refresh rate (in milliseconds) in **Queue statistics refresh interval**.
- 7 Click **OK**.

About agents' personal status and state

When working with the Queue Monitor, it is important to distinguish between an agent's personal status and state.

- **Personal status.** Determines whether the agent receives queue calls. An agent's personal status is the same across all queues.
- **State.** Displays the agent's current activity, for example, whether the agent is currently in a queue call. An agent's state can be different in different queues. For example, if an agent is a member of Queue A and Queue B, and the agent is currently in a call for Queue A, his state would be Active in Queue A and Standby in Queue B.

For a description of agent states, see the Agent State column in the Agents pane table on page 9-4.

Monitoring the position of agents in the queue

The Queue Monitor's Distribution Order column—displayed as in the Agents pane—shows the order in which ready agents are scheduled to receive calls. The agent with a 1 in the column is scheduled to receive the next call, followed by the agent with a 2 in the column, and so on. Unavailable agents do not receive a position number. Unavailable agents include agents who are signed out or in a personal status that makes them unavailable such as Do Not Disturb or Available (Non-Queue).

Note: You can enable or disable the Distribution Order column. See page 9-16.

The agent with a 1 in the distribution order will not necessarily receive the next call. The distribution order reflects the scheduled order according to the queue's distribution algorithm, but it does *not* reflect which agents are currently Ready. A Ready agent might have 5 in the Distribution Order column and yet receive the next call because all other agents are busy at the moment. The agent who will receive the next call is the agent with the lowest distribution order number among Ready agents.

Distribution order numbers for overflow agents follow those for primary agents. For example, if a queue has 10 ready primary agents, the first scheduled overflow agent will display 11 in the Distribution Order column. The distribution order of overflow agents is determined first by tier, and then within each tier by the queue's distribution algorithm. For more about overflow agents, see "Including a queue in the dial-by-name directory" on page 2-16.

The following table shows how agent positions are calculated for each distribution algorithm. The descriptions apply separately to primary agents and to each tier of overflow agents.

Top down	Agents' positions are ordered by their order in the queue and do not change.
Round robin	Agents' positions are reordered according to which agent answered the previous queue call. Whenever an agent answers a queue call, the next agent down in the list becomes 1, the agent after that becomes 2, and so on. When the bottom of the queue is reached, the order continues from the top down until it meets the agent who answered the most recent call.
Longest idle agent	<p>Agent positions are ordered according to the length of time without being in an Active state. The agent who has gone the longest without being Active inbound is in position 1.</p> <p>Note that talking on non-queue calls and being in the On Break personal status place an agent in the Standby state, so that the time since the agent was Active continues to increase. Likewise, Wrap-up is not an Active state, so agents' wrap-up time also increases their "idle" time. Only receiving a queue call makes an agent Active and resets the agent's "idle" time.</p> <p>An agent's position is reduced by 1 whenever an agent with a longer time since being Active receives or places a queue call. The only way for an agent's position to increase is for the agent to receive a queue call.</p>
Fewest calls	<p>Agent positions are ordered according to which agent has received the fewest queue calls during the current display period. The agent who has received the fewest queue calls since the beginning of the shift is at position 1.</p> <p>Note that the length of time spent on a queue call is not significant for adjusting position, only the number of queue calls participated in.</p>

Least talk time	Agent positions are ordered according to which agent has spent the least time on inbound queue calls during the current display period. The agent who has spent the least time on inbound queue calls since the beginning of the shift is at position 1. Note that only calls from a queue count as talk time in that queue. An agent working in two queues will have a different talk time in each.
Simultaneous ring	Agents have no position, as each call rings all agents' phones simultaneously.
Skills-based or custom routing	Agent positions are ordered according to their agent score, to select the best-qualified agent for each call. See "Using custom agent scoring" on page 7-18.

Note: The distribution algorithms Longest idle, Fewest calls, Least talk time count inbound queue calls only.


Enabling and disabling the Distribution Order column

You can enable or disable the Distribution Order column in the Agents pane in the Queue Monitor. Disabling the column can speed up system performance.

To enable or disable the Distribution Order column

- 1 In the User/Group Management applet, choose **Tools > System Settings**. The System Settings dialog opens.
- 2 Click the Queue tab.

- 3 Select or deselect the **Update Agent Distribution Order** column in **Queue Monitor** checkbox.



- 4 Click **OK**.

Monitoring queue statistics using the phone

Agents who have permission to monitor queue statistics can hear the current statistics for a queue at any time by picking up a Wave phone and dialing ***55**. The system prompts them to select the queue for which they want to hear statistics.

Dialing ***55** plays the queue statistics shown in the following table. Statistic totals are kept since midnight at the beginning of the current day.

Callers waiting	Number of callers waiting on the queue.
Expected wait time	Rough estimate of how long callers can expect to wait if they called right now. The formula used is <total wait time of all answered calls so far this day> / <number of answered calls so far this day>.
Active agents	Number of agents currently available. This includes all agents who are signed in and in the personal status Available or Available (Queue Only).

Total calls	Total number of calls received today (since the last midnight).
Abandon rate	Abandoned calls as a percentage of total calls.

Supervising other agents' calls

You can assign agents permission to supervise other agents' calls in the following ways:

- **Monitoring an agent's call.** The supervisor can listen to another agent's call without being heard by the other agent or the caller.
- **Coaching an agent on a call.** The supervisor can coach another agent without being heard by the caller. The agent hears the supervisor but the caller does not. The supervisors can hear all parties.
- **Joining an agent's call.** The supervisor can be conferenced in to another agent's call as a full participant and be heard by both parties.

Supervising Contact Center calls is a separate feature from supervising personal calls, and the two are controlled by different permissions, as follows:

- **Supervising personal calls.** Supervising personal calls requires Wave user permissions set up by your system administrator. Users with only these permissions cannot supervise Contact Center calls.
- **Supervising Contact Center calls.** To supervise Contact Center calls, you must be a Contact Center agent with agent permissions set up per queue by your queue administrator. As a Contact Center supervisor, you can supervise only other agents in your queue, and only their queue calls, not their personal calls.


Note the following:

- You can supervise an agent's outbound queue calls only if the agent has associated his or her outbound calls with the queue. See "Placing calls from a queue vs. calling as user" on page 10-10.
- If the agent whose call you are supervising transfers the call to another party, or parks it and it is unparked by another party, you are disconnected.
- To coach, monitor, or join a call, at least one party in the call must be from the local Wave system. For example, monitoring a call between *two* Gateway users (a Wave user whose "home" is another node in the WaveNet network) is not supported.

How supervised calls appear in the Call Monitor

When you **join** another agent's call, the call appears in your Call Monitor as a normal conference call.

When you **monitor** or **coach** an agent on a call, the call appears in your Call Monitor showing all three parties to the call. Your row—the top row in the call—is labelled “Monitoring” or Coaching”. The following example shows a call being monitored.



Name	Status
Monitoring	Active
Unknown	Active
Agent 3	Active

- If you are coaching an agent, the agent sees you as a party in the call.
- If you are monitoring an agent, the agent does not see you as a party, unless that agent has the permission **View agents being monitored** set to Allow. See the next section, “Viewing when agents are being monitored.”

To supervise another user's call using ViewPoint

- 1 In ViewPoint, select one of the following:
 - A call in the Call Monitor
 - A user in the Extensions list who is currently on a call
- 2 Choose **Actions > Supervise**, and select the supervisor mode you want to use—Coach, Monitor, or Join. The Supervise option is available only if both you and the other users in the call permit that supervisor mode.

To supervise another user's call using the phone

- 1 Pick up the phone and enter one of the following commands at the dial tone:
 - ***57** (Join)
 - ***58** (Coach)
 - ***59** (Monitor)
- 2 Enter the extension of the user whose call you want to join, coach, or monitor, followed by #.
- 3 Press **1** to confirm the extension, or press ***** to enter a different extension.

Note: You can enter the complete digit string rapidly without waiting for the prompts. For example, to coach extension 102, you can enter ***58 102# 1**.

- 4 Once connected to the call, you can use the following phone command options:
- To change the supervisor mode—for example, from monitoring to coaching—press **Flash**, then enter the code for the new mode.
 - To supervise a different user, press **Flash #** to return to the dial tone, then begin again.

Viewing when agents are being monitored

Agents who have the permission **View agents being monitored** set to Allow can see when an agent is being monitored by another agent. The monitoring agent appears in the Call Monitor as another party in the call, identified by the Status “Monitoring”.

	Name	Status	Num
	Conference	Active	
	Unknown	Active	Un
	Agent 1	Monitoring	10

Agents who have the permission set to Disallow (the default) cannot see when they or other agents are being monitored.

Note the following:

- When a supervisor begins supervising a queue call, any call notes disappear from the Call Monitor. This is because the notes are stored for the queue, not the agents. To see the call notes, look at the queue’s Call Log. Agent notes made after the call will show in the agent’s Call Log.
- The Call Log does not keep a record of whether agents were monitored.

Managing agents' status

With supervisor permissions, agents can directly control the status of other agents in the queue in the following ways:

- Signing agents in or out of a queue
- Changing an agent's personal status

Signing agents in or out of a queue

An agent who is signed in to a queue receives calls from that queue when ready. When signed out, the agent is still a member of the queue, but does not receive queue calls. An agent who is signed out can still view queue calls in the Call Monitor folder and answer them if necessary by using the **Take Call** command.

Supervisors with the **Sign In/Out other agents** permission can use sign other agents in or out of a queue. You can use this feature to move agents among queues without having to delete them from one queue and add them to another. For example, if Kim works as an agent in the Sales queue in the morning and in the Support queue in the afternoon, a supervisor can sign Kim out for the Sales queue at midday and sign her in for the Support queue.

Note: Agents with the **Queue Sign In/Out** permission can sign themselves in and out of the queue. See "Signing in and out of a queue" on page 10-5.

You can sign agents in or out via ViewPoint or the User/Group Management applet in the Global Administrator Management Console.

Signing agents in or out via ViewPoint

Note: To perform the following steps, you must have the agent permission **Sign In/Out other agents** (see "Agent permissions" on page 3-9) and the general Wave permission **Access Queues folder**.

To sign an agent in or out via ViewPoint

- 1 In ViewPoint, open the Queue Monitor folder by clicking its icon in the Folder List.
- 2 If there are tabs for more than one queue, click the tab of the queue for which you want to sign the agent in or out.
- 3 In the Agents pane, select the agent.
- 4 Choose **Actions > Sign this agent into queue** or **Sign this agent out of queue**. The command signs the agent in or out.

Signing agents in or out via the Global Administrator Management Console

Note: To perform the following steps, you must have the general Wave permission **Access Queues Folder**.


To sign an agent in or out via the Queue dialog

- 1 If necessary, click the Administration tab in the Global Administrator Management Console.
- 2 Click the User/Group Management icon, located in the PBX Administration section.
- 3 Log on to the User/Group Management applet, which opens in a remote access window. Once you log on, the Users view opens.


Click



- 4 Double-click the queue in the Queues view to open the Queue dialog, and then click the Agents tab.



- 5 Double-click the agent's name in the **Agents in this queue** list. The Agent dialog opens.



- 6 Select or deselect the **This agent is signed in** checkbox.
- 7 Click **OK** to close the Agent dialog.
- 8 Click **OK** to close the Queue dialog.

Changing an agent's personal status

A agent who has the permission **Change an agent's personal status** set to Allow can directly change the personal statuses of agents in the queue. A supervisor can use this feature in the following situations:

- When agents are prevented from changing their own personal status. In this case you must manage their workflow for them, changing their personal status to begin and end their workday and to let them take breaks.
- When agents leave their phones and forget to change their personal statuses themselves. In this case, you can set the personal statuses of the agents to On Break.
- When the queue is configured to automatically place agents On Break if they let calls from the queue go unanswered. In this case, you ensure that agents become ready when they return to their desks.
- When agents leave for the day and are still ready. In this case, you can change their personal statuses to make the agents unavailable.

Important: If agents leave at the end of their workday without making themselves unavailable, you must make them unavailable before the start of the next workday, or the reports data will be inaccurate.

To change an agent's personal status

- 1 In ViewPoint, select the agent on the appropriate tab in any of the following locations:
 - The Extensions folder
 - The Extensions pane in the Call Monitor folder
 - The Agents pane in the Queue Monitor folder
- 2 Choose **Actions > Apply Personal Status**, and then select a personal status.

Managing a queue's voice mailbox

Agents who have the permission **Access queue mailbox** set to View and Edit can manage voice messages that callers leave in the queue's voice mailbox. They can listen to messages, reply to them, and delete them. They also can create voice mailbox folders and move messages among those folders.

Agents who have the permission set to View Only can see and listen to voice messages, but not perform any other commands on them.

To access the queue's voice mailbox in ViewPoint, click **voicemail** in the navigation bar, then click the folder with the queue's name in the Favorite Folders list.

Managing queue voice messages on the phone

You can also manage a queue's voicemail using the phone by logging in as the queue. When logging in, use the queue's extension and password.

Working as an Agent in a Contact Center Queue

CHAPTER CONTENTS

Starting and ending your shift, and taking breaks	10-1
What Contact Center agents need to know	10-3
Signing in and out of a queue	10-5
Receiving and handling queue calls.	10-6
Placing calls from a queue vs. calling as user	10-10
Popping up caller information.	10-11
Working remotely	10-12

Starting and ending your shift, and taking breaks

Important: *Do not use this section* if you are not allowed to change your own personal status. In that case, a supervisor will control your workflow. Talk to your queue manager or Wave system administrator about how to work in the queue.

As a Contact Center agent, you control your workday by changing your personal status. At the beginning of your shift, you make yourself ready. At the end of your shift, you make yourself unavailable. While you are ready, you receive calls from all queues for which you are signed in. When you make yourself unavailable, queues stop sending calls to you.

Note: If you have to temporarily leave your phone during your shift, choose Wave's On Break personal status.

The following sections describe which personal statuses to use to make yourself ready and unavailable.

Starting your shift

To start your shift and begin receiving queue calls, make yourself ready by doing either of the following:

- Using your phone keypad, press either of the following at a dial tone:
 - * **50**. This selects the Available personal status.
 - * **51**. This selects the Available (Queue Only) personal status.
- In ViewPoint, select either of the following personal statuses:
 - **Available**. You receive personal calls (calls to your extension) as well as queue calls.
 - **Available (Queue Only)**. You receive only queue calls. Personal calls are sent directly to your voicemail.

If you will be making outgoing calls from the queue, see “Placing calls from a queue vs. calling as user” on page 10-10.

Ending your shift

Important: Use this procedure at the end of your shift only. To take a break during your shift, use the **On Break** personal status to ensure the integrity of Contact Center statistics. See the next section, “Taking a break.”

To end your shift and stop receiving queue calls, make yourself unavailable by doing either of the following:

- Using your phone keypad, press ***52** at a dial tone. This selects the personal status Available (Non-Queue).
- In ViewPoint, select any personal status whose **Queue calls** preference is set to No, other than On Break. For example, select the Personal status Available (Non-Queue) to receive personal calls without receiving queue calls.

Note: If you have marked your outbound calls as being from the queue, you must switch back to calling as yourself. Otherwise your outbound calls will continue to be marked as coming from the queue (and may be monitored), even though you have ended your shift. See “Placing calls from a queue vs. calling as user” on page 10-10.

Taking a break

To take a break from answering queue calls during your shift, do one of the following:

- Pick up the phone and press ***53**.
- In ViewPoint, select the personal status **On Break**.

Note: Select the On Break personal status whenever you leave your phone during your shift, even for a short time. If you leave your phone without selecting On Break, queue calls might be sent to your phone, and callers will hear an interval of ringing before they are placed back on the queue.

When you finish your break and are ready to receive calls again, make yourself ready again. Press ***51** on your phone or select the personal status **Available** or **Available (Queue Only)**.

What Contact Center agents need to know

If you are working as a Contact Center agent, be aware of the following:

- **While you are ready, always take queue calls that are sent to you.** If a queue call rings your phone and you do not answer, Callers will continue to hear music on hold as the system offers the call to the next agent.

If you do not take a queue call that is sent to you, your performance statistics will indicate a missed call. Also, depending on how your system is configured, your phone may automatically be put into the On Break personal status after one or more missed calls, which could adversely affect your performance statistics.

- **Use the On Break personal status only to leave your phone during your shift.** Making yourself unavailable by using other statuses, such as Available (Non-Queue) or Do Not Disturb, signals Wave that you are ending your shift (these statistics are reset daily).
- **Your personal status can be changed by others.** If you do not answer queue calls that ring your phone, the queue can automatically place you in the On Break personal status. Also, a supervisor can change your personal status at any time.

Agents, call forwarding and routing lists

Queue calls sent to you do not use your routing list, so they cannot try you at multiple locations. Queue calls do follow your call forwarding / Where I Am settings.

Working at different phones

If you need to work at a phone other than your default station, or if you have no default station and always work at a variety of phones, add the following steps to your routine:

- 1 When you first sit down at a new phone to receive calls, before marking yourself as Available, log on and forward your calls to your current location. Otherwise, your Contact Center performance might be logged under another agent's name. Use either of the following methods:
 - Pick up the phone and log in by pressing **# <extension> # <password>**. After about 2 seconds you will be logged in. Press **5 1** to forward calls to your current location.
 - Start ViewPoint. The Select Your ViewPoint Phone dialog opens. Select the second logon option, **Use station <x> to place and answer calls as <your name>**. Check **Forward my calls to this station**.



- 2 After you have logged on, make yourself ready as described in “Starting your shift” on page 10-2.
- 3 When you are finished using a phone, log off by either picking up the phone and pressing ***0 0**, or by exiting ViewPoint.

Note: When you are logged in at a station other than your own, voice message indicators apply to you. For example, if you hear stutter dial tone or see a message waiting light on the phone, it means you have new voice messages.

See page B-3 for steps to resolve a potential issue that may occur when you log off via ***0 0** from a phone that is not your own.

Signing in and out of a queue

You can be either signed in or signed out of each queue to which you belong. Only when you are signed in do you receive calls from the queue. When you are signed out of a queue, you can see and affect its calls in the Call Monitor, but the queue does not send calls to your phone.

As an agent, you might be signed out for the following reasons:


- You are a supervisor who wants to observe a queue and manually take calls if necessary, but you do not want queue calls to ring your phone.
- You are an agent who is a member of multiple queues, and you periodically change which queue you receive calls from. You receive calls only from the queues to which you are signed in.

Note: Other agents with permission can sign you in or out of a queue.

You must have permission to sign yourself in or out of queues. If you do not have permission, talk to your Wave system administrator about procedures for signing in and out.

To see if you are signed in or out of a queue

In the ViewPoint Queue Monitor and Call Monitor views, the tab for a queue displays an asterisk (*) if you are signed out from that queue.



To sign in or out of a queue using ViewPoint

- 1 In the ViewPoint Call Monitor, right-click a Queue tab at the bottom of the screen.
- 2 Click **Sign me into queue** or **Sign me out of queue**.

To sign in or out of a queue using the phone

Using your phone keypad, press ***56** at a dial tone. Enter the extension of the queue for which you want to sign in or out followed by #, for example, “*56 102 #”.

Receiving and handling queue calls

You can receive and handle queue calls by using either the phone commands or ViewPoint. When the queue sends a call to you, your phone rings and the call appears in ViewPoint's Call Monitor folder. Queue calls ignore your routing list and only ring your "Where I Am" location (your station or call forwarding number).

To answer a call, do either of the following:

- Pick up the phone.
- Click the incoming call in the Call Monitor and choose **Actions > Take Call**. If your phone is on-hook, it rings to connect you to the call.

After you are connected to a queue call, you can use most Wave call-handling features such as transfer, park, mute, and so forth.

Note the following:

- You cannot use the **Hold** command on a ringing queue call. You can only put a queue call on hold after answering it.
- Your queue calls are not shared, even if you are sharing your Call Monitor folder.

Viewing your position in the queue

If you have permission to see ViewPoint's Queue Monitor folder, you can use it to monitor your position in the queue, and determine when you are likely to receive the next call. See "Monitoring the position of agents in the queue" on page 9-14.

Being monitored or coached by a supervisor

Contact Center supervisors have the ability to supervise your queue calls on the following levels:

- **Monitoring.** A supervisor may listen in on any of your calls without you or the caller hearing. You will be unaware of the monitoring unless you have the permission **View agents being monitored**. If you do, the monitor appears in the Call Monitor as an indented line under the call.
- **Coaching.** A supervisor may speak to you during a call without the caller hearing. Coaching appears in the Call Monitor as a separate line under the call. If you are being coached, try not to speak to the coach, as the caller will not be aware of the coach's presence on the line.
- **Joining.** A supervisor may join your call, essentially creating a three-way conference call in which all parties can hear each other.

By default, only queue calls can be supervised, not your personal calls. This includes inbound queue calls and outbound calls that you have associated with a queue (see “Placing calls from a queue vs. calling as user” on page 10-10).

Having your calls recorded

The queue may be configured to record some or all of your queue calls. You receive no indication that a call is being recorded. The queue may be configured to place call recordings in your Inbox as new voice messages.

Your non-queue calls will not be recorded unless the Wave system has been configured to record all calls.


Using the Call Monitor tabs

When you are an agent in a Contact Center queue, your Call Monitor folder displays the following tabs:

- A tab that shows the queue's calls, with the name of the queue on it. If the tab name appears with an asterisk, it means that you are signed out from that queue.

Note: You must have permission to see this tab. If you do not see it, see your Wave system administrator.

- The My Phone tab, which shows all the calls that are being handled by your phone, including any queue calls you have taken.
- The All tab, which shows all your queue and personal calls together.



If you are an agent in multiple queues, the Call Monitor displays a tab for each queue.

Click the My Phone tab or a queue tab to view only the calls for that tab. Click the All tab to view all calls at once.

Note: Your Call Monitor folder may display other tabs than the ones described in this section.

Wrap-up time

After you finish a queue call, you are given wrap-up time to complete any work relating to the call. During your wrap-up time you will not receive any queue calls. Your Wave system administrator sets how much wrap-up time you have.

While you are in wrap-up time,  appears in the ViewPoint status bar.

Terminating your wrap-up time early

To terminate your wrap-up time early and mark yourself as ready to take queue calls again, using your phone keypad, press ***54** at a dial tone.

Viewing queue activity

The Queue Monitor in ViewPoint displays a list of agents in the queue and up-to-date queue statistics. You can use it to see the status of other agents in the queue and your current position in the queue, among other things.

To see the Queue Monitor folder in your ViewPoint, you must have the appropriate permission. For a description of the Queue Monitor folder, see “Monitoring queue statistics” on page 9-2.

Placing calls from a queue vs. calling as user

If you are a Contact Center agent and you place a call at your desk using the phone or ViewPoint, by default Wave treats the call as one made by you. You can choose instead to place calls as a queue, which may be necessary for your work as a Contact Center agent. When you place calls as a queue, Wave treats the call as if the queue placed it. Other agents can see it in their Call Monitors, it can be monitored by supervisors, and statistics and reports can accurately reflect queue activity.

When calling as a queue, your calls appear on both the My Phone tab and the queue tab in your Call Monitor. The calls are logged both in your personal Call Log and the queue's Call Log, with the queue name in the **From** column.

Note: In the Call Monitor, **Owner** is who you are logged in as, while **User** is who you are calling as.

Important: When you are done placing calls as a queue, be sure to switch back to calling as yourself. If you don't, your personal calls will be treated as queue calls, meaning they will be seen by all agents and will throw off queue statistics.

To place calls as a queue using ViewPoint

On the ViewPoint status bar, your name and extension are a drop-down list. Pull down the list and select the queue as which you want to place calls.



To switch back to calling as yourself, select yourself from the drop-down list.

To place calls as a queue using the phone

Pick up your phone and press ***14<queue's extension>#** at a dial tone.

To switch back to calling as yourself, press ***14#** at a dial tone.

Determining who you are calling as

ViewPoint's status bar displays whether the system is treating outbound calls from its station as being from you or from someone else.

You can also learn from whom a station is placing outbound calls by picking up the station and pressing *0. The station information recording includes the line, "The current extension is <Ext.> calling as <Queue>."

- <Ext.> is the extension of the last user who logged in at the station.
- <Queue> is the name of the queue that outbound calls are marked as being from.

For example, the recording might say, "The current extension is **555**, calling as **Sales Queue**."

Popping up caller information

You can use the Wave Contact Manager Assistant to pop up information about callers that you have in another contact manager application. Callers must be contacts in one of the following contact manager or customer relationship management applications:

- Act! 3.0, 4.0, 6.0, and 2000
- Goldmine 4.0 and 5.0, and Goldmine Business Contact Manager 5.7
- Goldmine FrontOffice 2000
- Microsoft Outlook 98, 2000, 2003, and XP

For instructions on configuring the Wave Contact Manager Assistant, see its online Help.

Act! can pop up contact information on its own, without the Contact Manager Assistant.

Note: Your office might also use a custom screen pop application created with the ViewPoint API. If this is the case, see your Wave system administrator for instructions on using it.

Working remotely

If you have a mobile extension, you can work remotely using that phone. You can work at remote phone that is not a mobile extension by forwarding your calls to another number.

Running Contact Center Reports

CHAPTER CONTENTS

About the Contact Center Reporter	11-1
Running a report	11-3
Viewing report results	11-6
Setting Reporter options	11-8
Customizing Contact Center Reporter	11-11
Printing and scheduling reports with the Report Runner	11-13
Available reports overview	11-16
Individual report descriptions	beginning on 11-20

About the Contact Center Reporter

The Contact Center Reporter allows you to run detailed reports on Wave call activity and phone usage. By carefully tracking the relevant call activity, you can quickly identify how effectively your phone system is being used by agents, queues, or trunks.

With the Contact Center Reporter, you can report on queue call activity and non-queue call activity, as well as analyze general system data.

You can configure each report to show information over any time period, from a single day to months or even years.

Contact Center Reporter requirements

To run the Contact Center Reporter, you need the following:

- Microsoft Excel 2003 SP3 or higher must be installed on the ViewPoint PC.
- Wave permission to run reports. You must have the permission **Access Contact Center Reporter** set to “Allow”.
- A Contact Center Reporter license is required to run all reports *except* those listed below. The following reports are available with no licensing requirements on all systems:
 - Call Log report
 - Grouped Service Level report
 - Outbound Call Comparison report
 - Outbound Calls By Phone Number report
 - Outbound Long Distance Summary report
 - Call Transfer report
 - Unanswered During Business Hours report
 - User Call Trends report
- To avoid a potential error when running reports, you must obtain the following updates from the Microsoft Download Center (www.microsoft.com/downloads) and install them on the ViewPoint PC:
 - KB955466 (Excel 2003 update)
 - KB907417 (Office 2003 update)

Running a report

This section describes how to start the Contact Center Reporter and run a report.

Note the following:

- You cannot run reports on time periods for which you have archived the Call Log. Archiving removes information from the Wave database and makes it unavailable for reports.
- If you are running the Contact Center Reporter on a computer other than the Wave Server (for example, on a ViewPoint PC), make sure that the clocks on the two computers are synchronized. All report times and dates are based on the clock of the local PC where you run the report.
- To run some reports, you must first define general Reporter Options. See “Setting general Reporter options” on page 11-8.

About report templates

Each report is based on a report template (XLT) file stored on the ViewPoint PC and reserved for the Contact Center Reporter’s own use. When you run a report, you make changes to the template’s options.


Important: Do not modify Contact Center report template files directly! If you modify report templates in any way, your changes will be lost, because Wave regularly overwrites the templates. If you want to permanently modify a report template, save the XLT file with a different name so that it is not automatically overwritten by the Contact Center Reporter.

Backups of original reports

Because a user may accidentally overwrite a shared report (see “Making a report Shared or Local” on page 11-11) by sharing one of his own reports with the same name, backup copies of the original Wave report templates are provided in the Reports_backup directory in the Wave Server directory.






Using the Contact Center Reporter toolbar in Excel

Wave makes Contact Center Reporter options available to you from within Excel on the Reporter toolbar. To display the Contact Center Reporter Toolbar, in Excel, choose **View > Toolbars > Contact Center Reporter Toolbar**.




Note: The Contact Center Reporter toolbar is only available in Excel if you open a report from the Contact Center Reporter dialog, as described in the steps starting on page 11-5. (The Reporter Toolbar is not available if you open a report directly in Excel.)

The Contact Center Reporter toolbar offers buttons for the commands listed in the following table.

	New Wave Report. Opens the Reporter dialog or brings it to the front if it is already open, so that you can select a report to run. See “Running a report” on page 11-3.
	Export without Macros. Saves the report so that it can be opened in Excel on any PC. Reports saved with macros can be opened only on PCs with Wave applications installed.
	Report Options. Opens the Report Options dialog for the report currently showing, so that you can change the report parameters and run the report again.
	Refresh Report. Runs the report again with the same options as were used to generate the current report. Use to update the report with the latest data.
	Help. Opens the Contact Center Reporter online Help.


To run a Contact Center report


- 1 In ViewPoint, choose **Tools > Reports**. The Contact Center Reporter dialog opens.



- 2 Double-click the name of the report that you want to run. The report template for that report opens in Microsoft Excel and shows the options most recently selected for that report.

If the following prompt regarding macros appears while Excel is opening, check **Always trust macros from this source**. Then click **Enable Macros**.



- 3 The Options dialog for the selected report opens. If it does not, click  on the Excel Reporter toolbar. (See “Using the Contact Center Reporter toolbar in Excel” on page 11-4 if you do not see the Contact Center Reporter toolbar.)
- 4 In the Options dialog, modify the report parameters to focus on the time period or other criteria that you are interested in. See “Setting individual report options” on page 11-10 for more information.
- 5 Click **OK**. The report runs and the results are displayed in Excel. See the next section for more information about viewing report results.

The Contact Center Reporter dialog remains open after you run a report. You can have multiple reports open at once. To run another report, double-click another report name.

Viewing report results

This section describes the following:

- Using Excel tabs to view report results. See page 11-6.
- Viewing report headers and footers. See page 11-7.

For details about viewing a specific report, see “Available reports overview” on page 11-16.

Using Excel tabs to view report results

Most Wave reports contain the following tabs when the results are displayed in Excel:

- **Report tab.** A graphical presentation of the data, for example a bar or pie graph.
- **Data tab.** A numerical presentation of the data, for example totals or averages for various statistics.

Note: Sometimes totals on the Data tab may appear to be incorrect. This is usually due to the way Excel presents numbers by rounding them to the number of displayed digits. The displayed total is always formed by taking the sum of the complete numbers, then rounding, as in the following example:

	6.47	6.4650
	5.87	5.8699
Totals	12.33	12.3349

- **Totals tab.** A summary of the totals for the statistics counted in the report.
- **Report Options tab.** A worksheet showing the options currently selected for the report.

The Report Options tab in Excel is for users who want to print out the full workbook, including a record of the options selected. Macro writers and other skilled spreadsheet users can also use the tab to generate reports without using the Report Options dialog.

Most users—who simply want to run a report and then review or print the results—should instead click **Report Options** on the Reporter toolbar and change report options via the Options dialog, as described in “Setting Reporter options” on page 11-8.

Viewing report headers and footers

You must have a printer installed on your PC in order to view the headers and footers on reports. The headers and footers include such data as report title, agent and queue name, date range, date printed, and the days of the week for the report.

If you do not have a printer (local or network) configured on your PC, the headers and footers will be blank.

Setting Reporter options

You set Reporter options in the following ways:

- Setting general Reporter options. See page 11-8.
- Setting individual report options. See page 11-10.

Setting general Reporter options

Some reports will not run unless you have first set general Reporter options. To do so, you must have Administrator permissions.

To set general Reporter options

- 1 From the Reporter, choose **Tools > Options**. The Options dialog opens.

Options

Toll free options

Enter toll free or local area codes/exchanges separated by commas:

800,866,877,888

Example: 800, 877, 617, 508452, 508673

In-state options

Label for in-state category: In-state

Enter in-state area codes/exchanges separated by commas:

Example: 617, 978, 508452, 508673

Criteria for counting calls

Minimum outbound number length: 10 digits

Minimum outbound call duration: 3 seconds

Minimum inbound call duration: 0 seconds

Short call duration: 10 seconds

OK Cancel Help

- 2 Under **Toll-free options**, enter the prefixes of phone numbers that can be dialed for free from the local Wave Server. These prefixes include your local area code as well as any toll-free area codes such as “800” and “888”. Separate entries with commas. You do not need to enter long-distance prefix digits, such as the “1” used in the U.S.


If your entire local area code (for example, “508”) cannot be dialed for free, you can enter each free exchange within the area code as area code plus exchange, for example “508452, 508673”.

- 3 Under **In-state options**, use the following fields to define how in-state calls appear on the outbound call reports:
- **Label for in-state category.** Type the name for in-state calls that will appear on the x-axis of reports that use this option.
 - **Enter in-state...** Enter a list of area code and exchanges that are in your State but not free, for example area codes in your State other than your local one. You do not need to enter long-distance prefix digits, such as the “1” in the U.S.
- 4 Under **Criteria for counting outbound calls**, use the following fields to define which calls are counted in various report categories:
- **Minimum outbound number length.** In North America this field should be left at 10 so that the reports pick up all long-distance calls. Further filtering, for example for the Outbound Long Distance Summary report, will be provided by the toll-free and in-state fields above.
 - **Minimum inbound/outbound call duration.** These two fields ensure that the reports count only calls that were connected. You can adjust the setting as desired. A setting of 1 second is generally sufficient to include all connected calls.
 - **Short call duration.** Enter the number of seconds at or below which a call is considered a “short call” by various reports, such as the Agent Performance by Skill report.
- 5 Click **OK**.

Setting individual report options

The Options dialog opens automatically whenever you run a report so you can specify the report parameters. You can also click **Report Options** on the Reporter toolbar to change a report's parameters and run it again, for example, with a different date range.

Different reports offer different options. For example, the following example shows the Options dialog for the Call Transfer report.



Other reports have different or additional options. See the individual report descriptions starting on page 11-20 for a description of the available options for each report.

When you are done specifying options for a report, click **OK** in the Options dialog to run the report.



Customizing Contact Center Reporter

This section describes the following:

- Making a report Shared or Local. See page 11-11.
- Reporting on outbound Contact Center calls. See page 11-12.
- Reporting on internal calls. See page 11-12.


Making a report Shared or Local

Reports can be either shared or local, as follows:

- **Shared reports** are stored on the Wave Server and can be run from any ViewPoint PC. Shared reports are indicated in the Reporter dialog by  (blank report) or  (report with data) in the Shared/Data column.

The default path for shared reports on the Wave Server is:

`C:\Program Files\Vertical Wave Server\Reports`

- **Local reports** are stored on the ViewPoint PC itself, and can only be run from that PC. Local reports are indicated in the Reporter dialog by  in the Shared/Data column.

The default path for local reports is:

`C:\Program Files\Vertical Wave\ViewPoint\Reporter\Reports`

The reports that come with Wave are all shared reports.

To share a local report

- 1 Select the report in the Reporter dialog.
- 2 Choose **File > Share**.

After sharing a report, click the **Refresh** button  on the Reporter dialog toolbar to see the shared report in the Reporter dialog.

Reporting on outbound Contact Center calls


For an agent's outbound calls to appear in reports, the agent must mark his or her outbound calls as calls that are placed from the Contact Center. See "Placing calls from a queue vs. calling as user" on page 10-10.

Reporting on internal calls

To include internal (station-to-station) call data in your reports, turn on internal call logging in the Call Log.

To turn internal call logging on or off

- 1 In the Administrator, choose **Tools > System Settings**.
- 2 Click the Call Log tab.



- 3 To log internal calls, select the **Log internal calls** checkbox. To stop logging internal calls, deselect the check box.
- 4 Click **OK**.

Printing and scheduling reports with the Report Runner

The Report Runner enables you to create a desktop shortcut for running and printing a report. You can then run the report just by clicking the shortcut. You can choose whether to send the report to a printer or save it as a file.

You can also use the Windows Task Scheduler to run the Report Runner at any time and interval you choose. See your Windows documentation for the Task Scheduler for more information.

Before you can run a report using the Report Runner, you must perform the following tasks:

- Prepare the report manually and save it as an XLS file.
- Create a Report Runner shortcut to run the report.
- Configure Report Runner options for the report.

To prepare the report

- 1 Run the report manually using the desired criteria for the user you want and for the period you want, according to the steps starting on page 11-5.
- 2 When the report results are displayed, clear all tabs except for the Report Options tab. To do so, click the top left cell on each tab to select all of the cells, and then press **Delete**.
- 3 To set report options, such as queue name or selected hours, use the Report Options tab in your saved XLS spreadsheet file.
- 4 On the Report Options tab, do the following:
 - Clear the date range in the “Period” row (column B).
 - Clear the data in the “Days” row (columns B and C).
 - In “Days” row (column B) enter 1,2,3,4,5,6,7.
 - In the “Days” row (column C) enter Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday.
- 5 Set any additional report options
- 6 Save the report with a descriptive name, for example “User Daily Activity Template.xls”.

To create a Report Runner shortcut to run the report

- 7** Create a desktop shortcut to the Report Runner, `Tvrrun.exe`. The default location for the Report Runner is:

`C:\Program Files\Vertical Wave\ViewPoint\Reporter\TVRRun\Tvrrun.exe`

For instructions on how to create a shortcut, see your Windows documentation.

To configure Report Runner options for the report

- 8** Right-click the new shortcut and choose **Properties**.
- 9** In the **Target** field, enter the pathname of the XLS file you created previously *after* the pathname of the Report Runner itself. (See page 11-15 for examples of how to use the **Target** field.)
- 10** Optionally, enter one or more of the following parameters:
- `-C`. Sends the charted report results displayed on the Report tab to your default printer.
 - `-T`. Sends the tabularized report results displayed on the Data tab to your default printer.
 - `-S <output file>`. Prints the report to a file with the name and path that you specify. If you enter `-S` but do not specify an output filename and path, the new report will overwrite the source XLS file each time the report is run.

Note: Do not use quotes around the output file path.

- 11** Click **OK**.

To run the report using the Report Runner, click its desktop shortcut.

Note the following:

- If a report generates no data, the existing report will be cleared anyway, so you will no longer see the data from the last time the report was run.
- The “Days” option in the template will be ignored if the period is “Today” or “Yesterday.” In that case the day used will be the appropriate one for the period chosen.

Examples: Report Runner shortcut Target fields

This example sends the charted results of the Wait by Outcome1 report to the printer:

```
C:\Program Files\Vertical Wave\ViewPoint\Reporter\TVRRun\
Tvrrun.exe C:\Program Files\Vertical Wave\ViewPoint\Reporter\
Reports\Wait by Outcome1.xls -C
```

In this example, the source XLS file of the User Activity report is overwritten with the new report results.


```
C:\Program Files\Vertical Wave\ViewPoint\Reporter\TVRRun\
Tvrrun.exe C:\Program Files\Vertical Wave\ViewPoint\Reporter\
Reports\User Activity.xls -S
```

In this example, the User Activity report is written to the file Fred_Sanders.xls in the Reports directory. (Note that there are no quotes around the output file path.)

```
C:\Program Files\Vertical Wave\ViewPoint\Reporter\TVRRun\
Tvrrun.exe C:\Program Files\Vertical Wave\ViewPoint\Reporter\
Reports\User Activity.xls -S C:\Program Files\Vertical
Wave\ViewPoint\Reporter\Reports\Fred_Sanders.xls
```

Running the Report Runner without a command line statement

If you run the file Tvrrun.exe without modifying its command line, the system opens a Help topic that explains the Report Runner commands.



Available reports overview

You can produce the reports listed in the following table. For detailed examples of the reports, see the sections referenced in the table.

Name	Description
Activity History by Agent report (see page 11-20)	Shows an agent's activity history by displaying a row for every change in agent state and personal status, and how long the agent spent in each state and personal status, for all the queues to which the agent belongs.
Activity History by Queue report (see page 11-22)	Shows a history of all of the agent activity in a queue by displaying a row for every change in agent state and personal status, and how long each agent in the queue spent in each state and personal status. Shows data for all agent activity in the queue.
Agent by Queue and Skill Configuration report (see page 11-24)	Lists each agent, showing to which queues he or she belongs and which skills he or she possesses.
Agent Call Trends report (see page 11-25)	Shows the number of calls an agent made or received and the agent's average talk time.
Agent Performance Trends by Queue report (see page 11-27)	By hour, day, or any time interval, shows number of calls an agent made or received while working in a queue and average talk time.
Agent Performance by Skill report (see page 11-28)	Provides summary data showing how each agent in a queue performed in a given period by skill
Agent State Summary report (see page 11-29)	By hour, day, or any time interval, shows the amount of time an agent spent in each state for each queue to which he or she belonged.
Agent State Summary by Queue report (see page 11-31)	By hour, day, or any time interval, shows the amount of time each agent spent in each state for a queue.
Average Wait Time and Call Volume by Time of Day report (see page 11-32)	By hour, shows average wait time and inbound call volume for a queue or View-Point Group.

Name	Description
Call Distribution by Skill and Agent report (see page 11-33)	Provides a summary of how many calls were answered per selected agents and selected skills.
Call Distribution by Skill and Queue report (see page 11-35)	Provides a summary of how many calls were answered per selected queues and selected skills.
Call Log report (see page 11-36)	By any time interval, shows all the information that appears in the Call Log for the entire system or the selected user or queue, in a spreadsheet form that is easy to sort or filter.
Call Result by Skill report (see page 11-38)	Shows comparative call results for all calls with skill requirements.
Call Summary report (see page 11-39)	By extension or workgroup, shows the total number of calls and the average duration of calls placed.
Call Transfer report (see page 11-41)	By any time interval, reports on all of the calls transferred to another entity by a user, Contact Center queue, or ViewPoint Group.
Call Trends report (see page 11-43)	By hour, day, or any time interval, shows total outbound calls made by agents in a queue.
Call Volume by Account Code report (see page 11-45)	By account code, shows the number of inbound and outbound calls made using each account code and the total talk time, for a user, queue, workgroup, or all calls in the system.
Call Volume by Identified Caller report (see page 11-46)	By Wave contact, shows total calls a user, queue, or workgroup received and average talk duration. For example, if you created 5 contacts, each to track a different promotional advertisement code (using PIN numbers to identify each contact), this report would show how many people called for each promotion.
Contact Center Queue Information report (see page 11-33)	Lists all general information for each queue in your system, including a list of all agents and their settings.
Contact Center Queue Information report (see page 11-47)	By agent, shows total calls made and received and average talk time for any queue or workgroup.

Name	Description
Custom Data report (see page 11-50)	Total calls and average talk time associated with calls from a user, queue, or all system calls, that are identified by a specific custom data variable. For example, an auto attendant could be configured to set the “Product” custom variable to “Apples” or “Oranges” based on the menu choice selected. This report would show how many callers selected Apples versus Oranges, and the average length of those calls.
Grouped Service Level report (see page 11-52)	By five-second increments, shows wait time for all calls that were answered by a user.
Inbound Call Outcome Trends report (see page 11-54)	By hour, day, or any time interval, shows total calls handled by one agent, multiple agents, abandoned, sent to voicemail, and the total number of calls for any queue.
Inbound Call Volume Trends report (see page 11-56)	By hour, day, or any time interval, shows the total calls a queue received, average wait time, and longest wait time.
Outbound Call Comparison report (see page 11-57)	Shows the number and duration of outbound calls in the following categories: In-state, Toll-free, and Other.
Outbound Calls by Phone Number report (see page 11-57)	Shows the number and duration of outbound calls placed to prefixes that you specify, for example 800 or 212.
Outbound Long Distance Summary report (see page 11-61)	By any time interval, shows your outbound long-distance phone traffic and estimates your phone bill.
Queue Call History Detail report (see page 11-64)	Shows the call history for a selected queue, including the skill requirements for each call.
Queue Comparison report (see page 11-64)	Compares all queues on total number of calls, average wait time, and total calls handled, abandoned, and sent to voicemail. For example, you can see how well your sales queue performs compared to your technical support queue.
Queue Performance Summary by Agent report (see page 11-67)	Lists performance information for each agent in a queue, including inbound, outbound, and internal call statistics, as well as the percentage of time spent in each agent state.

Name	Description
Service Level report (see page 11-68)	By wait time, shows the percentage of calls answered, abandoned, or sent to voice-mail during a time range for a queue.
Service Level by Skill report (see page 11-70)	By wait time, shows the percentage of calls with a single skill requirement in a single queue that were answered, abandoned, or sent to voicemail.
Skill Assignment by Agent report (see page 11-71)	Shows which agents have which skills within which queues.
Unanswered Calls During Business Hours report (see page 11-72)	By any time interval, shows inbound calls during your Wave business hours that were not answered by a user.
User Activity report (see page 11-74)	Pie charts showing the percentage of an agent's time spent in active versus other statuses. Shows the kinds of calls that make up the active calls.
User Call Trends report (see page 11-75)	Shows the number of calls a user made or received and the user's average talk time.
Wait by Outcome report (see page 11-77)	By hour, day, or any time interval, shows how long callers waited before their calls were handled, abandoned, or sent to voicemail.

Activity History by Agent report

The Activity History by Agent report displays a row for every change in agent state and personal status, and how long the agent spent in each state, for all the queues to which the agent belongs.

Setting options: Activity History by Agent report

Important: This report can return a very large amount of data, so you should run it only for the date range required to avoid negatively impacting system performance.

Reading the Activity History by Agent report

Report tab

There is no Report tab for this report.

Data tab

The Data tab displays the following information:

- **Time.** Date/time at which the agent changed state.
- **Personal Status.** The agent's history of personal status changes.
- **Time in personal status.** The amount of time spent in each instance of a personal status.
- **Queue.** Name of the queue in which this state change was made. A blank cell indicates that the change applied to all queues in which the agent was a member.
- **State.** The state to which the agent changed. For an explanation of states see "The Agents pane" on page 9-4.
- **Duration.** How long the agent remained in the state.

Filtering the Activity History by Agent report

To view all the entries of one type only, click the arrow button in any column header and select the element you want to view. The report is filtered to display only the records for that element. For example, you could filter the State column for "Standby" to see how many times the agent was checking voicemail, or filter the Personal Status column for "On Break."

Totals tab

	A	B	C	D	E	
1	Date	Calls Answered	Calls Placed	Total Calls - All	Time on Calls Inbound	Time
47	8/23/2005	2:17:25	2:11:02	16:00:09		
48	8/24/2005	5:39:21	1:45:00	15:59:39		
49	8/25/2005	5:02:22	1:52:18	15:50:22		
50	8/26/2005		1:54:08	1:15:29		
51	8/29/2005	6:20:46		15:59:40		
52	8/30/2005	2:20:28	2:55:00	18:36:03		
53	8/31/2005	5:46:56	2:17:18	16:06:34		
54						
55	Totals	84:00:26	48:30:26	523:11:39	0:00:06	

Ready

The Totals tab displays the following statistics for the agent for each date in the date range:

- **Calls answered.** Total inbound calls answered.
- **Calls placed.** Total outbound calls placed.
- **Inbound calls.** Total number of inbound calls
- **Outbound calls.** Total number of outbound calls.
- **Total calls.** Total number of calls including inbound and outbound.
- **Time on calls.** Total time on queue calls for inbound, outbound, and all calls.
- **Avg. call.** The average length of a call, for inbound, outbound, and all calls.
- **First Activity.** Time of the agents' first state change that day.
- **Last Activity.** Time of the agents' last state change that day.
- **First Queue Call.** Time of the agent's first queue call that day.
- **Last Queue Call.** Time of the agent's last queue call that day.

Activity History by Queue report

The Activity History by Queue report shows a row for every change in agent state and personal status, and how long each agent in the queue spent in each state.

Setting options: Activity History by Queue report

Important: This report can return a very large amount of data, so you should run it only for the date range required to avoid negatively impacting system performance.

Reading the Activity History by Queue report

Report tab

There is no Report tab for this report.

Data tab

The Data tab displays the following information:

- **Time.** Date/time at which the agent changed state or personal status.
- **Agent.** Agent's name. The first and last activity of each day is displayed in bold face for each agent.
- **Personal status.** The personal status that the agent selected.
- **Time in personal status.** The length of time the agent spent in that iteration of the personal status.
- **State.** The state to which the agent changed. For an explanation of states see “The Agents pane” on page 9-4.
- **Time in state.** The length of time the agent spent in that iteration of the state.
- **Signed in/out.** Displays when an agent signed in or out of the queue.

Filtering the Activity History by Queue report

To view all the entries of one type only, click the arrow button in any column header and select the element you want to view. The report is filtered to display only the records for that element. For example, you could filter by The Agent column for “Melody Altan” to see the activity of that agent only.

Totals tab

To view performance subtotals for each agent and totals for the queue as a whole, click the Totals tab at the bottom of the report.

	A	B	C	D	E
	Date	Agent	Calls Answered	Calls Placed	Total Calls - All
524	8/31/2005	Kilri Smith	1:56:47		
525	8/31/2005	Mary Mocanos	2:53:32		14:54:46
526	8/31/2005	Mike Vieira	4:28:08		15:37:54
527	8/31/2005	Peter Renzes	2:56:42		17:16:33
528	8/31/2005	Renato Menitt	2:55:26		2:01:05
529	8/31/2005 - Totals		55:19:48		98:35:07
530					
531	Totals		2170:40:40	245:05:44	3819:26:21
532					

Ready | Data | Totals | Report Options | NUM

The Totals sheet for the Activity History by Queue report displays the following statistics for each agent and for the queue as a whole:

- **Calls answered.** Total inbound calls answered.
- **Calls placed.** Total outbound calls placed.
- **Total calls.** Total number of calls including inbound and outbound.
- **Time on calls.** Total time on queue calls for inbound, outbound, and all calls.
- **Avg. call.** The average length of a call, for inbound, outbound, and all calls.

Agent by Queue and Skill Configuration report

The Agent by Queue and Skill Configuration report lists each agent, the queues each agent belongs to, and the skills the agent possesses

Setting options: Activity History by Queue report

There are no report options for this report, which reports on all agents, all queues, and all skills.

Reading the Activity History by Queue report

	A	B	C
1	Agent	Queue	Skill
2	Chris Brooks	Sales Queue	DOS
3			InstantOffice
4			TeleVantage
5			Unix
6			
7		Support	DOS
8			Unix
9			
10	Mark Zeeg	Sales Queue	DOS
11			InstantOffice
12			TeleVantage
13			Unix
14			
15	Xiao Doarn	Sales Queue	DOS
16			InstantOffice
17			TeleVantage
18			Unix
19			
20		Support	DOS
21			Unix
22			
23			


Report

Data

Agent Call Trends report

The Agent Call Trends report displays the number of inbound and outbound calls an agent handled, with the average talk time for each category.

Reading the Agent Call Trend report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Interval.** Each interval in the reporting period is labeled along the x-axis of the report.
- **Calls.** Total number of Inbound Calls and Outbound Calls per interval. Displayed as stacked bars, and read against the left y-axis of the report.
- **Talk Time.** Average Talk Time Inbound (minutes) and Average Talk Time Outbound (minutes) per interval. Displayed as two lines, and read against the right y-axis of the report.

Data tab

The Data tab displays the following information:


The following fields appear in this report:

- **Time interval.** Displays as the x-axis of the report.
- **Calls.** The number of calls. Displays as the y-axis of the report.
- **Inbound calls / Outbound calls.** Displays as different-colored bars.
- **Average talk time Inbound/Outbound.** In minutes. Displays as two lines.

Agent Performance Trends by Queue report

The Agent Performance Trends by Queue report shows the number of calls a user made or received for a particular queue and the average talk time. Personal calls—those sent directly to or made from the user's extension—are not included. Station-to-station calls are not included in this report unless the Administrator selects the Log Internal Calls option.

Reading the Agent Performance Trends by Queue report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Interval.** Each interval in the reporting period is labeled along the x-axis of the report.
- **Calls.** Total number of Inbound Calls and Outbound Calls per interval. Displayed as stacked bars, and read against the left y-axis of the report.
- **Talk Time.** Average Talk Time Inbound (minutes) and Average Talk Time Outbound (minutes) per interval. Displayed as two lines, and read against the right y-axis of the report.

Agent Performance by Skill report

The Agent Performance by Skill report provides summary data showing how each agent in a queue performed in a given period by skill. This report allows setting various thresholds on Report Options tab in Excel that are colored on the Report and Data tabs if those values exceed the thresholds you specify.

Reading the Agent Performance by Skill report

Agent Performance by Skills - Sales Queue (5/1/2005 - 5/31/2005, 9:00 AM - 5:00 PM)					
Skill	Date	Agent	Calls Answered	Short Calls Answered	Wrap Up Time
DOS	05/23/2005	Mark Zemina	2	0	0:00:10
		Xiao Douy	1	1	0:00:20
Summary			3	1	0:00:30
English	05/23/2005	Xiao Douy	1	0	0:00:10
Summary			1	0	0:00:10
Spanish	05/23/2005	Mark Zemina	2	0	0:00:10
		Xiao Douy	1	1	0:00:20
Summary			3	1	0:00:30
Unix	05/23/2005	Xiao Douy	1	0	0:00:10
Summary			1	0	0:00:10
Report Summary			8	2	0:01:20

This report is in data form only. For each skill, it shows the queue performance of each agent with that skill as follows:


- **Short Calls Answered.** A call is considered short call if wait time is less or equal to the short call threshold (see “Setting general Reporter options” on page 11-8).
- **Answered.** The number of calls answered including short calls.

- **Wrap Up Time.** The time between calls to finish up paper work.
- **Talk Time.** The total talk time on the answered calls.
- **Average Talk Time.** Talk Time / (Answered + Short Calls Answered).
- **Work Time.** Talk Time + Wrap Up Time.

Agent State Summary report

The Agent State Summary report shows how much time an agent spent in each state, with separate displays for each queue to which the agent belonged. For an explanation of agent states, see page 9-4.

Reading the Agent State Summary report



Report tab

The Report tab displays the following information in a stacked bar chart:


- **Queue.** Each queue of which the agent is a member is labeled along the x-axis of the report.
- **Total Duration (minutes).** Total amount of time the agent spent in each of the following agent states per queue. Displayed as stacked bars, and read against the left y-axis of the report.
 - **Signed out**
 - **Ready**
 - **Standby**
 - **Wrap-up inbound**
 - **Wrap-up outbound**
 - **Offering**
 - **No answer**
 - **Active inbound**
 - **Active outbound**
 - **Dialing**

For the exact breakdown of the time the agent spent in various agent states per queue, click the Data tab.

Agent State Summary by Queue report

The Agent State Summary by Queue report shows how much time each agent in a queue spent in each state. For an explanation of the various agent states, see page 9-4.

Reading the Agent State Summary by Queue report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Agent.** Each agent in the queue is labeled along the x-axis of the report.
- **Total Duration (minutes).** Total amount of time spent in each of the following agent states per agent. Displayed as stacked bars, and read against the left y-axis of the report.
 - **Signed out**
 - **Ready**
 - **Standby**
 - **Wrap-up inbound**
 - **Wrap-up outbound**


- Offering
- No answer
- Active inbound
- Active outbound
- Dialing

For the exact breakdown of the time each agent spent in various agent states, click the Data tab.

Average Wait Time and Call Volume by Time of Day report

The Average Wait Time and Call Volume by Time of Day report shows the average time that callers waited and the average call volume for all inbound calls to a queue or workgroup, displayed by time of day.

Reading the Avg Wait Time/Call Volume by Time of Day report



Report tab

The Report tab displays the following information in a bar chart:


- **Time of Day.** Each hourly time period is labeled along the x-axis of the report.
- **Call Volume.** Average Call Volume (number of inbound calls) for each hourly time period. Displayed as bars, and read against the left y-axis of the report.
- **Wait Time.** Average Wait Time (minutes) from the time the call arrived on the Wave Server until it was answered by an agent. Displayed as a line, and read against the right y-axis of the report.

Note: A call is logged in the hourly time period during which it arrives on the Wave Server, not the hourly period during which it is answered. For example, if a call arrives at 1:59 PM and is answered at 2:01 PM, it is included in the 1:00 PM period.

Call Distribution by Skill and Agent report

The Call Distribution by Skill and Agent report provides a summary of how many calls were answered per agent and per skill. In the Options dialog you can select one or more agents, one or more skills, and the report period. This report allows setting various thresholds on the Report Options tab in Excel that are colored on the Report and Data tabs if those values exceed the thresholds you specify.

Reading the Call Distribution by Skill and Agent report



Report tab

The Report tab displays the following information in a side-by-side bar chart:


- **Agent.** Each agent is labeled along the x-axis of the report.
- **Calls.** Total number of calls with a skill requirement answered per agent. Displayed as side-by-side bars, and read against the left y-axis of the report. Colored bars

Note: If a call has more than one skill requirement, that call is counted multiple times, once for each skill.

Call Distribution by Skill and Queue report

The Call Distribution by Skill and Queue report provides a summary of how many calls were answered per queue and per skill. In the Options dialog you can select one or many queues, one or many skills, and the report period. This report allows setting various thresholds on the Report Options tab in Excel that are colored on the Report and Data tabs if those values exceed the thresholds you specify.

Reading the Call Distribution by Skill and Queue report



Report tab

The Report tab displays the following information in a side-by-side bar chart:

- **Queue.** Each queue is labeled along the x-axis of the report.
- **Calls.** Total number of calls with a skill requirement answered per queue. Displayed as side-by-side bars, and read against the left y-axis of the report.

Note: If a call has more than one skill requirement, that call is counted multiple times, once for each skill.

Call Log report

The Call Log report shows all the information that appears in the Call Log for a user or a queue, in a spreadsheet form that is easy to sort or filter. Using Microsoft Excel's drop-down filtering tools, you can filter by any column to see just the calls you want.

This report should only be run for a small number of days due to the quantity of data that may be produced.

Setting options: Call Log report

The following options are available for this report:

- One of the following:
 - **Queue.** Select the queue to report on from the drop-down list.
 - **User.** Select the user to report on from the drop-down list.
 - **All calls.** Select this option to report on all calls, including calls involving agents in queues.
- **Period.** Select the time frame to report on from the drop-down list. If you select **Custom Date Range**, select the range's **Start** and **End** dates.


Reading the Call Log report

Note: By default you can report only on your Call Log and all Call Logs that are visible to you in ViewPoint (for example, a queue's Call Log if you have permission to view it, and any Call Logs that have been shared with you). To report on any Call Log, you must have the Wave permission Report on all call logs set to Allow.

	E	F	G	H	I	J	K	L	M
1	Start Time	End Time	Duration	Result	Left M	No	Org	Acc	Answered By
35	10/14/2002 7:06:29 PM	10/14/2002 7:06:29 PM	00:00:00	Supervised transfer	No				Tech Support Afte
36	10/14/2002 7:52:26 PM	10/14/2002 7:52:26 PM	00:00:00	Supervised transfer	No				Tech Support Afte
37	10/15/2002 9:02:04 AM	10/15/2002 9:02:04 AM	00:00:00	Supervised transfer	Yes				Tech Support Afte
38	10/15/2002 9:21:45 AM	10/15/2002 9:22:55 AM	00:01:10	Connected	No				Rob Simsox
39	10/15/2002 9:26:40 AM	10/15/2002 9:31:53 AM	00:05:13	To voice mail	No				Shane Wilcoh
40	10/15/2002 9:38:17 AM	10/15/2002 9:38:17 AM	00:00:00	Blind transfer	No				Shane Wilcoh
41	10/15/2002 9:32:51 AM	10/15/2002 9:44:26 AM	00:11:35	To voice mail	No				Unknown
42	10/15/2002 9:44:13 AM	10/15/2002 9:46:53 AM	00:02:40	Connected	No				Rob Simsox
43	10/15/2002 9:49:41 AM	10/15/2002 9:50:27 AM	00:00:46	Connected	No				Unknown
44	10/15/2002 9:50:33 AM	10/15/2002 9:55:56 AM	00:05:23	To voice mail	No				Rob Simsox
45	10/15/2002 9:53:43 AM	10/15/2002 9:58:57 AM	00:05:14	To voice mail	No				Shane Wilcoh

Filtering Call Log data by column

To filter the report by column, click the arrow on any column header. From the drop-down list, select the column entry that you want to display. The report shows only calls with that column entry. Alternately, select **Custom** to filter by more complex criteria.




Examples of using the filter include viewing the following:

- All calls with account code 55 (Account Code column)
- All inbound or all outbound calls (Direction column)
- All calls longer than 30 minutes (Duration column, select **Custom**)
- All abandoned calls (Result column)
- All calls that were automatically recorded by the queue (Recorded by Queue column)

Call Result by Skill report

The Call Result by Skill report shows comparative call results for all calls with skill requirements. In the Report Options dialog you can select which skills to report on, and which queues to include in the totals, in addition to the report period. This report allows setting various thresholds on the Report Options tab in Excel that are colored on the Report and Data tabs if those values exceed the thresholds you specify.

Reading the Call Result by Skill report



Report tab

The Report tab displays the following information in side-by-side bar chart:

- **Skill.** Each selected skill is labeled along the x-axis of the report.
- **Calls.** Total number of Abandoned, Voice Mail, and Answered calls per skill. Displayed as side-by-side bars, and read against the left y-axis of the report.
- **Average Wait Time (sec).** Average Abandoned Wait Time, Average Voice Mail Wait Time, and Average Answered Wait Time per skill. Displayed as three lines, and read against the right y-axis of the report.


Each selected skill appears as a grouping along the x-axis. Colored bars corresponding to different call results show how many calls had each result per skill.

Call Summary report

This report shows the total number of calls and the average duration of calls placed from an extension or a ViewPoint Group. You can choose whether the report shows internal or external calls.

Note: When internal calls is selected, the report includes users who are calling from trunks, such as users with IP phones or users calling from remote phones and logging in.

Reading the Call Summary report



Report tab

The Report tab displays the following information in a bar chart:

- **User.** Each user who placed a call from an extension or a ViewPoint Group is labeled along the x-axis of the report.
- **Number of calls.** Total number of calls placed per user. Displayed as bars, and read against the left y-axis of the report.
- **Average Duration (minutes).** Average duration of each call. Displayed as a line, and read against the right y-axis of the report.

Data tab

The Data tab displays the following information:

The Data tab of this report shows **Total Duration**.

Call Transfer report


This report shows how many calls were transferred during the reporting period, and to whom the calls were transferred. You can report on all transferred calls, or on calls transferred by an individual user, queue, or ViewPoint Group.

Setting options: Call Transfer report

The following options are available for this report:

- One of the following:
 - **Queue.** Queue to report on.
 - **User.** User to report on.
 - **ViewPoint Group.** Group to report on.
 - **All calls.** Report on all transferred calls.
- **Period.** Time frame to report on. If you select **Custom Date Range**, you must also specify the range's **Start** and **End** dates.

Reading the Call Transfer report



Report tab

The Report tab displays the following information in a bar chart:

- **Transfer Target.** Each party to whom a call was transferred is labeled along the x-axis of the report.
- **Number of Transfers.** Total number of transfers per transfer target. Displayed as bars, and read against the left y-axis of the report.

Data tab

The Data tab contains the following columns:

- **Transfer Target.** Each party to which a call was transferred is displayed as a row in the report.
- **Number of Transfers.** Total number of calls transferred to the transfer target.
- **Inbound Calls.** Total number of inbound calls received by the transfer target.


Totals tab

There is no Totals tab for this report.

Call Trends report

The Call Trends report shows total number of inbound and outbound calls for a Contact Center queue by its agents. The agents must place calls as the queue for outbound calls to be reported (see “Placing calls from a queue vs. calling as user” on page 10-10). This report is useful for tracking calls made to customers or calls made during marketing campaigns. It does not include personal calls (calls made when the outbound queue-calling feature was not activated).

Reading the Call Trends report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Interval.** Each interval in the reporting period is labeled along the x-axis of the report.
- **Calls.** Total number of Inbound Calls and Outbound Calls per interval. Displayed as stacked bars, and read against the left y-axis of the report.
- **Talk Time.** Average Talk Time Inbound (min) and Average Talk Time Outbound (mins) per interval. Displayed as two lines, and read against the right y-axis of the report.

Note: The entire call length is included in **Talk Time**, regardless of when during the call the account code was entered.


Call Volume by Account Code report

The Call Volume by Account Code report shows the inbound calls, total calls (inbound and outbound), and talk time for all calls for which an agent entered an account code. This report is useful for billing customers for service given to them over the phone or for tracking marketing campaigns.

You can report on calls that used account codes from any of the following categories:

- All calls handled by a particular agent or other user
- All calls handled by a queue, regardless of the agent involved
- All calls system-wide

Reading the Call Volume by Account Code report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Account code.** Each account code is labeled along the x-axis of the report.
- **Calls.** Total number of Inbound Calls and Outbound Calls per account code. Displayed as stacked bars, and read against the left y-axis of the report.
- **Talk Time.** Talk Time Inbound (minutes) and Total Talk Time (minutes) per account code. Displayed as two lines, and read against the right y-axis of the report.

Note: The entire call length is included in **Talk Time**, regardless of when during the call the account code was entered.

Call Volume by Identified Caller report

The Call Volume by Identified Caller report shows the number of calls a user or queue received from each identified contact and the average talk time. For example, if you created 5 contacts, each to track a different promotional advertisement code (using PIN #s to identify each contact) this report would show how many people called for each promotion.

Note the following:

- When reporting on a queue, only calls from public contacts are listed, since the queue has no personal contacts.
- When reporting on a Contact Center queue agent, all personal calls sent to the agent are listed, even if someone else answered the call. Calls sent to other agents are not reported on, even if the agent answered them.

Report tab

The following fields appear in this report:

- **Contacts.** Displays on the x-axis of the report. Public and private contacts are both listed.
- **Calls.** The total number of calls from each contact. Displays as a bar for each contact. Read against the left y-axis of the report.
- **Average Talk Time.** The average time the agent spent talking with each contact. Displays as a line. Read against the right y-axis of the report.

Contact Center Queue Information report

The Contact Center Queue Information report shows general information about each queue in your system, including a list of agents and their current settings. Use this report to get a snapshot of a queue's setup without using the Administrator.

Reading the Contact Center Queue Information report

	A	B	C	D	E	F	G	H
1	Queue	Extension	DDI	Distribution	Comments	Mailbox % Full	Hold Music Station	Record Nth Call
31	Sales Call Center	8092		Round robin	Sales Call Center	21.30%	0	0
32		Agent	Extension	Signed In	Observer	Record Nth Call	Permissions	Skills
33		Sarah Cowell	111	Yes	No	0	Change the Personal Status of another agent, Join another agents call, Coach an agent, Monitor Agent calls, Monitor Queue statistics, Queue Sign In/Out, View agents being monitored	Sales Overflow=2
34		John Harlie	180	Yes	No	0	Coach an agent, Monitor Agent calls	Sales Overflow=2
35		Melissa Ammon	110	Yes	No	0	Change the Personal Status of another agent, Join another agents call, Coach an agent, Monitor Agent calls, Monitor Queue statistics, Queue Sign In/Out, View agents being monitored	Sales Overflow=1
36		Avon Storm	112	Yes	No	0		Sales Overflow=1
37		Comen Herley	119	Yes	No	0		Sales Overflow=1
38		Agent 6	102	No	Yes	0	Monitor Agent calls, Monitor Queue statistics, View agents being monitored, Access Queue call monitor, Access Queue mailbox	Sales Overflow=1
39		Agent 7	157	No	Yes	0	Monitor Agent calls	Sales Overflow=1
40		Agent 8	130	No	Yes	0	Change the Personal Status of another agent, Join another agents call, Coach an agent, Monitor Agent calls, View agents being monitored	Sales Overflow=1
41		Agent 9	410	No	No	0	Change the Personal Status of another agent, Join another agents call, Coach an agent, Monitor Agent calls, View agents being monitored	Sales Overflow=1
42		Agent 10	109	No	Yes	0	Coach an agent, Monitor Agent calls	Sales Overflow=1
43		Agent 11	175	No	Yes	0	Join another agents call, Coach an agent, Monitor Agent calls	Sales Overflow=1
44		Agent 12	113	No	Yes	0	Join another agents call, Coach an agent, Monitor Agent calls	Sales Overflow=1
45		Agent 13	309	Yes	No	0		Sales Overflow=1
46		Agent 14	162	No	Yes	0	Access Queue call monitor	Sales Overflow=1
47		Agent 15	302	No	Yes	0	Access Queue call log, Access Queue call monitor, Access Queue mailbox	Sales Overflow=1
48		Agent 16	148	No	Yes	0		Sales Overflow=1
49		Agent 17	145	Yes	No	0		Sales Overflow=1
50		Agent 18	153	Yes	No	0		Sales Overflow=1
51		Agent 19	230	Yes	No	0		Sales Overflow=1
52		Total Agents	19					
53								
54	Cust Serv Call Center	8094		Top down	Customer Service Call Center	4.13%	0	0

This report is in data form only. For each queue, it shows general information about the queue on the top line. Below the queue line, it shows the following information for each agent in the queue:


- **Extension.** The agents' extension.
- **Signed in.** Whether or not the agent can receive calls from the queue. See "Signing in and out of a queue" on page 10-5.
- **Observer.** Whether or not the agent is an observer. Observer agents can monitor the queue without being seen by other agents. See "Adding primary agents to a queue" on page 3-4.
- **Record Nth Call.** How often Wave automatically records the agent's queue calls.

- **Permissions.** The agent's permissions. See "Agent permissions" on page 3-9.
- **Overflow tier.** The agent's overflow tier. See "Including a queue in the dial-by-name directory" on page 2-16. A value of 0 indicates a primary agent.
- **Skills.** A list of the agent's skills.

Cumulative Calls and Average Talk Time by Agent report

The Cumulative Calls and Average Talk Time by Agent report shows the total queue or workgroup calls an agent received and made (inbound and outbound) and the average talk time. The agent's personal calls are not included in this report.

Reading the Cumulative Calls/Avg Talk Time by Agent report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Agents.** Each agent in the queue is labeled along the x-axis of the report. There are two additional labels:
 - **Unknown Agent(s).** Used for calls involving agents who have been deleted from Wave.
 - **Directly to Voice Mail.** Used for calls that the queue sent directly to Voice Mail without ringing any agent's phone.
- **Total Calls.** Total number of Inbound Calls and Outbound Calls per agent. Displayed as stacked bars, and read against the left y-axis of the report.
- **Talk Time.** Average Talk Time Inbound (minutes) and Average Talk Time Outbound (minutes) per agent. Displayed as two lines, and read against the right y-axis of the report.

Data tab

The Data tab displays the following information:

- **Agents.** Displays on the x-axis of the report.
- **Unknown agents.** Calls involving users who have been deleted from Wave.
- **Directly to voicemail.** Calls that the queue sent directly to voicemail without ringing any agent's phone.
- **Inbound and outbound calls.** Displays as stacked bars for each agent. Read against the left y-axis of the report.
- **Average Talk Time for Inbound and Outbound Calls.** Displays as two lines. Read against the right y-axis of the report.

Custom Data report

The Custom Data report shows the total number and average talk time of inbound calls involving a specific custom data variable for a user, queue, or for all calls.


For example, you could configure an auto attendant to set the “Product” custom variable to “Apples” or “Oranges” based on the menu choice selected. You could then run this report to show how many callers selected Apples versus Oranges, and the average length of those calls.

Setting options: Custom Data report

The following options are available for this report:

- One of the following:
 - **Queue.** Queue to report on.
 - **User.** User to report on.
 - **All calls.** Report on all calls, including calls involving agents in queues.
- **Custom Data.** Custom data variable to report on.
- **Period.** Time frame to report on from the drop-down list. If you select **Custom Date Range**, you must also specify the range’s **Start** and **End** dates.

Reading the Custom Data report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Variable setting.** Each possible setting for the specified custom data variable is labeled along the x-axis of the report.
- **Calls.** Total number of calls that involved the specified custom data variable. Displayed as bars, and read against the left y-axis of the report.
- **Talk Time.** Average Talk Time (minutes) for calls that involved the specified custom data variable. Displayed as a line, and read against the right y-axis of the report.

Grouped Service Level report


This report shows wait time for all external calls, displayed in five-second groupings. Wait time includes the amount of time that the caller waited between the extension being dialed and the user picking up, plus any time spent in a blind transfer later in the call. Note that wait time does not include time that the caller spent on hold, parked, or in a supervised transfer.

Setting options: Grouped Service Level report

The following options are available for this report:

- One of the following:
 - **Organization.** Organization to report on.
 - **ViewPoint Group.** Group to report on.
 - **All calls.** Report on all external calls, including those involving agents in queues and members of ViewPoint Groups.
- **Period.** Time frame to report on from the drop-down list. If you select **Custom Date Range**, you must also specify the range's **Start** and **End** dates.

Reading the Grouped Service Level report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Wait Time (sec).** Wait times in 5-second intervals are labeled along the x-axis of the report.
- **% of Calls.** Percentage of the total number of calls per each 5-second wait time interval. Displayed as bars, and read against the left y-axis of the report. The total number of calls is displayed at the bottom of the report.

Inbound Call Outcome Trends report


The Inbound Call Outcome Trends report shows the total number of calls to a queue and how those calls were handled, including the total calls handled by one agent, handled by multiple agents, sent to voicemail, and abandoned.

Setting options: Inbound Call Outcome Trends report

The following options are available for this report:

- **Period.** Time frame to report on from the drop-down list. If you select **Custom Date Range**, you must also specify the range's **Start** and **End** dates.

Reading the Inbound Call Outcome Trends report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Period.** Each day in the reporting period is labeled along the x-axis of the report.
- **Calls.** Total number of calls per day. Displayed as stacked bars, and read against the left y-axis of the report.

Each stacked bar displays the total number of calls per queue/period that resulted in any of the following outcomes:

- **Handled - One Agent**
- **Handled - Multiple Agents**
- **Voice Mail.** This outcome represents calls that went to Voice Mail while the queue was sending calls to agents.
- **Abandoned**
- **Directly to Voice Mail.** This outcome represents calls that went to Voice Mail because the queue was configured to send calls directly to Voice Mail.


For the exact number of calls that resulted in each outcome, click the Data tab.

Inbound Call Volume Trends report

The Inbound Call Volume Trends report shows the number of calls that a queue received, the average time callers waited, and the longest time a caller waited.

Note: If the queue was configured to send calls directly to voicemail, those calls are included in the report and are treated as having a wait time of 0.

Reading the Inbound Call Volume Trends report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Interval.** Each interval in the reporting period is labeled along the x-axis of the report.
- **Inbound Calls.** Total number of inbound calls per interval. Displayed as stacked bars, and read against the left y-axis of the report.
- **Wait Time.** Average Wait (minutes) and Longest Wait (minutes) per interval. Displayed as two lines, and read against the right y-axis of the report.

Outbound Call Comparison report

The Outbound Call Comparison report separates your outbound calls into three categories: In-state, Toll-free, and Other. The In-state and Toll-free categories depend on your settings in the general Reporter Options dialog (see “Setting general Reporter options” on page 11-8).


Standard long-distance calls (calls made to non-free area codes) are included under “Other.”

Setting options: Outbound Call Comparison report

The following options are available for this report:

- One of the following:
 - **Organization.** Organization to report on.
 - **All calls.** Report on all outbound calls, including those involving Organizations.
- **Period.** Time frame to report on. If you select **Custom Date Range**, you must specify the range’s **Start** and **End** dates.

Reading the Outbound Call Comparison report



Report tab

The Report tab displays the following information in a bar chart:

- **Categories.** Each category—**In-state**, **Toll-free**, and **Other**—is labeled along the x-axis of the report.
- **Number of Calls.** Total number of outbound calls per category. Displayed as bars, and read against the left y-axis of the report.
- **Total Duration (minutes).** Total duration of all outbound calls per category. Displayed as a line, and read against the right y-axis of the report.

Outbound Calls by Phone Number report

This report counts the number and duration of outbound calls placed to a specified list of phone number prefixes. Enter the prefixes in the **Number prefixes** field in the Options dialog for this report (separate prefixes with commas).


Note: If your prefixes overlap, a call can show up in more than one column. For example, if you enter a prefix of 6 and another of 617, calls beginning with 617 will be counted in both columns.

Setting options: Outbound Calls by Phone Number report

The following options are available for this report:

- One of the following:
 - **Organization.** Organization to report on.
 - **All calls.** Report on all outbound calls, including those involving Organizations.
- **Number prefixes.** One or more phone number prefixes to report on. Use commas to separate multiple prefixes.
- **Period.** Time frame to report on from the drop-down list. If you select **Custom Date Range**, you must also specify the range's **Start** and **End** dates.

Reading the Outbound Calls by Phone Number report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Number prefixes.** Each prefix you selected to report on is labeled along the x-axis of the report.
- **Number of Calls.** Total number of outbound calls per prefix. Displayed as bars, and read against the left y-axis of the report.
- **Total Duration (minutes).** Total duration of all outbound calls per prefix. Displayed as a line, and read against the right y-axis of the report.

Outbound Long Distance Summary report

You can use this report to track your outbound long-distance phone traffic and estimate a phone bill for a given period. The chart displays the total number of outbound long distance calls and the duration of each. The Data tab shows the estimated cost of your long distance calls.

Before running the Outbound Long Distance Summary report

You cannot run this report unless your system has been set up in the following way:

- One or more Organizations are defined.
- In-state area codes are defined in the Reporter Options dialog.

Setting options: Outbound Long Distance Summary report


The following options are available for this report:

- **Organization.** Organization to report on.
- **Period.** Time frame to report on. If you select **Custom Date Range**, you must also specify the range's **Start** and **End** dates.
- **Interval.** Interval by which results are to be reported (**Hours, Days, Weeks, Months, Quarters, or Years**).

Your long distance carrier can provide you with exact values to enter in the following fields:

- **Cost per minute.** Per-minute cost of your long distance calls. For example, to represent a cost of 5 cents (US) per minute, enter **.05**.
- **Cost interval in seconds.** Length of each interval into which a minute is divided for the purposes of calculating the cost of each call.

Reading the Outbound Long Distance Summary report



Report tab

The Report tab displays the following information in a bar chart:

- **Interval.** Each interval in the reporting period is labeled along the x-axis of the report.
- **Long Distance Calls.** Total number of outbound trunk calls per interval whose numbers do not begin with any of the digit sequences listed in the **Toll free options** field in the Reporter Options dialog. Displayed as bars, and read against the left y-axis of the report.
- **Duration.** Total duration of all outbound long distance calls per interval. Displayed as a line, and read against the right y-axis of the report.

Data tab

The following fields appear on the Data tab of this report. Each is totaled at the bottom.

- **Interval.** The time interval chosen.
- **Outbound calls.** The total number of outbound trunk calls, long distance or otherwise. Note that to count as an outbound call, a call must match the **Criteria for counting outbound calls** defined in the Reporter Options dialog (see “Setting general Reporter options” on page 11-8).
- **Long distance calls.** The total number of long distance calls.
- **Duration.** The total duration of long distance calls for each interval.
- **Cost.** The total cost of long distance calls for each interval, based on the **Cost per minute** and **Cost interval in seconds** data you entered.

Queue Call History Detail report

The Queue Call History Detail report shows the call history for a selected queue during the selected time period, including the skill requirements for each call.

Reading the Queue Call History Detail report

	I	J	K	L	M	N	O	
1				Skills				
2	Talk Time	Wrap Up Time	Wait Time	DOS	Office	TeleVantage	Unix	
3	0:00:07	0:00:00	0:00:07					
4	0:00:05	0:00:15	0:00:12					
5	0:00:05	0:00:15	0:00:06					
6	0:02:08	0:00:15	0:00:03					
7			0:00:08					
8	0:00:06	0:00:15	0:01:11					
9			0:00:13					
10	0:00:34	0:00:15	0:00:14	1	1			
11	0:01:21	0:00:10	0:00:03					
12	0:00:27	0:00:25	0:00:03	1	1			
13	0:00:44	0:00:10	0:00:04	1	1			
14	0:02:38	0:00:10	0:00:28	1	1			
15			0:00:51	1	1			
16			0:00:33	4	4			

The report shows the following information for each call:


- **Date** and **Time** that the call entered the Wave system.
- **Call ID**. The system ID number of the particular call. Call ID can be displayed as a column in the Call Monitor and Call Log (hidden by default), and it appears in the queue logs.
- **DID**. The DID number dialed, if any.
- **Result**. Whether the call was abandoned, answered, sent to voicemail, or redirected.
- **Agent**. The agent(s) who participated in the call.
- **Statistics**. The call's wait time, talk time, and wrap-up time.
- **Skills**. The call's skill requirements.

Queue Comparison report

The Queue Comparison report compares the performance of all queues in terms of total number of calls, average wait time, and the number of calls handled, sent to Voice Mail, abandoned,

redirected, and transferred out of the queue. For example, you can see how well the sales queue is performing compared to the technical support queue.

Reading the Queue Comparison report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Queues.** Each queue is labeled along the x-axis of the report.
- **Total Calls.** Total number of calls handled per queue. Displayed as stacked bars, and read against the left y-axis of the report.

Each stacked bar displays the total number of calls per queue that resulted in any of the following outcomes:

- **Handled**
- **Voice Mail***
- **Abandoned**
- **Redirected***
- **Transferred Out of Queue**

For the exact number of calls that resulted in each outcome, as well as a breakdown of the Voice Mail and Redirected categories, click the Data tab.

- **Wait Time.** Average Wait (minutes) per queue. Displayed as a line, and read against the right y-axis of the report.

Data tab

The Data tab displays the following information:

- **Queues.** Displays on the x-axis of the report.
- **Handled, voicemail, Abandoned, Redirected, Transferred out of Queue.** Displays as stacked bars. Read against the left y-axis of the report. For the exact number of each category and a breakdown of voicemail and Redirected, click the Data tab.
- **Average wait time.** Displays as a line. Read against the right y-axis of the report.

Queue Performance Summary by Agent report

The Queue Performance Summary by Agent report lists performance information for each agent in a queue, including inbound, outbound, and internal call statistics, as well as the percentage of time spent in each agent state.

Reading the Queue Performance Summary by Agent report

	A	B	C	D	E	F	
1	Agent		Duration	Incoming Calls			
2							
3	Name	Extension	Signed In	Count	Average Length	%	
4	Cristy Kramer	5618	5:02:39	13	0:02:21	1.8%	
5	CSA - 5620	5620	0:00:00	0	0:00:00	0.0%	
6	Drew Hebdon	5625	17:17:16	24	0:02:53	6.7%	
7	Kip Kerrick	5627	1:14:55	9	0:03:30	0.3%	
8	Leann Wirtala	5632	5:21:51	22	0:02:42	3.4%	
9	Rebecca Rissmann	5621	16:00:00	0	0:00:00	0.0%	
10	Sandy Smollack	5622	22:49:40	7	0:03:37	1.8%	
11	Theresa Kruize	5626	19:37:26	4	0:02:22	0.8%	
12							
13	Total		15:23:47	79	3:45:39		
14	Average		16:55:28	9.9	0:02:51	0.1%	
15							

The report displays the following information for each agent:


- **Signed In.** The total time the agent spent in all states other than “signed out.”
- **Inbound/Outbound/Internal.** The following statistics display for each category of calls:
 - **Count.** The total number of calls.
 - **Average Length.** The average length of those calls.
 - **%.** The percentage of signed-in time spent on those calls.
- **Percent Time Per Agent State.** The percentage of signed-in time that the agent spent in each state—Ready, Standby, Active Inbound, Active Outbound, Wrap-up Inbound, Wrap-up Outbound, Dialing, Offering, and No Answer.
- **Work Time.** The total duration and the total percentage of signed-in time that the agent spent in the Active (inbound and outbound), Wrap-up (inbound and outbound), and Dialing states.

Service Level report

The Service Level report tracks wait time by showing the percentage of calls to a queue that have been answered, sent to voicemail, abandoned, re-directed, or transferred as wait time progresses. The total number of calls in each category is shown in parentheses at the bottom of the report.

Note: In order to plot the curve smoothly on the chart, the curve only shows 100% of the calls if there is not a large difference between the 95th% and the 100th%. Frequently, there are a few calls in a set of records that have an extremely long wait time before something happens to the call. These calls can cause the plotted curve to seem very long and disproportionate. In these cases, Wave plots only the top 95th% of calls (as shown in the preceding illustration).

Reading the Service Level report



The following fields appear in this report:

- **Wait Time (sec).** Displays on the x-axis of the report.
- **% Answered.** Displays as a line. Read against the x-axis and y-axis of the report to find what percentage of calls reached a result by that length of wait time.

Service Level report worksheet totals

To view service level totals, click the Totals tab at the bottom of the report.

	A	B	C	D	E	F	G
1	Wait Time (sec)	% Answered (out of 7 calls)	% Sent to Voice Mail (out of 0 calls)	% Abandoned (out of 2 calls)	Redirected (out of 0 calls)	Caller Transferred (out of 1 calls)	Total Number of Calls
2	1.0	0.0%		100.0%		0.0%	10
3	2.0	14.3%		100.0%		0.0%	
4	3.0	28.6%		100.0%		0.0%	
5	4.0	42.9%		100.0%		0.0%	
6	5.0	57.1%		100.0%		0.0%	
7	14.0	71.4%		100.0%		0.0%	
8	34.0	71.4%		100.0%		100.0%	
9	38.0	85.7%		100.0%		100.0%	
10	54.0	100.0%		100.0%		100.0%	
11							
12							


The Totals sheet for the Service Level report displays the following statistics by wait time for the reporting period:

- **%Answered.** Percentage of calls that were answered.
- **% Sent to Voice Mail.** Percentage of calls that were.
- **%Abandoned.** Percentage of calls that were abandoned by the caller.
- **Redirected.** Total number of calls that were re-directed for any of the following reasons:
 - The queue was too busy.
 - A call exceeds the maximum wait time.
 - The queue was closed.
 - There were no agents with matching skills to take the call.
- **Caller Transferred.** Total number of calls that were transferred to another number.
- **Total Number of Calls.** Total number of calls covered by the report.

Service Level by Skill report

The Service Level by Skill report tracks wait time for calls with a single selected skill requirement in a single queue by showing the percentage of calls that has been answered, sent to voicemail, and abandoned as wait time progresses. The total number of calls is shown in parentheses at the bottom of the report.

Reading the Service Level by Skill report



The following fields appear in this report:

- **Wait time.** Displays on the x-axis of the report.
- **% Answered.** Displays as a line. Read against the x-axis and y-axis of the report to find what percentage of calls reached a result by that length of wait time.

Skill Assignment by Agent report

The Skill Assignment by Agent report shows skills by agent by queue.

Setting options: Skill Assignment by Agent report

There are no report options for this report, which reports on all agents, all queues, and all skills.

Reading the Skill Assignment by Agent report

	A	B	C
1	Skill ▼	Agent ▼	Queue ▼
2	DOS	Chris Brooks	Sales Queue
3	DOS	Chris Brooks	Support
4	DOS	Mark Zeeg	Sales Queue
5	DOS	Xiao Doarn	Sales Queue
6	DOS	Xiao Doarn	Support
7	English	Xiao Dong	Sales Queue
8	English	Xiao Doarn	Support
9	Spanish	Mark Zeeg	Sales Queue
10	Unix	Chris Brooks	Sales Queue
11	Unix	Chris Brooks	Support
12	Unix	Xiao Doarn	Sales Queue
13	Unix	Xiao Doarn	Support
14			

Unanswered Calls During Business Hours report

The Unanswered Calls During Business Hours report shows external inbound calls during your Wave business hours that were not answered by a user. This includes calls that were answered by another extension type, such as a queue or an auto attendant, but never picked up by a user.


Note: The report counts calls that show a **Result** of “Abandoned” or “To voicemail” in the Call Log. Because of this, calls that a user answered and then sent to voicemail count as unanswered.

Setting options: Unanswered Calls During Business Hours report

The following options are available for this report:

- One of the following:
 - **Organization.** Organization to report on.
 - **ViewPoint Group.** Group to report on.
 - **All calls.** Report on all calls, including those involving Organizations and members of ViewPoint Groups.
- **Period.** Time frame to report on. If you select **Custom Date Range**, you must also specify the range’s **Start** and **End** dates.
- **Interval.** Interval by which results are to be reported (**Hours, Days, Weeks, Months, Quarters, or Years**).

Reading the Unanswered Calls During Business Hours report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Interval.** Each interval in the reporting period is labeled along the x-axis of the report.
- **Unanswered Calls.** Total number of unanswered calls per interval. Displayed as stacked bars, and read against the left y-axis of the report.
- **% Unanswered.** Unanswered calls as a percentage of all calls per interval. Displayed as a line, and read against the right y-axis of the report.

User Activity report


The User Activity report breaks down an agent's time by activity in pie-chart form, showing both total activity and activity by queue. The **Active Details** pie chart appears only for agents in Contact Center queues.

Setting options: User Activity report

The following options are available for this report:

- **Agent.** Agent to report on.
- **Period.** Time frame to report on. If you select **Custom Date Range**, you must also specify the range's **Start** and **End** dates.
- **Hours.** Enter the **From** and **To** times of day to report on. (This option is not available if you specify a **Period of Today**.)
- **Days.** One or more days to report on. (This option is not available if you specify a **Period of Today**.)

Reading the User Activity report



The User Activity pie chart shows the percentage of time that the user spent in each of several states. The following table shows how the states correspond to personal statuses and other states for agents and non-agent users.

State	Agent Personal Status	Non-Agent Personal Status
Unavailable	Available (Non-Queue)	N/A
Available	Available Available (Queue Only)	Available
Break	On Break In a personal call	In a Meeting Out of the Office
Training	In a Meeting	N/A
Active	In a queue call	


User Call Trends report

The User Call Trends report displays the number of inbound calls received and outbound calls placed by a user, including average talk time for each category. Setting options for the User Call Trends report

The following options are available for this report:

- **Agent.** Agent to report on.
- **Period.** Time frame to report on. If you select **Custom Date Range**, you must also specify the range's **Start** and **End** dates.
- **Interval.** Interval by which results are to be reported (**Hours, Days, Weeks, Months, Quarters, or Years**).

Reading the User Call Trends report



Report tab

The Report tab displays the following information in a stacked bar chart:

- **Interval.** Each interval in the reporting period is labeled along the x-axis of the report.
- **Calls.** Total number of Inbound Calls and Outbound Calls per interval. Displayed as stacked bars, and read against the left y-axis.
- **Talk Time.** Average Talk Time Inbound (minutes) and Average Talk Time Outbound (minutes) per interval. Displayed as two colored lines, and read against the right y-axis.

Data tab

The Data tab displays the following information:

- **Interval.** Each interval during the reporting period is displayed as a separate row.
- **Inbound calls.** Total number of inbound calls.
- **Outbound calls.** Total number of outbound calls.
- **Average Talk Time Inbound (minutes).** Average talk time per inbound call.
- **Average Talk Time Outbound (minutes).** Average talk time per outbound call.
- **Total Calls.** Total number of calls.
- **Total Talk Time.** Total talk time in minutes for all calls.

Wait by Outcome report

The Wait by Outcome report shows how long callers waited before their calls were handled, abandoned, to voicemail, or transferred out of the queue.

The following fields appear in this report:

- **Interval.** Displays on the x-axis of the report.
- **Average wait - Handled, Average wait - voicemail, Average wait - Abandoned, Average wait - Transferred out of Queue.** Displays as bars. Read against the y-axis of the report.

Note the following:

- Calls in which the caller pressed a key to go to voicemail are counted under voicemail.
- Calls that are redirected to voicemail are not counted in this report.

Creating Custom Reports

CHAPTER CONTENTS

About custom reports	A-1
Connecting to the Wave database	A-1
Wave database schema	A-2

About custom reports

The database used for the Wave data is Microsoft SQL Server. By using a third-party reporting application such as Microsoft Access®, Microsoft Excel®, or Crystal Reports® to query the SQL Server database, you can create your own reports that report on Wave Contact Center and other data.

This appendix provides the database schema in which Wave report data is stored in the SQL Server database.

Connecting to the Wave database

To access Wave data, use the following settings:

Server	<Your Vertical Wave Server name>
Database	GDR
Login ID	tv_browse
Password	tv_browse_account

These settings provide read-only access.

Wave database schema

The Wave database contains the following tables that are used for reporting:

- CallLog table (page A-3)
- PartyLog table (page A-5)
- QueueEncounter table (page A-8)
- AgentStateChange table (page A-9)
- UserStateChange table (page A-10)
- PhoneBookEntry table (page A-10)
- ExtensionSettings table (page A-11)
- Agent table (page A-11)
- QueueSkillDefinitions table (page A-12)
- PBEQueueSkills table (page A-12)
- PBEQueueAttributes table (page A-12)
- PersonalStatus table (page A-13)
- Queue table (page A-13)
- QueueSkills table (page A-14)
- SkillReqLog table (page A-14)
- UserPSChange table (page A-14)

As Contact Center agent-states change and calls are completed, the Wave Server uses SQL Server-stored procedures to write the appropriate data into these tables for later reporting. In some cases the stored procedures themselves calculate the values of other fields to improve the performance of later data retrieval.

Note: Not all columns in all tables are listed.

The CallLog table

The CallLog table contains data for each completed call. At the completion of each call, a single row is added to the table. The majority of columns in the table contain redundant data that can be found in other tables; they are included only to speed up data retrieval for the Administrator and ViewPoint application Call Log views.

The following are columns are unique to the CallLog table:

ID	Unique identifier for the call.
Direction	Direction of the call from the point of view of the Wave Server: 0 = Inbound 1 = Outbound 2 = Internal (station to station) 3 = Conference
StartTime	Timestamp for when the call started. This is when the Wave Server picks up the call.
StopTime	Timestamp for when the call ended. This is when the Wave Server drops the call.
AssocPbeID	ID of the row in the PhoneBookEntry table that is associated with this call. This is either the user or contact that one of the users associated with the call.
AssocFirstName	First name of the associated person.
AssocLastName	Last name of the associated person.
WaitTime	Number of seconds the caller waited before being connected with an agent.
PbeList	Separated list of all PhoneBookEntry ID values that were involved in the call. This is used to speed performance of loading the Call Log views.
PartyCount	Number of parties in the call.
AnsweredBy	PhoneBookEntry ID of the person who answered the call.
AnsweredByFirstName	First name of the person who answered the call.

AnsweredByLastName	Last name of the person who answered the call.
PlacedBy	PhoneBookEntry ID of the person who placed the call.
PlacedByFirstName	First name of the person who placed the call.
PlacedByLastName	Last name of the person who placed the call.
FromPhoneNumber	<i>This column is not currently supported.</i>

The following CallLog table columns are copies of data from the PartyLog table (see page A-5) for either the “from” party (the first party in the call), the “to” party (the last party in the call), or both.

FromID	ToID	PartyPbeID
FromFirstName	ToFirstName	FirstName
FromLastName	ToLastName	PrimaryName
CallerIDName		CallerIDName
CallerIDNumber	ToPhoneNumber	CallerIDNumber
CallerIDAccessCode	ServiceAccessCode	ServiceAccessCode
CallerIDType	ToPhoneNumberType	CallerIDType
CallerIDQ931Type	ToPhoneNumberSub Type	CallerIDQ931Type
CustomData		CustomData
CallbackAddress		CallbackAddress
Result		Result
DIDNumber		DIDNumber
DevID	ToDevID	DevID
MessageID		MessageID
	DialString	DialString

AccountCode	AccountCode

The PartyLog table

The PartyLog table contains data for each party in a completed call. Each person in the call counts as a party, so there can be multiple rows in this table for a single row in the CallLog table.

The following are the columns in the PartyLog table:

ID	Unique identifier for the party.
CallID	ID of the call that owns the party row.
PartyPbeID	ID of the row in the PhoneBookEntry table that is associated with this party. This is either the user or contact that represents the party. If Wave does not know who the party is (for example, no contact match) the column contains 33 which is the “unknown” ID.
FirstName	First name of the user or contact represented by the PartyPbeID column.
PrimaryName	Last name of the user or contact represented by the PartyPbeID column.
StartTime	Timestamp for when this party was added to the call.
StopTime	Timestamp for when this party was removed from the call.
CallerIDName	Name portion (if any) for the Caller ID data for this party.
CallerIDNumber	Number portion (if any) for the Caller ID data for this party.
DevID	Device number used for this party. Positive values are stations and negative values are trunks.
MessageID	ID of a row in the Message table for a message (if any) left by this party.
DialString	The exact sequence of digits dialed by the Wave Server for this party.

Direction	The direction for this party: 0 = Callee 1 = Caller
Role	What role the party played in the call: 3 = Peer 13 = Coach 15 = Pupil 16 = Monitor
ReasonForLeaving	The reason this party was removed from the call: 0 = No reason 1 = Party hung up 2 = Party was hung up on 3 = Party abandoned call before anyone answered 4 = Party went to voicemail 5 = Party was blind transferred 6 = Party was supervised transferred 7 = Party was merged into a conference call 8 = Party is a user who logged in 9 = Party was sent directly to voicemail 10 = No answer 11 = Call was abandoned on this party 12 = Maximum login attempts failed 13 = Party was redirected by the queue (see the next entry) 14 = Transfer key was pressed by party
ReasonForRedirecting	This clarifies item 13, "Party was redirected by the queue," in the previous entry. The possible reasons for redirection are: 1 = Maximum Wait Time Exceeded 2 = Queue Closed 3 = Queue Closed - No agents 4 = Maximum No. of Callers Exceeded 5 = Caller to Agent Ratio Exceeded 6 = Long Expected Wait Time
DIDNumber	DID digits that were received from the device for this party.
AcceptedTime	Timestamp for when this party accepted the call.
AnsweredBy	ID of the user who accepted the call.

GroupID	ID of the workgroup that accepted the call (if any). In the case of a Routing List that calls several workgroups this will be the ID of the one that accepted.
CallerIDType	The type of phone number used for the Caller ID number: 6 = Centrex number or Internal number (Internal if ServiceAccessCode is blank, otherwise Centrex)
CallerIDQ931Type	Whether phone number parsing rules were used: 0 = No 8 = Yes
ServiceAccessCode	Access code for the service used by the party. For outbound calls this is the dialing service selected. For inbound calls this is the service that received the call (if known).
CustomData	String containing any custom data written to the call for third-party applications.
CallbackAddress	ID of a row in the Address table that describes the callback number the caller left.
PartyClass	Class value that represents what type of party this is: 1301 = User 0901 = Queue 0501 = Contact
AccountCode	Account code sequence (if any) entered for this party.
PartyNumber	Sequence number (starting at 0) that determines the order the parties entered the call.
ACDPartyNumber	<i>This feature is not currently supported.</i>
WrapUpDuration	The time an agent spent in wrap up after the call.

The QueueEncounter table

Each inbound or outbound call for a queue results in a record in this table. A call that travels from one queue to another queue will create two records in this table.

ID	Unique identifier of the encounter entry.
CallID	ID of the CallLog entry for this encounter.
QueueID	ID of the Queue entry that had this encounter.
Time	Timestamp for when the encounter occurred.
WaitTime	Total time in seconds the caller waited.
AgentTalkTime	Total time in seconds that agents talked to the caller.
NumberAgents	How many agents were involved.
Result	Same as the ReasonForLeaving column in the PartyLog table (see page A-6).
ReasonForRedirecting	<p>When the Result column is 13 (redirecting), this column contains information as to why the call was redirected, as follows:</p> <ul style="list-style-type: none"> 1 = Max wait time reached 2 = Queue closed 3 = Queue closed - no agents in the queue 4 = Queue too busy - exceeded the number of agents 5 = Queue too busy - exceeded caller/agent ratio 6 = Queue too busy - expected wait time is too long 7 = No matching skills
Direction	<p>Direction of the call from the point of view of the Wave Server:</p> <ul style="list-style-type: none"> 0 = Inbound 1 = Outbound 2 = Internal (station to station) 3 = Conference

The AgentStateChange table

The AgentStateChange table contains data that tracks the state of agents.

PbeID	ID of the PhoneBookEntry row that represents the user.
QueueID	ID of the queue row that represents the queue that this change was made in.
Time	Timestamp for when the user entered the state.
Duration	Number of seconds the user was in the state before it changed.
State	The state the agent was in before the change. The state values are: 0 = Logout 1 = Available 2 = Standby 3 = Wrapup 4 = Offering 5 = No answer 6 = Active 7 = Active outbound 8 = Wrapup outbound
ToState	The state the agent was in after the change. The state values are the same as the State column values.

The UserStateChange table

The UserStateChange table contains data that tracks the state of users.

PbeID	ID of the PhoneBookEntry row that represents the user.
Time	Timestamp for when the user entered the state.
Duration	Number of seconds the user was in the state before it changed.
State	<p>The state the user was in before the change. The state values are: 0 = Sign out 1 = Ready 2 = Break 3 = Training 4 = Unavailable 5 = ACD Active. <i>This feature is not currently supported.</i> 6 = Non ACD Active. <i>This feature is not currently supported.</i> 7 = Sign out Active</p>
ToState	The state the user was in after the change. The state values are the same as the State column values.

The PhoneBookEntry table

Most types of Wave extensions (users, auto attendants, queues, etc.) have an entry in the PhoneBookEntry table.

ID	Unique identifier of a record.
Primary Name	Last name.
FirstName	First name.
EntryType	1 = User. 21 = Contact Center queue.

The ExtensionSettings table

Many types of Wave extensions (users, auto attendants, queues, etc.) have an entry in the ExtensionSettings table.

ID	Same number as the corresponding record in the PhoneBookEntry table.
Number	Extension number.
UserType	0 = Normal user 1 = ACD workgroup user. <i>This feature is not currently supported.</i> Use this column and EntryType in the PhoneBookEntry table to find out if a record is for a normal user or a queue.
LastAppliedStatusID	The current personal status. Refer to the PersonalStatus record.

Agent table

Each agent in a queue results in a record in this table.

QueueID	Refer to PhoneBookEntry record.
UserID	Refer to PhoneBookEntry record.
Observer	0 = Signed in. 1 = Signed out.
RealObserver	0 = Agent. 1 = Observer.

QueueSkillDefinitions table

The system-wide skill list is saved in this table.

ID	Unique identifier of each skill.
Name	Name.

PBEQueueSkills table

Agent skills are saved in this table.

ID	Refer to agent/user's PhoneBookEntry record.
SkillID	Refer to QueueSkillDefinitions record.
ProficiencyValue	The proficiency value.

PBEQueueAttributes table

Agent attributes are saved in this table.

ID	Refer to agent/user's PhoneBookEntry record.
Cost	Agent's Cost.
Custom1	Agent's Custom1 value.
Custom2	Agent's Custom2 value.
Custom3	Agent's Custom3 value.

PersonalStatus table

Each personal status for each user has a record in this table.

ID	Unique ID to identify the record.
OwnerID	Refer to user's PhoneBookEntry record.
Name	The internal name that will be translated into localized names when used.
IsSystem	0 = User's custom personal status. 1 = System created personal status.

Queue table

Each queue defined in the system has a record in this table.

ID	Same number used in PhoneBookEntry table.
DistributionType	0 = Top Down 1 = Round Robin 2 = Longest Idle Agent 3 = Fewest Call 4 = Least Talk Time 5 = Simultaneous 6 = Skill-based Custom Routing

QueueSkills table

Each skill defined in a queue has a record in this table.

QueueID	Refer to PhoneBookEntry record of the queue
SkillID	Refer to QueueSkillDefinitions record of the skill.

SkillReqLog table

For each skill requirement of a call, there is a record in this table.

ID	Unique identifier of a record.
CallID	Refer to the record in the CallLog table.
SkillID	Refer to the record in the QueueSkillDefinitions table.
MinReq	Minimum requirement for the skill of the call.
MaxReq	Maximum requirement for the skill of the call.

UserPSChange table

Each user personal status change results in a record in this table.

ID	Unique identifier of a record.
PbeID	Refer to the user's PhoneBookEntry record.
StartTime	The time of the change.
StatusID	The personal status a user changed to, reference the Personal-Status table record.
Duration	The duration user stayed in this personal status.

Troubleshooting Contact Center Queues

CHAPTER CONTENTS

Troubleshooting queue behavior using queue logs	B-1
Troubleshooting agent issues	B-3

Troubleshooting queue behavior using queue logs

Queue logs can be an invaluable troubleshooting tool, helping you determine exactly why a call did or did not go to a given agent. It can be especially useful to see the inner workings of skills-based or custom routing.

Queue logs are text file logs that show the step-by-step logic of queue routing in easy-to-read detail. The logs list every action taken in or by the queue with timestamps showing when it occurred, including:

- Agents signing in or out or changing status
- New calls arriving
- The process of filtering agents
- The numbers used to score available agents
- The numbers used to score waiting calls

Enabling queue logging

To enable queue logging:

- 1 Edit the queue in the Queue dialog.
- 2 On the Queue tab, check **Trace queue and agent activity to queue logs**.
- 3 Click **OK**.

About queue log files

When enabled, queue logs are created on the Wave Server in the following location:

C:\Program Files\TeleVantage Server\Logs

Queue log files are incrementally named using the format TVQueue*.txt for example, TVQueue1.txt, TVQueue2.txt, and so forth.

The maximum size of a queue log file is 4MB, and by default the maximum number of queue log files is 20. When 20 4MB files have been created, the Server begins overwriting the old files beginning with TVQueue1.txt.

To modify the maximum number of queue log files:


- 1 Add/Edit the following DWORD registration key on the Wave Server:

HKEY_LOCAL_MACHINE\SOFTWARE\Artisoft\TeleVantage\Server\Settings\QueueNumLogs

- 2 Set the value to the number maximum queue log files to create before overwriting.

Viewing queue logs

You can open a queue log text file in Notepad or other text editor.



Note that each call is listed with its Call ID number in parentheses. You can view the Call ID number in the Administrator or ViewPoint Call Log by showing the Call ID column (hidden by default). Call ID also appears in the Queue Call History Detail report (see page 64).

Troubleshooting agent issues

Problem: When an agent at a phone other than his or her own logs out with *0 0, the agent's hook state can remain red (off-hook) indefinitely.

Resolution:

- 1 Add the following registry key on the Wave Server:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Artisoft\TeleVantage\Server\Settings\MonitorLocPbe
```

- 2 Set the value to 1.

Index

Symbols

- * (on Call Monitor and Queue Monitor tabs) 10-5
- *00 (log off from workstation) 10-4
- *14 (place calls from a queue) 10-10
- *50 (select Available personal status) 10-2
- *51 (select Available Queue Only personal status) 10-2
- *52 (select Available non-Queue personal status) 10-2
- *53 (select On Break personal status) 10-3
- *54 (terminate wrap-up time) 10-9
- *55 (hear queue statistics) 9-17
- *56 (sign in or out of a queue) 10-5

A

- account codes report 11-45
- Activity History by Agent report 11-20
- Activity History by Queue report 11-22
- Agent by Queue and Skill Configuration report 11-24
- Agent Call Trends report 11-25
- Agent dialog 3-4
- Agent Performance by Skill report 11-28
- Agent Performance Trends by Queue report 11-27
- agent scoring
 - overview 7-18
 - formula 7-21
 - in queue logs B-1
- Agent State Summary by Queue report 11-31
- Agent State Summary report 11-29
- agent states, defined 9-5
- agents
 - adding to a queue 3-4

- assigning skills to 7-5
- changing order of 3-12
- changing personal status 9-24
- configuring ringback 5-9
- defined 1-7
- disallowing personal status change 3-11
- handling queue calls 10-6
- hot-desking 3-13
- monitoring, coaching, and joining calls 9-18
- overflow groups 3-14
- performance trends by queue 11-27
- permissions 3-9
- placing automatically On Break 4-6
- placing on and off call 9-21
- recording calls 3-7
- roaming 3-13
- setting default permissions 3-3
- viewing skills 7-16
- viewing them being monitored 9-20
- working at another phone 10-4
- working remotely 3-13

Agents Pane 9-4

- attributes, assigning to users 7-5
- audio controls 1-8
- audio recordings
 - creating 1-8
- auto attendant menu choice
 - creating for queues 2-14
- auto attendants, adding skill requirements with 7-6
- Average Wait Time and Call Volume by Time of Day report 11-32

B

- backup reports 11-3

C

- Call Distribution by Skill and Agent report 11-33
- Call Distribution by Skill and Queue report 11-35
- Call ID number B-3
- Call Log
 - queue activity in 2-24
- Call Log report 11-36
- Call Monitor
 - tabs for contact center agents 10-8
- call priority 4-9
- Call Result by Skill report 11-38
- call rules, applying to queue calls 8-9
- call scoring
 - overview 4-7
 - in queue logs B-1
 - time in queue vs time in system 4-8
 - with call priority 4-9
 - with skills 7-17
- Call Summary report 11-39
- Call Transfer report 11-41
- Call Trends report 11-43
- Call Volume by Account Code report 11-45
- Call Volume by Identified Caller report 11-46
- callback phone number, setting option, for callers 2-13
- callback phone numbers, setting option, for callers on hold 5-16
- caller ID, setting for outbound queue calls 2-25
- coaching agents' calls 9-18
- conditional Hold prompts 5-14
- contact center
 - agent availability 10-1
 - agent workday procedures 10-1
 - determining if you are on call for a queue 10-1
 - ending your shift 10-2
 - ready 10-1
 - starting your shift 10-2
 - taking a break 10-3
 - taking breaks 10-1
 - terminology for 1-7
 - unavailable 10-1
 - user activity report 11-74
 - using Contact Manager Assistant 10-11
 - viewing pop-up information about a caller 10-11
 - wrap-up time 10-9
- contact center agents
 - Call Monitor view tabs 10-8
 - signing in and out 10-1
 - taking breaks 10-1
- contact center feature list 1-3
- contact center queue
 - callback 5-16
 - adding prompt to hold menu 5-17
 - callback statistics 5-17
 - setting up 5-18
- Contact Center Queue Information report 11-47
- Contact Center Reporter
 - overview 11-1
 - requirements 11-2
 - using Excel toolbar 11-4
- contacts
 - report on call volume 11-46
 - sharing with a queue 8-9
- cost, assigning to users 7-6
- Cumulative Calls and Average Talk Time by Agent report 11-48
- Custom Data report 11-50
- custom data variable, for call priority 4-11
- custom data variables
 - overview 6-12
 - for conditional Hold prompts 5-15
 - for storing entered information 5-2
- custom reports A-1

D

- data entry by callers 5-2

- database connection settings A-1
- database schema A-2
- default wrap-up time and permissions, setting 3-2
- deleting
 - queue 6-16
- dial-by-name directory, listing queues in 2-16
- distribution algorithms 4-1

E

- Examples
 - call rule for special Welcome message 8-10
 - conditional Hold prompt 5-15
 - printing reports with Report Runner 11-15
- Excel, using reports toolbar in 11-4
- expected wait time, improving 6-3
- exporting
 - voice files 1-9
- extensions for queues 2-6

F

- feature list 1-3
- fewest calls distribution 4-1, 4-3
- files
 - importing and exporting 1-9

G

- greetings 2-11
 - creating 1-8
- Grouped Service Level report 11-52

H

- headers and footers, viewing in reports 11-7
- hold

- music for 5-7
- options while waiting on 5-10
- Hold Prompt dialog 5-12
- Hold prompts
 - conditional 5-14
 - creating 5-11
 - using custom data variables with 5-15
- hot-desking 3-13

I

- importing
 - voice files 1-9
- Inbound Call Outcome Trends report 11-54
- Inbound Call Volume Trends report 11-56

J

- joining agents' calls 9-18

L

- language of prompts for a queue 2-8
- last agent routing 4-4
- least talk time distribution 4-2, 4-3
- local reports 11-11
- logging queue calls 2-24
- longest idle agent distribution 4-1, 4-3

M

- mailbox, setting up for a queue 5-21
- maximum wait time, defining 2-20
- menu choice for queues 2-14
- monitoring agents' calls 9-18

N

notifications for voice messages 5-23

O

On Break status, automatically placing agents in 4-6

options for waiting callers 5-10

Outbound Call Comparison report 11-57

outbound caller ID 2-25

Outbound Calls by Phone Number report 11-59

Outbound Long Distance Summary report 11-61

overflow agents

defined 1-7

using in queues 3-14

P

password security 2-27

permissions

defined 3-9

for contact center agents to supervise other agents 1-7

setting defaults 3-2

personal calls, defined 1-7

personal status

and state 9-14

changing an agent's 9-24

preventing agents from changing 3-11

placing calls from a queue 10-10

popping up caller information 10-11

priority, setting for calls 4-9

prompts

conditional Hold 5-14

Welcome 2-10

Q

Queue Call History Detail report 11-64

Queue Comparison report 11-64

Queue dialog 2-5

Queue Monitor view 9-3, 10-9

Queue Performance Summary by Agent report reports

Queue Performance Summary by Agent report 11-67

Queue Statistics pane 9-8

queues

overview of creating 2-2

adding agents to 3-4

agent permissions 3-9

call distribution 4-1

call outcome report 11-54

call priority 4-9

call volume report 11-56

callback 5-16

adding prompt to hold menu 5-17

callback statistics 5-17

setting up 5-18

caller ID for 2-25

caller options while waiting 5-10

clearing lockout 2-28

closing 6-15

comparison report 11-64

contacts for 8-9

creating a utility user for 8-3

creating Hold prompts for 5-11

data entry by callers 5-2

defined 1-7

deleting 6-16

distribution algorithms 4-1

extensions for 2-6

hold music for 5-7

language of phone prompts 2-8

listing in dial-by-name directory 2-16

logs B-1

menu choices for 2-14

- prompt language 2-8
- recording calls 6-6
- setting up menu choice for 2-14
- signing in and out 10-1
- skills for 7-8
- statistics by phone 9-17
- supervising overview 9-1
- talk time report by agent 11-48
- trends report 11-27
- using call rules with 8-9
- using contacts with 8-2
- using overflow agents 3-14
- utility user 8-3
- validating data entry by callers 5-5
- viewing statistics online 9-2
- voice mail greetings for 2-11
- voice mailbox for 9-25
- voice title for 2-9
- wait by outcome report 11-77
- Welcome prompt for 2-10

Queues view 2-3

R

- receiving and handling queue calls 10-6
- recording
 - agents' calls 3-7
 - queue calls 6-6
- recordings
 - creating 1-8
- redirecting calls 2-17
- remote agents 3-13
- reports
 - overview 11-1
 - Activity History by Agent 11-20
 - Activity History by Queue 11-22
 - Agent by Queue and Skill Configuration report 11-24
 - Agent Call Trends 11-25
 - Agent Performance by Skill 11-28

- Agent Performance Trends by Queue 11-27
- Agent State Summary 11-29
- Agent State Summary by Queue 11-31
- Average Wait Time and Call Volume by Time of Day 11-32
- backups for 11-3
- Call Center Queue Information 11-47
- Call Distribution by Skill and Agent 11-33
- Call Distribution by Skill and Queue 11-35
- Call Log 11-36
- Call Result by Skill 11-38
- Call Summary 11-39
- Call Transfer 11-41
- Call Trends 11-43
- Call Volume by Account Code 11-45
- Call Volume by Identified Caller 11-46
- Cumulative Calls and Average Talk Time by Agent 11-48
- custom A-1
- Custom Data 11-50
- Grouped Service Level 11-52
- Inbound Call Outcome Trends 11-54
- Inbound Call Volume Trends 11-56
- options for 11-10
- Outbound Call Comparison 11-57
- Outbound Calls by Phone Number 11-59
- Outbound Long Distance Summary 11-61
- Queue Call History Detail 11-64
- Queue Comparison 11-64
- running 11-3
- Service Level 11-68
- Service Level by Skill 11-70
- shared and local 11-11
- Skill Assignment by Agent report 11-71
- Unanswered Calls During Business Hours 11-72
- User Activity 11-74
- User Call Trends 11-75
- using Excel toolbar to run 11-4
- viewing headers and footers 11-7
- Wait by Outcome 11-77

reset times for statistics 9-12

- ringback, configuring for agents 5-9
- roaming agents 3-13
- round robin distribution 4-1, 4-3

S

- schema for database A-2
- security
 - Wave system 1-9
- security, managing for a queue 2-27
- Service Level by Skill report 11-70
- Service Level report 11-68
- shared reports 11-11
- shifts
 - with call center queues 6-9
- signing in and out 10-1
- simultaneous ring distribution 4-2, 4-3
- Skill Assignment by Agent report 11-71
- skills
 - adding to calls as requirements 7-6
 - adding to queues 7-8
 - adjusting requirements over time 7-12
 - assigning to users 7-5
 - configuring a queue to use 7-9
 - defining 7-4
 - reducing wait time for 7-17
 - value scale for 7-5
 - viewing an agent's 7-16
 - weighting for a queue 7-8
- states for agents, defined 9-5
- statistics
 - configuring collection of 6-9
 - displayed for queues 9-2
 - when reset 9-12
- supervising
 - changing agents' personal status 9-24
 - monitoring, coaching, and joining agents' calls 9-18
 - overview 9-1

- without receiving calls 9-2
- supervisor, defined 1-7
- support services 1-9
- system security 1-9

T

- technical support 1-9
- terminology 1-7
- time-of-day wait time and call volume report 11-32
- toolbar, for reports, using in Microsoft Excel 11-4
- top down distribution 4-1, 4-3
- transfer, option while waiting 5-10
- trends report 11-43

U

- Unanswered Calls During Business Hours report 11-72
- User Activity report 11-74
- User Call Trends report 11-75
- utility user 8-3

V

- validating caller data 5-5
- voice files
 - importing and exporting 1-9
- voice mail
 - callback phone numbers 2-13
 - creating greetings 2-11
 - notifications for 5-23
 - option while waiting 5-10
 - setting up for a queue 5-21
- voice title for queues 2-9

W

Wait by Outcome report 11-77

Web site 1-9

weighting skills 7-8

Welcome prompt, recording 2-10

working remotely 10-12

wrap-up time

- default setting for 3-2

- ending early 10-9

- using 10-9

